S. R. A.—Fed. Hort. Bd. No. 89 (Supplement) Issued September, 1927

United States Department of Agriculture

SERVICE AND REGULATORY ANNOUNCEMENTS

FEDERAL HORTICULTURAL BOARD

C. L. Marlatt, *Chairman;* R. A. Oakley, *Vice Chairman;* George B. Sudworth, M. B. Waite, and J. E. Graf; E. R. Sasscer, *Entomologist and Executive Officer;* R. C. Althouse, *Assistant to the Chairman*

ANNUAL LETTER OF INFORMATION NO. 39

PESTS COLLECTED FROM IMPORTED PLANTS AND PLANT PRODUCTS FROM JANUARY 1 TO DECEMBER 31, 1926, INCLUSIVE

NOTES ON ENTOMOLOGICAL INTERCEPTIONS

FRUIT FLIES

The larvæ or maggots of the Mediterranean fruit fly, *Ceratitis capitata*, were intercepted on a number of occasions, for the most part in fruit found in passengers' baggage and ships' stores, illustrating very forcibly the value of the inspection service maintained by the board at the several ports of entry. In one instance, this insect was found in tangerine arriving in the mail from Germany. Inasmuch as tangerines are not grown commercially in Germany, it is obvious that the fruit in question was shipped into that country from a fruit-fly region and later dispatched in the mail. In addition, the following fruits were found to be infested with maggots of the Mediterranean fruit fly: Guavas and oranges from the Azores; avocados, coffee berries, mangoes, papayas, and tomatoes from Hawaii; oranges, bitter oranges, peaches, pears, and prickly pears from Italy; loquats and prickly pears from Madeira; pears and loquats from Portugal; tangerines from South Africa; and oranges and grapes from Spain.

Maggots of other injurious fruit flies intercepted include the West Indian fruit fly, *Anastrepha fraterculus*, and the immature stage of what appeared to be maggots of *Ceratitis* (?) in grapes from the La Rioja district of Argentina. The West Indian fruit fly was also taken in guavas and mangoes from Cuba, and mangoes from Jamaica and Porto Rico, *Spondias mombin* from Porto Rico, and grapefruit from Trinidad; the Mexican fruit fly, *A. ludens*, in guavas from Mexico; the melon fly in cucumbers from Hawaii; *Anastrepha* sp. in mangoes from Cuba, Dominican Republic, Haiti, Jamaica, Porto Rico, and Mexico, in grapefruit from Trinidad, and in mamey and sapodilla from Mexico; and the olive fly, *Dacus oleae*, in olives from Italy.

MISCELLANEOUS INSECTS

Two injurious potato weevils, namely *Rhigopsidius tucumanus* and *Trypopremnon latithorax*, were collected in potatoes from Peru. Grubs of the West Indian sweet potato weevil, *Euscepes batatae*, were taken in sweet potatoes from Brazil, found in ships' stores and passengers' baggage from Porto Rico, as were also the larvæ of the sweet potato stem borer, *Omphisa anastomosalis*, in sweet potatoes from China.

Lima beans from Cuba, imported under permit, showed a slight infestation with the bean pod borer, *Maruca testulalis;* and *Maruca* sp. was found in green beans from Porto Rico, in the possession of a member of a ship's crew.

Turnips used as ships' stores on vessels arriving from England and France were infested with the turnip gall weevil, *Ceutorhynchus pleurostigma*, an insect which is reported to have occasioned injury to this vegetable in Europe, and fortunately is not known to occur in the United States.

Commercial shipments of garlic from Italy and Spain exhibited the grubs of *Brachycerus albidentatus*. These larvæ were also taken in two mail shipments of garlic from Italy.

Avocados from Mexico were frequently found to contain the grubs of *Conotrachelus aguacatae* and a lepidopterous larva, *Stenoma* sp., probably *catenifer*, was taken in this fruit arriving in baggage from Panama and Mexico. *Heilipus* sp., probably the avocado weevil, was taken in avocados from Mexico, in passenger's baggage; *Polychrosis* sp. arrived with grapes from Italy.

Laspeyresia splendana, including its variety *reaumurana*, and *Balaninus* sp. were intercepted on numerous occasions in chestnuts arriving from Italy and Spain. Adults of the banana root borer arrived in one shipment of bananas from Costa Rica.

As in previous years, the pink bollworm, *Pectinophora gossypiella*, was collected on a number of occasions in cottonseed arriving in the mails or baggage. In two instances this insect was found in seed adhering to burlap wraps of flax waste shipped from Belgium; and a cotton pillow from the Philippines in passenger's baggage also exhibited this insect. The European corn borer, *Pyrausta nubilalis*, accompanied a number of commercial shipments of broomcorn from Hungary, Jugoslavia, and Italy, and was also intercepted in a cornstalk from Italy.

The dagger moth, *Acronycta auricoma*, the white tree pierid, *Aporia crataegi*, and the European tussock moth, *Notolophus antiqua*, were intercepted on fruit and rose stocks from France and the sorrel cutworm, *Acronycta rumicis*, as well as *Calophasia lunula*, *Papilio podalarius*, *Acronycta* sp. and *Aporia* sp. on fruit stocks from France. *Acronycta rumicis* was also taken on fruit and rose stocks from Holland and *Acronycta* sp. on fruit stock from Holland. *Aporia crataegi* and *Notolophus antiqua* accompanied rose stocks from Holland. The nests of the brown-tail moth, *Nygmia phaeorrhoea*, were collected on fruit stocks from France. The citrus blackfly, *Aleurocanthus woglumi*, was intercepted on various hosts from Bahamas, Cuba, Haiti, and Jamaica.

NOTES ON PATHOLOGICAL INTERCEPTIONS

The so called green smut, or false smut disease of rice (*Ustilaginoidea virens*) has been intercepted at the Washington inspection house on a sample of rice from India. This disease attacks the individual grains, which are transformed into hard green masses, more or less twice the size of normal grains.

Another notable interception from India was an ergotlike disease (*Hypocreopsis phyllostachidis*) on bamboo. This disease is known to occur in Japan, but apparently has not been heretofore reported from India.

A smut disease of *Coix lachryma-jobi* (*Ustilago coicis*) was intercepted on Coix seed from the Philippines. *Coix lachryma-jobi*, or Job's tears, is one of the important grain crops of the Orient and is a near relative of corn.

During the bulb-shipping season, several hundred samples of diseased narcissus, hyacinth, and other flowering bulbs were examined. Scattering cases of bulb nematode infestation were found, as well as traces of several other and equally serious bulb diseases, but the majority of these diseases can not be recognized except when the bulb is in a growing condition. A diseased bulb decays very rapidly and is soon attacked by numerous secondary organisms. At least one definite interception of Wakker's hyacinth disease, or the yellow slime disease, was made on hyacinth bulbs imported from Holland. There is only one report of the occurrence of this disease in the United States.

Three interceptions of citrus canker (*Bacterium citri*) on oranges from China were made at the port of San Francisco. The black spot disease (*Phoma citricarpa*), which is a serious disease in Australia and other parts of the Orient, was found on Chinese oranges at Seattle. These oranges came to Seattle by way of Canada.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
AFRICA		
Insects:		
Aspidiotus destructor (Coccidae)	Cocos nucifera (coconut)	Florida.*
Aspidiotus hederae (ivy scale)	Citrus limonia (lemon)	Pennsylvania.
Aspidiotus sp. (Coccidae)	Citrus sinensis (orange)	Do.
Atherigona sp. (Anthomyiidae)	Solanum tuberosum (potato)	Do.
Chionaspis leucadendri (Coccidae)	Leucadendron argenteum (silver leaf tree).	Do.
Crambinae (Pyralidae)	Pisum sativum (pea)	Do.
Dermestes sp. (Dermestidae)	Solanum tuberosum (potato)	Do.
Ephestia sp. (Pyralidae)	Theobroma cacao (cacao bean) (30)	California.*
Forcipomyia sp. (Chironomidae)	Solanum tuberosum (potato)	Pennsylvania.
Ischnaspis longirostris (thread scale)	Palm	Florida.*
Lepidosaphes beckii (purple scale)	Citrus sinensis (orange)	Pennsylvania.
Lepidosaphes sp. (Coccidae)	do	Do.
Nitidulid	Allium cepa (onion)	Do.
Do	Solanum tuberosum (potato)	Do.
Pentatomid	In package of Dissotis sp. (seed)	District of Columbia.
Phthorimaea operculella (potato tuber worm).	Solanum tuberosum (potato) (4)	Pennsylvania.
Pyrops tenebrosa (Fulgoridae)	Pisum sativum (pea)	Do.
Rhizoglyphus hyacinthi (bulp mite)	Allium cepa (onion) (2)	Do.
Rhizoglyphus sp. (mite)	Solanum tuberosum (potato) (2)	Do.
Saissetia sp. (Coccidae)	Leucadendron argenteum (silver leaf tree).	Do.
Sciara sp. (Mycetophilidae)	Allium cepa (onion)	Do.
ALGERIA		
Insects:		
Aspidiotus lataniae (Coccidae)	Pyrus longipes	District of Columbia.
Chrysomphalus aurantii (California red scale).	Citrus sinensis (orange)	Massachusetts.
Coccus hesperidum (soft brown scale)	Citrus nobilis (tangerine) (foliage)	Do.
Histiostoma sp. (mite)	Allium cepa (onion) (2)	Pennsylvania.
Do	Brassica rapa (turnip)	South Carolina.
Do	Solanum tuberosum (potato) (4)	Pennsylvania.
Lepidosaphes beckii (purple scale)	Citrus limonia (lemon)	Massachusetts.
Do	do	Pennsylvania.
Do	Citrus sinensis (orange)	Do.
Do	Citrus sinensis (orange) (leaf and twig)	Rhode Island.
Lepidosaphes conchiformis (Coccidae)	Ficus sp. (fig) (twig)	District of Columbia.
Lepidosaphes ficus (Coccidae)	Ficus sp. (fig)	Do.
Parlatoria pergandii (chaff scale)	Citrus limonia (seedless lemon)	Do.
Do	Citrus sinensis (navel orange)	Do.
Parlatoria ziziphus (Coccidae)	Citrus limonia (lemon)	Pennsylvania.
Do	Citrus nobilis (tangerine) (foliage)	Massachusetts.
Do	Citrus nobilis (tangerine)	Do.
Do	Citrus sinensis (orange)	New York.
Parlatoria sp. (Coccidae)	Citrus nobilis (tangerine)	Massachusetts.
Phthorimaea operculella (potato tuber worm).	Solanum tuberosum (potato) (2)	Pennsylvania.
Phycitinae (Pyralidae)	Punica granatum (pomegranate)	Do.
Rhizoglyphus hyacinthi (bulb mite)	Allium cepa (onion) (2)	Do.
Do	Solanum tuberosum (potato)	Maryland.
Do	Solanum tuberosum (potato) (3)	Pennsylvania.
Rhizoglyphus phylloxerae (mite)	Daucus carota (carrot)	South Carolina.
Rhizoglyphus sp. (mite)	Allium cepa (onion)	Pennsylvania.
Do	Brassica rapa (turnip)	South Carolina.
Do	Solanum tuberosum (potato) (2)	Do.
Saissetia oleae (black scale)	Citrus sinensis (orange) (2)	District of Columbia.
Sciara sp. (Mycetophilidae)	Allium cepa (onion) (2)	Pennsylvania.
Do	Citrus limonia (lemon)	Do.
Do	Solanum tuberosum (potato)	Maryland.
Do	Solanum tuberosum (potato) (3)	Pennsylvania.
Diseases:		
Fusarium sp	Solanum tuberosum (potato)	Florida.*
Spondylocladium atrovirens	do	Do.*
ARGENTINA		
Insects:		
Anastrepha fraterculus (West Indian fruit fly).	Vitis sp. (grape) (2)	New York.
Aspidiotus sp. (Coccidae)	Vitis sp. (grape)	Do.
Carpocapsa pomonella (codling moth)	Pyrus communis (pear) (fruit)	Do.
Ceratitis (?)	Vitis sp. (grape) (3)	Do.
Chaetopsis sp. (Ortalidae)	Solanum tuberosum (potato)	Pennsylvania.
Cycloneda sp. (Coccinellidae)	Amygdalus persica (peach)	New York.
Ephestia sp. (Pyralidae)	Coffea sp. (coffee)	California.*

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
ARGENTINA—Continued		
Insects—Continued.		
Euetheola sp. (Scarabaeidae)	Among roots of wisteria	New York.
Gratiana lutescens (Chrysomelidae)	Cortaderia sp. (pampas grass)	Massachusetts.
Histiostoma sp. (mite)	Solanum tuberosum (potato)	Pennsylvania.
Laspeyresia sp. (Olethreutidae)	Prunus domestica (plum)	New York.
Lepidosaphes beckii (purple scale)	Citrus limonia (lemon)	California.*
Do	do	Pennsylvania.
Leptothrips sp. (thrips)	Amygdalus persica (peach)	New York.
Microtheca semilaevis (Chrysomelidae).	Cortaderia sp. (pampas grass)	Massachusetts.
Orthoporus sp. (myriapod)	Soil	New York.
Pseudococcus citri (citrus mealybug)	Vitis sp. (grape) (stem of bunch)	Do.
Do	Vitis sp. (grape)	Do.
Pseudococcus sp. (Coccidae)	do	Do.
Psyllobora sp. (Coccinellidae)	In box of grapes	Do.
Pyralinae (Pyralidae)	Allium cepa (onion)	Pennsylvania.
Pyralid	Zea mays (corn)	Do.
Rhizoglyphus hyacinthi (bulb mite)	Solanum tuberosum (potato) (2)	Do.
Rhizoglyphus phylloxerae (mite)	Solanum tuberosum (potato)	New York.
Do	do	Pennsylvania.
Rhizoglyphus sp. (mite)	do	Massachusetts.
Do	do	Pennsylvania.
Sitophilus sp. (Curculionidae)	Zea mays (corn)	Do.
Solenopsis geminata (ant)	Solanum tuberosum (potato)	Do.
Tenebrionid	Amygdalus persica (peach)	New York.
Tyroglyphus sp. (mite)	Malus sylvestris (apple)	South Carolina.
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato)	Florida.*
AUSTRALIA		
Insects:		
Anisolabis annulipes (earwig)	Palm (seed)	Pennsylvania.
Bulimus sp. (Mollusca)	In fiber packing	Do.
Chionaspis citri (orange chionaspis)	Citrus sinensis (orange)	California.*
Chrysomphalus aurantii (California red scale).	Citrus limonia (lemon) (5)	Do.*
Do	Citrus limonia (lemon)	Washington.
Do	Citrus sinensis (orange) (6)	California.*
Chrysomphalus dictyospermi (Coccidae).	Citrus sinensis (orange)	Do.*
Do	Undetermined plant	Do.*
Curculionid	Acacia longifolia (Sydney wattle) (seed)	District of Columbia.
Elaterid	Palm (seed)	Pennsylvania.
Histiostoma sp. (mite)	Allium cepa (onion)	Washington.
Icerya purchasi (cottony-cushion scale)	Undetermined plant	California.*
Lepidosaphes beckii (purple scale)	Citrus sinensis (orange) (4)	Do.*
Monocrepidius sp. (Elateridae)	Carrot débris	Washington.
Omphalatropis pfeifferi (Mollusca)	In fiber packing	Pennsylvania.
Phthorimaea operculella (potato tuber worm).	Solanum tuberosum (potato)	Massachusetts.
Pinnaspis buxi (Coccidae)	Palm (pinnate-form)	Oregon.
Plutella maculipennis (diamond-back moth).	Brassica oleracea (cabbage)	New York.
Pseudococcus adonidum (long-tailed mealybug).	Codiaeum sp. (croton)	California.*
Saissetia nigra (Coccidae)	Undetermined plant	Do.*
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato)	Do.*
AUSTRIA		
Insects:		
Anthonomus rectirostris (Curculionidae).	Prunus avium (Mazzard) (seed)	District of Columbia.
Carpocapsa pomonella (codling moth)	Pyrus communis (pear)	Pennsylvania.
AZORES		
Insects:		
Anglossa cuprealis (Pyralidae)	Mentha sp. (mint)	Rhode Island.
Anisolabis annulipes (earwig)	Cactus (plant)	Pennsylvania.
Anisolabis sp. (earwig)	In case containing dasheens, squash, sweet potatoes, corn, and beans.	Rhode Island.
Do	Vegetables and fruit	Do.
Do	Zea mays (corn) (under husk)	Do.
Arenostola extrema (Noctuidae)	Ipomoea batatas (sweet potato)	Do.
Aspidiotus camelliae (greedy scale)	Camellia sp	Do.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
AZORES—Continued		
Insects—Continued.		
Aspidiotus hederae (ivy scale)	Cucurbita pepo (pumpkin)	Rhode Island.
Do	Persea sp	Do.
Aspidiotus lataniae (Coccidae)	Ficus carica (fig) (cutting)	Do.
Do	Malus sylvestris (apple)	Do.
Aspidiotus lauretorum (Coccidae)	Buxus sp. (boxwood) (leaf)	Do.
Do	Laurus sp. (bay) (leaf)	Do.
Aulacaspis rosae (rose scale)	Rosa sp. (rose)	Massachusetts.
Do	Rosa sp. (rose) (4)	Rhode Island.
Blastobasid	Ananas sativus (pineapple)	Do.
Cecidomyiid	Passiflora sp. (passion flower) (fruit)	Massachusetts.
Ceratitis capitata (Mediterranean fruit fly).	Citrus sinensis (orange)	Rhode Island.
Do	Psidium guajava (guava)	Do.
Chionaspis citri (orange chionaspis)	Citrus nobilis (tangerine)	Do.
Chrysomphalus aonidum (Florida red scale).	Citrus sinensis (orange)	Do.
Chrysomphalus aurantii (California red scale).	Persea azorica (laurel)	Do.
Cochlicopa lubrica (Mollusca)	Colocasia sp. (plant, root, and soil)	Do.
Diaspis bromeliae (Coccidae)	Ananas sativus (pineapple) (2)	Do.
Fiorinia fioriniae (Coccidae)	Camellia sp	Massachusetts.
Do	Camellia sp. (4)	Rhode Island.
Gnathocerus cornutus (Tenebrionidae)	Unknown	District of Columbia.
Histiostoma sp. (mite)	Solanum tuberosum (potato)	Pennsylvania.
Julus sp. (myriapod)	In soil around roots of gladiolus bulbs	Rhode Island.
Lepidosaphes beckii (purple scale)	Citrus limetta (sweet lime) (2)	Massachusetts.
Do	Citrus limetta (sweet lime) (13)	Rhode Island.
Do	Citrus limonia (lemon)	Massachusetts.
Do	do	Pennsylvania.
Do	Citrus limonia (lemon) (4)	Rhode Island.
Do	Citrus nobilis (tangerine)	Do.
Do	Citrus sinensis (orange) (3)	Massachusetts.
Do	Citrus sinensis (orange) (5)	Rhode Island.
Do	Citrus sp. (2)	Do.
Lithobius longipes (myriapod)	In soil around roots of gladiolus bulbs	Massachusetts.
Monarthropalpus buxi (boxwood leaf miner).	Buxus sp. (boxwood) (leaf)	Rhode Island.
Monocrepidius sp. (Elateridae)	do	Do.
Monomorium pharaonis (Pharaoh's ant).	In soil around roots of large camellia shrub and rose bushes.	Do.
Do	Zea mays (corn) (under husk)	Do.
Mylabris sp. (Mylabridae)	Unknown	Massachusetts.
Phthorimaea operculella (potato tuber worm).	Solanum tuberosum (potato)	Pennsylvania.
Porcellionides pruinosus (isopod)	In baggage	Rhode Island.
Prenolepis longicornis (crazy ant)	do	Do.
Prenolepis sp. (ant)	do	Do.
Pseudococcus sp. (Coccidae)	Passiflora edulis (purple granadilla)	Do.
Do	Passiflora sp. (passion flower) (fruit)	Massachusetts.
Rhizoglyphus hyacinthi (bulb mite)	Allium cepa (onion)	Pennsylvania.
Do	Dahlia sp. (tuber)	Rhode Island.
Saissetia nigra (Coccidae)	Persea azorica (laurel)	Do.
Saissetia sp. (Coccidae)	Cactus (plant)	Pennsylvania.
Sciara sp. (Mycetophilidae)	Allium cepa (onion)	Do.
Scolopostethus pictus (Lygaeidae)	In package containing chestnuts, herbs, and pineapple.	Massachusetts.
Sesamia vuteria (Noctuidae)	Ipomoea batatas (sweet potato)	Rhode Island.
Solenopsis geminata rufa (ant)	Passiflora sp. (passion flower)	Massachusetts.
Targionia bromeliae (Coccidae)	Ananas sativus (pineapple) (2)	Do.
Do	Ananas sativus (pineapple)	New York.
Do	do	Rhode Island.
Diseases:		
Septoria gladioli	Gladiolus sp	Do.
BAHAMAS		
Insects:		
Aleurocanthus woglumi (citrus blackfly).	Unknown	Florida.*
Aleurothrixus howardi (woolly whitefly).	do	Do.*
Anthonomus sp. (Curculionidae)	Codiaeum eluterea (croton) (seed)	District of Columbia.
Aphis nerii (aphid)	Nerium oleander (oleander)	Florida.*
Aspidiotus cocotiphagus (Coccidae)	Unknown	Do.*
Cylas formicarius (sweet-potato weevil).	Ipomoea batatas (sweet potato) (2)	Do.*

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
BAHAMAS—Continued		
Insects—Continued.		
Diatraea sp. (Pyralidae)	Saccharum officinarum (sugar cane)	New York.
Gelechiid	Lycopersicum esculentum (tomato) (9)	Do.
Heliothis sp. (Noctuidae)	Lycopersicum esculentum (tomato)	Do.
Lepidosaphes beckii (purple scale)	Citrus sinensis (orange)	Florida.*
Pseudaonidia articulatus (rufous scale).	Musa sp. (banana)	Do.*
Do	Unknown (3)	Do.*
Pseudococcus adonidum (long-tailed mealybug).	Stephanotis sp	Do.*
Do	Unknown	Do.*
Pseudococcus nipae (palm mealybug)	Annona reticulata (custard apple)	New York.
Do	Unknown	Florida.*
Pyraustinae (Pyralidae)	Lycopersicum esculentum (tomato)	New York.
Saissetia oleae (black scale)	Nerium oleander (oleander)	Florida.*
Vinsonia stellifera (star scale)	Unknown	Do.*
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato)	Do.*
BARBADOS		
Insects:		
Curculionid	Cajanus indicus (pigeon pea)	Pennsylvania.
Do	Corn	Do.
Heliothis obsoleta (corn earworm)	Saccharum officinarum (sugar cane)	New York.
Targionia hartii (Coccidae)	Dioscorea sp. (yam) (2)	Massachusetts.
Do	Dioscorea sp. (yam) (3)	New York.
Vinsonia stellifera (star scale)	Laurus sp. (bay) (leaf) (3)	Pennsylvania.
BELGIUM		
Insects:		
Agromyzid	Cichorium endivia (endive)	New York.
Anthomyiid	Brassica rapa (turnip)	Do.
Chrysomphalus aurantii (California red scale).	Citrus sinensis (orange)	California.*
Coccus hesperidum (soft brown scale)	Laurus sp. (bay)	New York.
Diaspis boisduvalii (Boisduval's scale)	Cattleya sladdeni (orchid)	District of Columbia.
Do	Cattleya sp. (orchid) (3)	Do.
Euxesta sp. (Ortalidae)	Brassica rapa (turnip)	Pennsylvania.
Histiostoma sp. (mite)	Allium cepa (onion)	Do.
Do	Apium graveolens (celery)	Do.
Do	Solanum tuberosum (potato) (4)	Do.
Hylemyia sp. (Anthomyiidae)	Allium cepa (onion)	Do.
Do	Lactuca sativa (lettuce)	New York.
Pariatoria proteus (Coccidae)	Dendrobium undulatum (orchid)	Pennsylvania.
Do	Vanda tricolor (orchid)	Do.
Pectinophora gossypiella (pink bollworm).	Gossypium sp. (cotton) (seed) (2)	South Carolina.
Plutella maculipennis (diamond-back moth).	Brassica oleracea botrytis (cauliflower)	Pennsylvania.
Rhizoglyphus hyacinthi (bulb mite)	Allium cepa (onion)	Do.
Do	Solanum tuberosum (potato) (3)	Do.
Rhizoglyphus sp. (mite)	Allium cepa (onion)	Louisiana.
Do	Daucus carota (carrot)	South Carolina.
Do	Solanum tuberosum (potato)	Washington.
Sciara sp. (Mycetophilidae)	Allium cepa (onion)	Louisiana.
Do	do	Washington.
Do	Solanum tuberosum (potato)	Pennsylvania.
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato) (8)	Florida.*
Fusarium sp	Solanum tuberosum (potato) (3)	Do.*
Rhizoctonia sp	Solanum tuberosum (potato)	Do.*
Spondylocladium atrovirens	Solanum tuberosum (potato) (6)	Do.*
BERMUDA		
Insects:		
Agriolimax sp. (Mollusca)	Brassica oleracea acephala (kale)	New York.
Agromyzid	do	Do.
Do	Brassica rapa (turnip)	Do.
Agrotis sp. (Noctuidae)	Apium graveolens (celery)	Do.
Anisolabis annulipes (earwig)	Lactuca sativa (lettuce)	Do.
Do	Solanum tuberosum (potato)	Do.
Aphis sp. (aphid)	Lilium longiflorum (Easter lily)	Massachusetts.
Do	Lilium sp. (lily)	Florida.*
Do	do	Illinois.
Aulacaspis pentagona (West Indian peach scale).	Bryophyllum sp	New York.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
BERMUDA—Continued		
Insects—Continued.		
Autographa brassicae (Noctuidae)	Brassica oleracea acephala (kale) (3)	New York.
Do	Latuca sativa (lettuce) (2)	Do.
Autographa sp. (Noctuidae)	Apium graveolens (celery)	Do.
Do	Brassica rapa (turnip)	Do.
Brevicoryne brassicae (aphid)	Brassica oleracea acephala (kale) (3)	Do.
Diaphania sp. (Pyralidae)	Brassica oleracea acephala (kale)	Do.
Hymenia fascialis (Pyralidae)	Beta vulgaris (beet)	Do.
Do	Beta vulgaris (beet) (leaf)	Do.
Illinoia solanifolii (aphid)	Lactuca sativa (lettuce)	Do.
Lepidosaphes beckii (purple scale)	Citrus limonia (lemon) (leaf)	Do.
Nezara viridula (Pentatomidae)	Brassica rapa (turnip)	Do.
Noctuid	Apium graveolens (celery)	Do.
Opatrinus anthracinus (Tenebrionidae)	Cactus	Do.
Phlyctaenia rubigalis (Pyralidae)	Apium graveolens (celery) (2)	Do.
Phlyctaenia sp. (Pyralidae)	Brassica rapa (turnip)	Do.
Pseudococcus citri (citrus mealybug)	Annona squamosa (sugar apple)	Massachusetts.
Pterophorid	Undetermined	New York.
Pyraustinae (Pyralidae)	Apium graveolens (celery)	Do.
Saissetia hemisphaerica (hemispherical scale).	Cycas sp. (sago palm) (leaf)	Do.
Do	Nerium oleander (oleander) (leaf)	Do.
Syrphid	Lilium longiflorum (Easter lily) (bulb)	Massachusetts.
Diseases:		
Bacterium tumefaciens	Beta vulgaris (beet)	New York.
Cercospora betae	do	Do.
Cercospora beticola	do	Do.
Heterodera radicicola	Daucus carota (carrot)	Do.
Septoria petroselini apii	Apium graveolens (celery) (2)	Do.
BRAZIL		
Insects:		
Araecerus fasciculatus (coffee-bean weevil).	Cocos weddelliana (weddell palm) (seed).	New Jersey.*
Do	Theobroma cacao (cacao bean) (3)	California.*
Calendrinae (Curculionidae)	Lecythis pisonis	District of Columbia.
Cryptolestes sp. (Cucujidae)	Cocos weddelliana (weddell palm) (seed).	New Jersey.*
Curculionid	Ipomoea batatas (sweet potato)	Louisiana.
Do	Theobroma cacao (cacao bean)	Pennsylvania.
Dermestes sp. (Dermestidae)	Bertholletia excelsa (Brazil nut)	California.*
Do	Theobroma cacao (cacao bean)	Do.*
Ephestia sp. (Pyralidae)	Theobroma cacao (cacao bean) (10)	Do.*
Do	Theobroma cacao (cacao bean)	Pennsylvania.
Epipaschiinae (Pyralidae)	Cocos weddelliana (weddell palm) (seed).	New Jersey.*
Euscepes batatae (West Indian sweet-potato weevil).	Ipomoea batatas (sweet potato) (2)	Louisiana.
Euscepes sp. (Curculionidae)	Ipomoea batatas (sweet potato)	Florida.*
Fulvius sp. (Miridae)	Solanum tuberosum (potato)	South Carolina.
Gryllodes sigillatus (Gryllidae)	Dalbergia sp. (rosewood) (log)	New York.
Hemichionaspis minor (Coccidae)	Dracaena massangeana	District of Columbia.
Hemichionaspis sp. (Coccidae)	Citrus medica (citron)	New York.
Histiostoma sp. (mite)	Allium cepa (onion)	Pennsylvania.
Do	Solanum tuberosum (potato)	Do.
Lepidosaphes beckii (purple scale)	Citrus limonia (lemon)	Florida.*
Do	Citrus sinensis (orange)	Massachusetts.
Do	do	New York.
Nasutitermes ephratae (termite)	Dalbergia sp. (rosewood)	Do.
Pachymerus sp. (Mylabridae)	Scheelea leandroana	District of Columbia.
Phthorimaea operculella (potato tuber worm).	Solanum tuberosum (potato)	Louisiana.
Do	do	Pennsylvania.
Pseudaonidia sp. (Coccidae)	Bixa orellana (annato) (leaf)	District of Columbia.
Pseudococcus maritimus (Coccidae)	Solanum tuberosum (potato)	South Carolina.
Pyralid	Lecythis pisonis	District of Columbia.
Pyraustinae (Pyralidae)	Green beans	New York.
Rhizoglyphus hyacinthi (bulb mite)	Solanum tuberosum (potato)	Pennsylvania.
Rhizoglyphus sp. (mite)	Dracaena sp. (cane)	District of Columbia.
Do	Dracaena sp.	New York.
Do	Solanum tuberosum (potato)	Pennsylvania.
Scolytid	Cocos weddelliana (weddell palm) (seed).	New Jersey.*
Solenopsis geminata rufa (ant)	Solanum tuberosum (potato)	South Carolina.
Tenebrio picipes (Tenebrionidae)	In case with dracena canes	District of Columbia.
Trichomorpha sp. (myriapod)	In cell of sand and soil on rosewood log.	New York.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
BRAZIL—Continued		
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato) (7)	Florida.*
Sphaceloma citri	Citrus limonia (lemon)	Do.*
Fusarium sp.	Solanum tuberosum (potato) (3)	Do.*
Penicillium italicum	Citrus aurantifolia (lime)	Do.*
Rhizoctonia sp.	Solanum tuberosum (potato)	Do.*
Spondylocladium atrovirens	do	Do.*
BRITISH COLUMBIA		
Insects:		
Cecidomyiid	Gladiolus sp. (bulb)	Illinois.
Chionaspis pinifoliae (Coccidae)	Pinus sp. (pine) (tree)	Washington.
Halisidota maculata (Arctiidae)	Pinus sp. (pine)	Oregon.
Ischnodes sp. (Elateridae)	Helleborus niger (Christmas-rose)	Washington.
Merodon sp. (Syrphidae)	Narcissus sp. (bulb)	Do.
Myzus circumflexus (aphid)	Gladiolus sp. (bulb)	Illinois.
Saissetia hemisphaerica (hemispherical scale).	Beta vulgaris (beet)	Washington.
BRITISH GUIANA		
Insects:		
Histiostoma sp. (mite)	Solanum tuberosum (potato)	Pennsylvania.
Rhizoglyphus hyacinthi (bulb mite)	do	Do.
BRITISH HONDURAS		
Insects:		
Ceramidia butleri (Syntomidae)	Musa sp. (banana)	Louisiana.
Saissetia nigra (Coccidae)	Codiaeum sp. (croton) (plant)	Alabama.
Tetramorium sp. (ant)	Codiaeum sp. (croton)	Do.
BRITISH WEST INDIES		
Insects:		
Chrysomphalus dictyospermi (Coccidae).	Citrus aurantifolia (lime)	New York.
Curculionid	Achras sapota (sapodilla)	Do.
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime)	Do.
Tineid	Colocasia sp.	Do.
Tyroglyphus sp. (mite)	do	Do.
CANADA		
Insects:		
Anisolabis annulipes (earwig)	Allium cepa (onion)	Pennsylvania.
Aulacaspis rosae (rose scale)	Rosa sp. (rose) (plant)	District of Columbia.
Diaspis boisduvalii (Boisduval's scale)	Oncidium tigrinum (orchid)	Do.
Histiostoma sp. (mite)	Solanum tuberosum (potato)	South Carolina.
Lepidosaphes ulmi (oyster-shell scale)	Malus sylvestris (apple)	Oregon.
Do	Malus sp. (Siberian crabapple) (scion)	District of Columbia.
Do	Rosa sp. (rose)	Do.
Merodon sp. (Syrphidae)	Narcissus sp. (bulb)	Washington.
Myzus persicae (green peach aphid)	Unidentified plant	District of Columbia.
Myzus primulae (aphid)	Primula sp. (primrose)	Washington.
Noctuid	Solanum tuberosum (potato)	Massachusetts.
Olethreutes abietana (Olethreutidae)	Picea sp. (blue spruce) (3)	New York.*
Prenolepis longicornis (crazy ant)	Oncidium tigrinum (orchid)	District of Columbia.
Pseudococcus sp. (Coccidae)	do	Do.
Tipula sp. (Tipulidae)	In soil around Sedum plants	Do.
Trichoniscus sp. (isopod)	Dahlia sp. (tuber)	Illinois.
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato) (2)	Florida.*
Bacterial rot	Gladiolus sp.	District of Columbia.
Colletotrichum gloeosporioides	Persea americana (avocado)	Louisiana.*
Fusarium sp.	Solanum tuberosum (potato)	Florida.*
Phoma citricarpa	Citrus sinensis (orange)	Washington.
Phytophthora infestans	Solanum tuberosum (potato)	Florida.*
Spondylocladium atrovirens	do	Do.*
CANAL ZONE		
Insects:		
Aspidiotus cyanophylli (Coccidae)	Musa sp. (banana) (5)	California.*
Aspidiotus hederae (ivy scale)	Citrus limonia (lemon)	Do.*
Do	do	South Carolina.
Do	Citrus sinensis (orange)	California.*
Aspidiotus lataniae (Coccidae)	Citrus aurantifolia (lime)	Do.*
Do	Citrus limonia (lemon)	Do.*
Do	Citrus sinensis (orange)	Do.*
Aspidiotus spinosus (Coccidae)	Roystonea regia (royal palm) (seed)	District of Columbia.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
CANAL ZONE—Continued		
Insects—Continued.		
Aulacaspis pentagona (West Indian peach scale).	Carica papaya (papaya)	South Carolina.
Chionaspis citri (orange chionaspis)	Citrus limonia (lemon)	California.*
Do	Citrus sinensis (orange) (2)	Do.*
Chrysomphalus aonidum (Florida red scale).	Citrus grandis (grapefruit)	Do.*
Do	Citrus sinensis (orange)	Do.*
Chrysomphalus aurantii (California red scale).	Citrus sinensis (orange) (2)	Do.*
Chrysomphalus dictyospermi (Coccidae).	Citrus sinensis (orange)	Do.*
Do	do	Florida.*
Do	Cocos nucifera (coconut)	California.*
Chrysomphalus sp. (Coccidae)	Epidendrum fragrans (orchid)	District of Columbia.
Coccus hesperidum (soft brown scale)	Epidendrum amandum (orchid)	Do.
Do	Musa sp. (banana)	California.*
Crematogaster sp. (ant)	Orchid	Pennsylvania.
Cylas formicarius (sweet-potato weevil).	Ipomoea batatas (sweet potato)	California.*
Cylas sp. (Curculionidae)	do	Louisiana.
Dermestes sp. (Dermestidae)	Theobroma cacao (cacao bean)	California.*
Dermestid	Musa sp. (banana)	Do.*
Encyrtid	Pisum sativum (pea)	Pennsylvania.
Ephestia sp. (Pyralidae)	Capsicum annuum (chili pepper)	California.*
Do	Pimenta officinalis (pimento)	Do.*
Do	Theobroma cacao (cacao bean) (5)	Do.*
Epipaschiinae (Pyralidae)	Dried herbs	Pennsylvania.
Formica fusca subsericea (ant)	Musa sp. (banana)	California.*
Formica sp. (ant)	do	Do.*
Furcaspis sp. (Coccidae)	Brassavola lineata (orchid) (stem)	District of Columbia.
Heilipus perseae (Curculionidae)	Persea americana (avocado)	Pennsylvania.
Hemichionaspis minor (Coccidae)	Cocos nucifera (coconut) (2)	California.*
Do	Enterolobium cyclocarpum	Florida.*
Do	Musa sp. (banana)	California.*
Howardia biclavis (mining scale)	Citrus limonia (lemon)	Do.*
Iridomyrmex humilis (Argentine ant)	Musa sp. (banana)	Do.*
Lampyrid	do	Do.*
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime) (5)	Do.*
Do	Citrus grandis (grapefruit) (5)	Do.*
Do	Citrus limonia (lemon) (5)	Do.*
Do	Citrus limonia (lemon)	South Carolina.
Do	Citrus sinensis (orange) (18)	California.*
Do	Citrus sinensis (orange) (2)	Florida.*
Do	Citrus sinensis (orange)	Massachusetts.
Do	do	Pennsylvania.
Lepidosaphes gloverii (Glover's scale)	Citrus aurantifolia (lime)	California.*
Do	Citrus grandis (grapefruit)	Do.*
Do	Citrus sinensis (orange)	Do.*
Monotomid	Dried herbs	Pennsylvania.
Neoponera villosa (ant)	Musa sp. (banana)	California.*
Orthoperus sp. (Corylophidae)	Zea mays (corn)	District of Columbia.
Paleococcus sp. (Coccidae)	Musa sp. (banana) (3)	California.*
Parlatoria cinerea (Coccidae)	Citrus sinensis (orange)	Do.*
Parlatoria pergandii (chaff scale)	Citrus aurantifolia (lime)	Do.*
Do	Citrus limonia (lemon)	Do.*
Do	Citrus sinensis (orange) (3)	Do.*
Pheidole sp. (ant)	Phalus sp. (orchid)	District of Columbia.
Pseudaonidia articulatus (rufous scale)	Citrus grandis (grapefruit)	California.*
Do	Citrus limonia (lemon)	Do.*
Do	Citrus sinensis (orange) (3)	Do.*
Do	Musa sp. (banana) (2)	Do.*
Pseudococcus citri (citrus mealybug)	Dioscorea sp. (yam)	Florida.*
Pseudococcus maritimus (Coccidae)	Musa sp. (banana) (3)	California.*
Pseudococcus sp. (Coccidae)	Citrus sinensis (orange)	Do.*
Do	Maxillaria alba (orchid) (leaf)	District of Columbia.
Do	Musa sp. (banana)	California.*
Pyroderces rileyi (Cosmopterygidae)	Dried herbs	Pennsylvania.
Scolytid	do	Do.
Silvanus sp. (Cucujidae)	do	Do.
Stenoma catenifer (Stenomidae)	Persea americana (avocado) (seed)	California.*
Stenoma sp. (Stenomidae)	do	Do.*
Syrphid	Musa sp. (banana)	Do.*
Targionia hartii (Coccidae)	Dioscorea sp. (yam)	Florida.*
Tenebrionid	Musa sp. (banana)	California.*
Vinsonia stellifera (star scale)	Lindleyella picta	District of Columbia.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
CANAL ZONE—Continued		
Diseases:		
Sphaceloma citri	Citrus grandis (grapefruit) (3)	California.*
Do	Citrus limonia (lemon)	Do.*
Colletotrichum gloeosporioides	Chivtia sp.	District of Columbia.
Gloeosporium musarum	Musa sapientum (banana)	Washington.
Phomopsis citri	Citrus sinensis(orange)	California.*
Spondylocladium atrovirens	Solanum tuberosum (potato)	Florida.*
CANARY ISLANDS		
Insects:		
Chrysomphalus dictyospermi (Coccidae).	Kentia belmoreana (seed)	District of Columbia.
Histiostoma sp. (mite)	Solanum tuberosum (potato)	South Carolina.
Hylemyia sp. (Anthomyiidae)	do	Pennsylvania.
Scolytid	Livistona australis (Australian fan palm) (seed).	District of Columbia.
CAPE VERDE ISLANDS		
Insects:		
Aonidia lauri (Coccidae)	Rosa sp. (rose)	Rhode Island.
Aulacaspis rosae (rose scale)	do	Do.
Hylemyia cilicrura (Anthomyiidae)	Solanum tuberosum (potato)	Massachusetts.
Mylabris sp. (Mylabridae)	Cassia occidentalis	Rhode Island.
Phthorimaea operculella (potato tuber worm).	Solanum tuberosum (potato)	Massachusetts.
CENTRAL AMERICA		
Insects:		
Araecerus fasciculatus (coffee-bean weevil)	Theobroma cacao (cacao bean)	California.*
Aspidiotus cyanophylli (Coccidae)	Musa sp. (banana) (2)	Do.*
Camponotus sp. (ant)	Musa sp. (banana)	Do.*
Ephestia sp. (Pyralidae)	Theobroma cacao (cacao bean) (13)	Do.*
Epilachna borealis var. (Coccinellidae)	Musa sp. (banana)	Do.*
Epilachna sp. (Coccinellidae)	do	Do.*
Lepidosaphes beckii (purple scale)	Citrus sinensis (orange) (2)	Do.*
Neoponera villosa (ant)	Musa sp. (banana)	Do.*
Parlatoria pergandii (chaff scale)	Citrus aurantifolia (lime)	Do.*
Pseudaonidia articulatus (rufous scale)	Citrus sinensis (orange)	Do.*
Tenebrionid	Musa sp. (banana)	Do.*
CEYLON		
Insects:		
Anobiid	Sesbania grandiflora	District of Columbia.
Apogonia sp. (Carabidae)	In soil around plant roots	Do.
Araecerus fasciculatus (coffee-bean weevil).	Bauhinia triandra	Do.
Do	Gossypium sp. (cotton) (unginned seed).	Do.
Aspidiotus cyanophylli (Coccidae)	Couroupita guianensis	Do.
Aspidiotus lataniae (Coccidae)	Vateria acuminata	Do.
Aspidiotus palmae (Coccidae)	Garcinia cambogia (2)	Do.
Do	Stromanthe sanguinea (plant)	Do.
Asterolecanium bambusae (Coccidae)	Gigantochloa aspera (plant)	Do.
Carpophilus humeralis (Nitidulidae)	Borassus flabellifer	Do.
Cetonia sp. (Scarabaeidae)	In soil around plants	Do.
Chaetococcus bambusae (Coccidae)	Bamboo (plant)	Do.
Do	Bambusa nana (plant)	Do.
Chionaspis sp. (Coccidae)	Bamboo (plant)	Do.
Do	Bambusa nana (plant)	Do.
Chrysomphalus sp. (Coccidae)	Aegle marmelos	Do.
Coccinae (Coccidae)	Thunbergia coccinea (scarlet clock vine)	Do.
Curculionid	Lysidice rhodostegia	Do.
Echinopla sp. (ant)	Dillenia burbidgei	Do.
Endomychid	Gigantochloa verticilata (plant)	Do.
Ephestia sp. (Pyralidae)	Theobroma cacao (cacao bean) (7)	California.*
Melanotus sp. (Elateridae)	In soil around plants	District of Columbia.
Monomorium sp. (ant)	In soil around Murraya koenigii	Do.
Mylabris sp. (Mylabridae)	Albizzia odoratissima	Do.
Do	Tephrosia candida (seed)	Do.
Oxycarenus lactus (Lygaeidae)	Gossypium sp. (cotton) (unginned seed).	Do.
Pectinophora gossypiella (pink bollworm).	do	Do.
Pheidole megacephala (ant)	In soil around plants	Do.
Platystomid	Tephrosia candida (seed)	Do.
Pselaphid	Borassus flabellifer	Do.
Pseudaonidia tesserata (Coccidae)	Aegle marmelos	Do.
Do	Bignonia unguis-cati (plant)	Do.
Do	Parkia roxburghii (plant)	Do.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
CEYLON—Continued		
Insects—Continued.		
Pseudococcinae (Coccidae)	Cephalostachynm pergracile (plant)	District of Columbia.
Pseudococcus sp. (Coccidae)	Ananas sativus (pineapple)	Pennsylvania.
Do	Parkia roxburghii	District of Columbia.
Rutelini (Scarabaeidae)	In soil around plants	Do.
Scolytid	Borassus flabellifer (2)	Do.
Do	Parkia roxburghii (seed)	Do.
Tapinoma sessile (ant)	Tectona grandis (teak)	Do.
Tetramorium cespitum (ant)	do	Do.
Xyleborus sp. (Scolytidae)	Dioscorea sp. (yam)	Do.
CHILE		
Insects:		
Aspidiotus hederae (ivy scale)	Cassia sp.	Massachusetts..
Aspidiotus sp. (Coccidae)	Persea americana (avocado)	New York.
Blapstimus sp. (Tenebrionidae)	Cucumis melo (melon)	Do.
Chrysomphalus dictyospermi (Coccidae).	Citrus grandis (grapefruit)	Florida.*
Do	Citrus sinensis (orange)	California.*
Ephestia sp. (Pyralidae)	Amygdalus persica (peach)	Do.*
Gryllus sp. (Gryllidae)	Cucumis melo var. (honey dew melon)	New York.
Heliothis obsoleta (corn earworm)	Zea mays (corn)	Do.
Histiostoma sp. (mite)	Allium cepa (onion)	Do.
Lepidosaphes beckii (purple scale)	Citrus grandis (grapefruit)	Florida.*
Do	Citrus limonia (lemon)	California.*
Do	Citrus sinensis (orange)	Do.*
Lepidosaphes gloverii (Glover's scale)	Citrus limonia (lemon)	Do.*
Do	Citrus sinensis (orange)	Do.*
Microgryllus pallidum (Gryllidae)	Vitis sp. (grape)	New York.
Mylabris spinipes (Mylabridae)	Seeds	California.*
Phthorimaea operculella (potato tuber worm)	Solanum tuberosum (potato)	Louisiana.
Do	do	Massachusetts.
Do	do	New York.
Prenolepis longicornis (crazy ant)	In soil around plants	District of Columbia.
Pseudococcus sp. (Coccidae)	Citrus limonia (lemon)	California.*
Rhizoglyphus sp. (mite)	Solanum tuberosum (potato)	Pennsylvania.
Diseases:		
Sphaceloma citri	Citrus grandis (grapefruit)	Florida.*
Phomopsis citri	do	Do.*
Spongospora subterranea	Solanum tuberosum (potato)	South Carolina.
CHINA		
Insects:		
Aiolomorphus rhopaloides (Chalcididae).	Bamboo broom	Hawaii.*
Alphitobius sp. (Tenebrionidae)	Dioscorea sp. (yam)	New York.
Do	Oryza sativa (rice hulls used as packing).	Washington.
Do	Pueraria thunbergiana (kudzu bean)	New York.
Do	Sagittaria sagittifolia (water chestnut)	Washington.
Anisolabis annulipes (earwig)	Colocasia esculenta (taro)	New York.
Do	do	Washington.
Do	In packing with Zizania plants	District of Columbia.
Do	Lilium sp. (lily) (bulb)	Washington.
Do	Pueraria thunbergiana (kudzu bean)	Do.
Anisolabis sp. (earwig)	Pueraria thunbergiana (kudzu bean) (2).	Do.
Anthomyiid	Triticum aestivum (wheat)	Pennsylvania.
Antonina crawi (Coccidae)	Bambusa sp. (bamboo)	District of Columbia.
Aphis gossypii (aphid)	Colocasia esculenta	Do.
Aphis sp. (aphid)	Colocasia sp.	Hawaii.*
Asellus sp. (isopod)	Lilium sp. (lily) (bulb)	Washington.
Aspidiotus excisus (Coccidae)	Diospyros kaki (kaki persimmon)	District of Columbia.
Aspidiotus lataniae (Coccidae)	Kamarangas	Washington.
Aspidiotus perniciosus (San Jose scale)	Amygdalus persica (peach) (4)	District of Columbia.
Do	Prunus japonica (Chinese bush cherry) (3).	Do.
Do	Prunus mume (Japanese apricot) (7)	Do.
Do	Prunus sp. (2)	Do.
Do	Pyrus calleryana (callery pear) (cutting).	Do.
Aspidiotus sp. (Coccidae)	Diospyros kaki (kaki persimmon) (cutting).	Do.
Do	Diospyros kaki (kaki persimmon) (scion).	Do.
Do	Diospyros sp. (persimmon)	Do.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
CHINA—Continued		
Insects—Continued.		
Aulacaspis pentagona (West Indian peach scale).	Amygdalus persica (peach)	District of Columbia.
Do	Prunus japonica (Chinese bush cherry)	Do.
Do	Prunus mume (Japanese apricot) (2)	Do.
Do	Prunus sp.	Do.
Aulacaspis rosae (rose scale)	Rosa sp. (rose) (seed pod)	California.*
Aulacaspis sp. (Coccidae)	Prunus mume (Japanese apricot)	District of Columbia.
Balaninus sp. (Curculionidae)	Castanea seguinii (chestnut) (seed) (2)	Do.
Do	Castanea sp. (chestnut) (2)	California.*
Do	Castanea sp. (chestnut)	Massachusetts.
Bithynia sp. (Mollusca)	Oryza sativa (paddy rice)	Pennsylvania.
Blastobasid	Artabotrys uncinatus	District of Columbia.
Brachyrhinus sulcatus (Curculionidae)	Colocasia esculenta (taro)	New York.
Chaetococcus bambusae (Coccidae)	Dendrocalamus sp. (giant bamboo)	District of Columbia.
Chionaspis citri (orange chionaspis)	Citrus grandis (pomelo)	California.*
Chionaspis sp. (Coccidae)	Castanea mollissima (hairy chestnut)	District of Columbia.
Do	Diospyros kaki (kaki persimmon)	Do.
Do	Diospyros sp. (persimmon) (3)	Do.
Do	Salix sp. (willow) (2)	Massachusetts.
Chloropid	Colocasia esculenta (taro)	Washington.
Do	Sagittaria sagittifolia (water chestnut)	Do.
Chrysomphalus aonidum (Florida red scale).	Citrus grandis (pomelo)	California.*
Chrysomphalus aurantii (California red scale).	do	Do.*
Do	Citrus sinensis (orange)	Do.*
Do	Zizyphus sp. (jujube)	District of Columbia.
Chrysomphalus dictyospermi (Coccidae).	Canarium pimela (cutting)	Do.
Coccinae (Coccidae)	Diospyros kaki (kaki persimmon)	Do.
Coccinellid	Eremochloa sp. (seed)	Do.
Corbicula fluminea (Mollusca)	Trapa natans (water coltrop)	Washington.
Crematogaster sp. (ant)	Diospyros sp. (persimmon)	District of Columbia.
Cryptolestes pusillus (Cucujidae)	Dried mushroom	California.*
Cryptolestes sp. (Cucujidae)	Oryza sativa (paddy rice)	Pennsylvania.
Cylas formicarius (sweet-potato weevil).	Ipomoea batatas (sweet potato)	California.*
Do	Ipomoea batatas (sweet potato) (3)	Hawaii.*
Dermestes sp. (Dermestidae)	Gossypium sp. (cotton) (bale)	New York.
Do	Inside wrapper on bale of cotton thread waste.	Do.
Dinoderus minutus (Bostrichidae)	Castanea sp. (chestnut)	Massachusetts.
Dinoderus sp. (Bostrichidae)	do	Do.
Entomobrya sp. (Collembola)	Sagittaria sagittifolia (water chestnut)	New York.
Ephestia sp. (Pyralidae)	Arachis hypogaea (peanut) (2)	California.*
Do	Juglans sp. (walnut)	Do.*
Do	Narcissus sp. (bulb)	Do.*
Forda sp. (aphid)	Colocasia esculenta	District of Columbia.
Glischrochilus sp. (Nitidulidae)	do	Illinois.
Do	Sagittaria sagittifolia (water chestnut)	Pennsylvania.
Gryllodes sigillatus (Gryllidae)	Pueraria thunbergiana (kudzu bean)	New York.
Harmolita sp. (Chalcididae)	Ephedra vulgaris	Washington.
Hemichionaspis aspidistrae (aspidistra scale).	Citrus grandis (pomelo) (2)	California*.
Do	Citrus grandis (grapefruit)	Washington.
Do	Citrus grandis (pomelo) (2)	Do.
Do	Prunus mume (Japanese apricot)	District of Columbia.
Do	Zizyphus sp. (jujube) (cutting)	Do.
Hemichionaspis sp. (Coccidae)	Pyrus sp.	Do.
Histiostoma sp. (mite)	Sagittaria sagittifolia (water chestnut)	New York.
Laemophloeus sp. (Cucujidae)	Castanea sp. (chestnut)	Massachusetts.
Do	Dioscorea sp. (yam)	New York.
Lasioptera sp. (Cecidomyiidae)	Ephedra vulgaris	Washington.
Lepidosaphes beckii (purple scale)	Citrus grandis (pomelo) (5)	California*.
Lepidosaphes conchiformis (Coccidae).	Diospyros kaki (kaki persimmon)	District of Columbia.
Do	Diospyros sp. (persimmon) (stem) (2)	Do.
Do	Diospyros sp. (persimmon)	Do.
Do	Prunus japonica (Chinese bush cherry) (4).	Do.
Do	Prunus mume (Japanese apricot) (2)	Do.
Do	Pyrus communis (pear)	Washington.
Lepidosaphes gloverii (Glover's scale)	Citrus grandis (pomelo)	California*.
Do	do	Washington.
Do	Citrus sinensis (orange) (2)	Do.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
CHINA—Continued		
Insects—Continued.		
Lepidosaphes hawaiiensis (Coccidae)	Diospyros kaki (kaki persimmon)	District of Columbia.
Do	Diospyros kaki (kaki persimmon) (cutting).	Do.
Lepidosaphes sp. (Coccidae)	Diospyros kaki (kaki persimmon) (4)	Do.
Do	Diospyros kaki (kaki persimmon) (cutting).	Do.
Do	Diospyros kaki (kaki persimmon) (stem and bud).	Do.
Do	Diospyros sp. (persimmon)	Do.
Do	Prunus japonica (Chinese bush cherry)	Do.
Do	Prunus mume (Japanese apricot) (9)	Do.
Do	Prunus sp.	Do.
Leucaspis japonica (Coccidae)	Amygdalus persica (peach)	Do.
Do	Diospyros kaki (kaki persimmon) (3)	Do.
Do	Diospyros kaki (kaki persimmon) (scion).	Do.
Do	Diospyros kaki (kaki persimmon) (stem and bud).	Do.
Do	Prunus japonica (Chinese bush cherry)	Do.
Do	Prunus mume (Japanese apricot) (4)	Do.
Do	Prunus sp.	Do.
Do	Zizyphus sp. (jujube) (2)	Do.
Do	Zizyphus sp. (jujube) (cutting)	Do.
Leucaspis sp. (Coccidae)	Diospyros kaki (kaki persimmon) (3)	Do.
Do	Diospyros sp. (persimmon)	Do.
Do	Prunus japonica (Chinese bush cherry)	Do.
Malachius sp. (Malachiidae)	Castanea sp. (chestnut)	Massachusetts.
Mordellid	Liliaceae (stem)	District of Columbia.
Murmidius ovalis (Murmidiidae)	Oryza sativa (paddy rice)	Pennsylvania.
Mylabris sp. (Mylabridae)	Albizzia julibrissin (silk tree) (seed)	District of Columbia.
Odonaspis secreta (Coccidae)	Bamboo	California*.
Omphisa anastomosalis (sweet-potato stem borer).	Ipomoea batatas (sweet potato)	Hawaii*.
Orthomorpha gracilis (myriapod)	Chinese evergreen	New York.
Palorus ratzeburgi (Tenebrionidae)	Sagittaria sagittifolia (water chestnut)	Washington.
Palpifer ronin (Hepialidae)	Amorphophallus sp. (tuber)	District of Columbia.
Parlatoria pergandii (chaff scale)	Citrus aurantifolia (lime)	California*.
Do	Citrus grandis (pomelo) (6)	Do.*
Do	Citrus sinensis (orange)	Do.*
Do	do	Washington.
Parlatoria theae (Coccidae)	Diospyros kaki (kaki persimmon) (cutting).	District of Columbia.
Parlatoria ziziphus (Coccidae)	Citrus aurantifolia (lime)	California.*
Do	Citrus grandis (pomelo) (4)	Do.*
Do	Citrus limonia (lemon)	Do.*
Do	Fortunella japonica (kumquat)	Do.*
Parlatoria sp. (Coccidae)	Citrus sinensis (orange)	Washington.
Do	Diospyros kaki (kaki persimmon)	District of Columbia.
Do	Prunus japonica (Chinese bush cherry)	Do.
Pectinophora gossypiella (pink bollworm).	Gossypium sp. (cottonseed)	Do.
Pheidole sp. (ant)	Zingiber officinale (ginger)	California.*
Phenacaspis sp. (Coccidae)	Michelia champaca	District of Columbia.
Phycitinae (Pyralidae)	Unknown	Do.
Porcellionides pruinosus (isopod)	Pueraria thunbergiana (kudzu bean)	Washington.
Do	Pueraria thunbergiana (kudzu bean) (leaf)	Pennsylvania.
Do	Sagittaria sagittifolia (water chestnut)	Massachusetts.
Do	do	New York.
Prenolepis longicornis (crazy ant)	do	Do.
Prolabia arachidis (earwig)	Castanea sp. (chestnut)	California.*
Pseudococcus boninsis (Coccidae)	Saccharum officinarum (sugar cane) (2)	District of Columbia.
Do	Saccharum officinarum (sugar cane) (cutting).	Do.
Pseudaonidia duplex (camphor scale)	Citrus sinensis (orange) (2)	Washington.
Do	Diospyros kaki (kaki persimmon)	District of Columbia.
Do	Diospyros sp. (persimmon)	Do.
Pseudaonidia trilobitiformis (Coccidae).	Citrus grandis (pomelo) (3)	California.*
Do	Citrus sinensis (orange)	Do.*
Pseudococcus citri (citrus mealybug)	Litchi chinensis (lychee)	District of Columbia.
Pseudococcus sacchari (Coccidae)	Saccharum officinarum (sugar cane) (cutting).	Do.
Pseudococcus sp. (Coccidae)	Cucurbita maxima (squash)	Washington.
Do	Diospyros sp. (persimmon)	District of Columbia.
Rhizoglyphus hyacinthi (bulb mite)	Sagittaria sagittifolia (water chestnut)	Massachusetts.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
CHINA—Continued		
Insects—Continued.		
Rhizoglyphus phylloxerae (mite)	Caladium sp	Massachusetts.
Do	Colocasia esculenta (taro)	Washington.
Do	Saccharum officinarum (sugar cane)	District of Columbia
Do	Sagittaria sagittifolia (water chestnut) (2).	Massachusetts.
Do	Sagittaria sagittifolia (water chestnut)	Pennsylvania.
Rhizoglyphus tarsalis (mite)	do	Massachusetts.
Rhizoglyphus sp. (mite)	Colocasia esculenta (taro)	Washington.
Do	Pueraria thunbergiana (kudzu-bean)	Do.
Do	Sagittaria sagittifolia (water chestnut)	New York.
Do	do	Washington.
Sciara sp. (Mycetophilidae)	Chinese evergreen	New York.
Do	Colocasia esculenta (taro)	Illinois.
Do	do	Washington.
Do	Sagittaria sagittifolia (water chestnut)	Pennsylvania.
Silvanus bidentatus (Cucujidae)	do	Washington.
Sitophilus sp. (Curculionidae)	Castanea sp. (chestnut)	Massachusetts.
Tenebrionid	Lilium sp. (lily) (root)	California.*
Do	Pachyrhizus sp	Do.*
Trionymus sacchari (Coccidae)	Saccharum officinarum (sugar cane)	District of Columbia.
Vivipara quadrate (Mollusca)	Trapa natans (water coltrop)	Washington.
Diseases:		
Bacterium citri	Citrus grandis (grapefruit) (3)	California.*
Diplodia sp	Acanthopanax sessiliflorum	District of Columbia.
Rhizoctonia solani	Solanum tuberosum (potato)	Do.
COLOMBIA		
Insects:		
Ceratophis sp. (aphid)	Orchid (leaf)	Porto Rico.
Crematogaster sp. (ant)	Musa sp. (banana)	New York.
Dermestid	Musa sp. (banana) (leaf)	Do.
Furcaspis biformis (Coccidae)	Orchid (leaf)	Porto Rico.
Lepidosaphes beckii (purple scale)	Citrus grandis (grapefruit)	Pennsylvania.
Monotomid	Musa sp. (banana) (leaf)	New York.
Sacium sp. (Orthoperidae)	Musa sp. (banana)	Do.
Scolytid	do	Do.
Solenopsis geminata (ant)	Saccharum officinarum (sugar cane)	Pennsylvania.
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato)	Florida*.
Colletotrichum falcatum	Saccharum officinarum (sugar cane)	Pennsylvania.
Diplodia sp	Citrus aurantifolia (lime)	Florida*.
Thielaviopsis paradoxa	Saccharum officinarum (sugar cane) (2)	Pennsylvania.
COSTA RICA		
Insects:		
Alegoria dilatata (Tenebrionidae)	Banana débris (4)	Massachusetts.
Do	Musa sp. (banana) (3)	Do.
Aspidiotus cyanophylli (Coccidae)	Citrus sinensis (orange)	Do.
Balaninus sp. (Curculionidae)	In package with acorns	District of Columbia.
Camponotus abdominalis var (ant)	Banana débris	Massachusetts.
Do	Musa sp. (banana)	Do.
Camponotus stercorarius (ant)	Banana débris	Do.
Do	Musa sp. (banana) (3)	Do.
Do	Unknown	Do.
Camponotus wilburdi (ant)	Musa sp. (banana)	Do.
Camponotus sp. (ant)	Banana débris	Do.
Ceramidia butleri (Syntomidae)	do	Do.
Chionaspis citri (orange chionaspis)	Citrus grandis (grapefruit)	Florida*.
Chondredesmus singularis (myriapod)	Banana débris	Massachusetts.
Chrysomphalus aonidum (Florida red scale)	Citrus grandis (grapefruit)	Do.
Chrysomphalus sp. (Coccidae)	Citrus sinensis (orange)	California*.
Cosmopolites sordidus (banana root borer).	Musa sp. (banana)	Massachusetts.
Discocephala humilis (Pentatomidae)	do	Do.
Euglandina lignaria (Mollusca)	do	Do.
Euglandina sp. (Mollusca)	Banana débris	Do.
Helicina funcki (Mollusca)	Musa sp. (banana)	Do.
Languriinae (Erotylidae)	Musa sp. (banana) (leaf)	New York.
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime) (5)	Massachusetts.
Do	Citrus grandis (grapefruit)	California*.
Do	Citrus grandis (grapefruit) (7)	Massachusetts.
Do	Citrus grandis (grapefruit) (2)	Pennsylvania.
Do	Citrus sinensis (orange) (2)	California*.
Do	do	Florida*.
Do	Citrus sinensis (orange) (9)	Massachusetts.
Do	Citrus sinensis (orange) (2)	Pennsylvania.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
COSTA RICA—Continued		
Insects—Continued.		
Ligyrocoris sp. (Pyrrhocoridae)	Banana débris	Massachusetts.
Metamasius sericeus (silky cane weevil)	Banana débris (4)	Do.
Do	Musa sp. (banana) (3)	Do.
Neoponera villosa (ant)	Banana débris (2)	Do.
Do	Musa sp. (banana) (2)	Do.
Oxystyla sp. (Mullosca)	Banana débris	Do.
Prenolepis longicornis (crazy ant)	Musa sp. (banana) (leaf)	New York.
Pseudaonidia articulatus (rufous scale)	Citrus grandis (grapefruit)	Florida.*
Do	do	Massachusetts.
Rhabdopterus sp. (Chrysomelidae)	Unknown	Do.
Solenopsis geminata (ant)	Musa sp. (banana)	New York.
Solenopsis geminata rufa (ant)	Banana débris	Massachusetts.
Solenopsis sp. (ant)	do	Do.
Telephanus brontoides (Cucujidae)	Musa sp. (banana)	Do.
Diseases:		
Sphaceloma citri	Citrus grandis (grapefruit)	Florida.*
Claviceps paspali	Paspalum notatum	District of Columbia.
CUBA		
Insects:		
Aclerda sacchari (Coccidae)	Saccharum officinarum (sugar cane)	District of Columbia.
Aleurocanthus woglumi (citrus blackfly).	Citrus sinensis (orange)	Florida.*
Do	do	Louisiana.
Do	Citrus sp. (2)	Florida.*
Do	Citrus sp.	New York.
Do	Coffea sp. (coffee) (2)	Florida.*
Do	Jasminum sp. (jasmine)	Do.*
Aleurothrixus howardi (woolly whitefly).	Citrus sinensis (orange)	Do.*
Anastrepha fraterculus (West Indian fruit fly).	Mangifera indica (mango) (2)	New York.
Do	Psidium guajava (guava)	Florida.*
Anastrepha sp. (Trypetidae)	Mangifera indica (mango)	Louisiana.
Do	Mangifera indica (mango) (3)	New York.
Anisolabis annulipes (earwig)	Citrus grandis (grapefruit)	Do.
Anurogryllus sp. (Gryllidae)	Cane dust	Pennsylvania.
Aphis gossypii (aphid)	Capsicum annuum (pepper)	New York.
Aspidiotus cocotiphagus (Coccidae)	Cocos nucifera (coconut)	California.*
Do	Cocos nucifera (coconut) (26)	Florida.*
Do	Laurus sp. (Cuban laurel)	Do.*
Do	Roystonea regia (royal palm)	Do.*
Aspidiotus destructor (Coccidae)	Amygdalus communis (almond)	Do.*
Do	Cocos nucifera (coconut) (7)	Do.*
Do	Musa sp. (banana)	Do.*
Do	Palm	Do.*
Do	Roystonea regia (royal palm)	Do.*
Aspidiotus hederae (ivy scale)	Citrus limonia (lemon)	Pennsylvania.
Do	do	Washington.
Aspidiotus lataniae (Coccidae)	Laurus sp. (Cuban laurel)	Florida.*
Do	Palm (2)	Do.*
Aspidiotus sp. (Coccidae)	Palm (seed)	California.*
Do	Phoenix dactylifera (date)	Do.*
Asterolecanium bambusae (Coccidae)	Bamboo	Florida.*
Atherigona excisa (Anthomyiidae)	Capsicum annuum (bell pepper)	Louisiana.
Do	Plantago major (plantain)	New York.
Atta sp. (ant)	Ananas sativus (pineapple)	Louisiana.
Aulacaspis pentagona (West Indian peach scale).	Carica papaya (papaya)	New York.
Autographa brassicae (Noctuidae)	Brassica oleracea (cabbage)	Louisiana.
Do	Brassica oleracea (cabbage) (2)	New York.
Baccha sp. (Syrphidae)	Brassica oleracea (cabbage)	Do.
Bephrata sp. (Chalcididae)	Annona reticulata (custard apple)	Do.
Catorama sp. (Anobiidae)	Ipomoea batatas (sweet potato)	South Carolina.
Celama sorghiella (Aretiidae)	Saccharum officinarum (sugar cane)	New York.
Ceroplastes sp. (Coccidae)	Jasminum sp. (jasmine)	Florida.*
Chaetopsis sp. (Ortalidae)	Citrus grandis (grapefruit)	New York.
Do	Zea mays (corn) (2)	Do.
Chionaspis citri (orange chionaspis)	Citrus grandis (grapefruit)	Florida.*
Do	do	New York.
Do	Citrus sinensis (orange)	Massachusetts.
Do	do	South Carolina.
Chrysomphalus aonidum (Florida red scale).	Citrus grandis (grapefruit)	California.*
Do	Citrus grandis (grapefruit) (2)	Missouri.
Do	do	New York.
Do	Citrus grandis (grapefruit)	Pennsylvania.
Do	Citrus sinensis (orange)	Florida.*

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
CUBA—Continued		
Insects—Continued.		
Chrysomphalus aurantii (California red scale).	Citrus grandis (grapefruit)	New York.
Chrysomphalus dictyospermi (Coccidae).	do	Do.
Do	Citrus limetta (sweet lime)	Do.
Do	Cocos nucifera (coconut)	Florida.*
Do	Roystonea regia (royal palm) (2)	Do.*
Chrysomphalus personatus (Coccidae)	Citrus sinensis (orange)	Do.*
Do	Palm	Do.*
Chrysomphalus sp. (Coccidae)	Citrus sinensis (orange)	Do.*
Coccinellid	Capsicum annuum (pepper)	New York.
Coccus acuminatus (Coccidae)	Gardenia sp.	Florida.*
Coccus mangiferae (Coccidae)	Mangifera indica (mango)	Louisiana.
Coccus viridis (Coccidae)	Citrus sp.	Florida.*
Do	Gardenia sp.	Do.*
Coccus sp. (Coccidae)	Carica papaya (papaya)	New York.
Cylas formicarius (sweet-potato weevil).	Ipomoea batatas (sweet potato) (3)	Florida.*
Do	Ipomoea batatas (sweet potato)	Massachusetts.
Dialeurodes citrifolii (cloudy-winged whitefly).	Citrus sinensis (orange)	Florida.*
Diaphania hyalinata (melon worm)	Cucumis sativus (cucumber)	New York.
Do	Cucurbita maxima (squash)	Do.
Diaphania nitidalis (pickle worm)	Cucumis sativus (cucumber) (4)	Do.
Do	Cucurbita maxima (squash) (7)	Do.
Diaphania quadristigmalis (Pyralidae)	Cucurbita maxima (squash)	Do.
Diaphania sp. (Pyralidae)	Cucumis sativus (cucumber)	Louisiana.
Do	Cucumis sativus (cucumber) (7)	New York.
Do	Cucurbita maxima (squash)	Louisiana.
Do	Cucurbita maxima (squash) (23)	New York.
Do	Phaseolus lunatus macrocarpus (Lima bean).	Do.
Diaspis boisduvalii (Boisduval's scale)	Cocos nucifera (coconut) (6)	Florida.*
Do	Roystonea regia (royal palm)	Do.*
Diaspis bromeliae (Coccidae)	Ananas sativus (pineapple)	New York.
Diatraea saccharalis (sugar-cane borer)	Saccharum officinarum (sugar cane)	Pennsylvania.
Diatraea saccharalis var. (Pyralidae)	do	Florida.*
Diatraea sp. (Pyralidae)	Saccharum officinarum (sugar cane) (5).	Do.*
Do	Saccharum officinarum (sugar cane)	Pennsylvania.
Epilachna sp. (Coccinellidae)	Phaseolus lunatus macrocarpus (Lima bean) (2).	New York.
Euxesta sp. (Ortalidae)	Capsicum annuum (pepper)	Do.
Do	Cucurbita maxima (squash)	Do.
Do	Ipomoea batatas (sweet potato)	Massachusetts.
Do	Lycopersicum esculentum (tomato)	Louisiana.
Do	do	New York.
Frankliniella sp. (thrips)	Rosa sp. (rose)	Florida.*
Gelechiid	Lycopersicum esculentum (tomato) (2)	New York.
Do	Solanum melongena (eggplant)	Do.
Gibbium psylloides (Ptinidae)	Saccharum officinarum (sugar cane)	Pennsylvania.
Heliothis obsoleta (corn earworm)	Hibiscus esculentus (okra)	Louisiana.
Do	Lycopersicum esculentum (tomato) (4).	New York.
Do	Solanum melongena (eggplant)	Do.
Do	Zea mays (corn)	Florida.*
Do	Zea mays (corn) (2)	New York.
Heliothis virescens (Noctuidae)	Hibiscus esculentus (okra)	Louisiana.
Do	Phaseolus lunatus macrocarpus (Lima bean).	New York.
Heliothis sp. (Noctuidae)	Ananas sativus (pineapple)	Louisiana.
Do	Capsicum annuum (pepper)	New York.
Do	Hibiscus esculentus (okra)	Louisiana.
Do	do	New York.
Do	Lycopersicum esculentum (tomato)	Louisiana.
Do	Lycopersicum esculentum (tomato) (3).	New York.
Hemichionaspis minor (Coccidae)	Annona muricata (soursop)	Florida.*
Do	do	New York.
Do	Cocos nucifera (coconut) (2)	Florida.*
Do	Palm (seed)	California.*
Do	Roystonea regia (royal palm) (2)	Florida.*
Do	Roystonea regia (royal palm) (seed)	Do.*
Do	Unknown	Do.*

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
CUBA—Continued		
Insects—Continued.		
Howardia biclavis (mining scale)	Achras sapota (sapodilla)	California.*
Do	Citrus limetta (sweet lime)	Florida.*
Do	Citrus sinensis (orange)	Pennsylvania.
Do	Mammea americana (mamey)	Louisiana.
Ischnaspis longirostris (thread scale)	Coffea sp. (coffee)	Florida.*
Lamprosema sp. (Pyralidae)	Phaseolus lunatus macrocarpus (Lima bean).	New York.
Lepidosaphes beckii (purple scale)	Achras sapota (sapodilla)	Do.
Do	Citrus aurantifolia (lime) (2)	Pennsylvania.
Do	Citrus grandis (grapefruit)	California.*
Do	Citrus grandis (grapefruit) (5)	Florida.*
Do	Citrus grandis (grapefruit)	Illinois.
Do	Citrus grandis (grapefruit) (4)	Massachusetts.
Do	Citrus grandis (grapefruit) (2)	Missouri.
Do	Citrus grandis (grapefruit) (6)	New York.
Do	Citrus grandis (grapefruit) (8)	Pennsylvania.
Do	Citrus limetta (sweet lime)	Louisiana.
Do	Citrus limonia (lemon)	Pennsylvania.
Do	Citrus nobilis (tangerine)	Florida.*
Do	Citrus sinensis (orange) (14)	Do.*
Do	Citrus sinensis (orange)	Illinois.
Do	do	Louisiana.
Do	Citrus sinensis (orange) (3)	Massachusetts.
Do	Citrus sinensis (orange)	New York.
Do	Citrus sinensis (orange) (5)	Pennsylvania.
Do	Citrus sinensis (orange)	South Carolina.
Do	Citrus sp. (2)	Florida.*
Lepidosaphes gloverii (Glover's scale)	Citrus grandis (grapefruit)	California.*
Do	do	Pennsylvania.
Do	Citrus sinensis (orange)	Florida.*
Macrosiphum rosae (aphid)	Rosa sp. (rose)	Do.*
Margaronia nitidalis (Pyralidae)	Cucurbita maxima (squash)	New York.
Maruca testulalis (bean pod borer)	Phaseolus lunatus macrocarpus (Lima bean) (4).	Do.
Maruca sp. (Pyralidae)	Phaseolus lunatus macrocarpus (Lima bean) (5).	Do.
Metachroma adusta (Chrysomelidae)	Solanum melongena (eggplant)	Do.
Miselia sp. (Noctuidae)	Phaseolus lunatus macrocarpus (Lima bean).	Do.
Monocrepidius sp. (Elateridae)	Lycopersicum esculentum (tomato)	Do.
Do	Solanum melongena (eggplant)	Do.
Mylabris sp. (Mylabridae)	Dried beans	Pennsylvania.
Noctuid	Ananas sativus (pineapple) (2)	Louisiana.
Do	Brassica oleracea (cabbage)	New York.
Do	Capsicum annuum (pepper)	Louisiana.
Do	Capsicum annuum (pepper) (9)	New York.
Do	Hibiscus esculentus (okra) (2)	Do.
Do	Solanum melongena (eggplant)	Do.
Parlatoria pergandii (chaff scale)	Citrus grandis (grapefruit)	Florida.*
Do	Citrus nobilis (tangerine)	Do.*
Do	Citrus sinensis (orange) (3)	Do.*
Do	Citrus sinensis (orange)	New York.
Do	do	Pennsylvania.
Parlatoria sp. (Coccidae)	Codiaeum sp. (croton)	Massachusetts.
Pheidole megacephala (ant)	Ananas sativus (pineapple) (2)	Louisiana.
Pheidole sp. (ant)	Solanum melongena (eggplant)	Do.
Phycitinae (Pyralidae)	Ananas sativus (pineapple) (6)	New York.
Polia sp. (Noctuidae)	Lycopersicum esculentum (tomato)	Louisiana.
Porcellionides pruinosus (isopod)	Ananas sativus (pineapple)	New York.
Do	Phaseolus lunatus macrocarpus (Lima bean).	Do.
Do	Solanum melongena (eggplant)	Louisiana.
Prenolepis longicornis (crazy ant)	Agave fourcroydes (henequen) (plant)	Do.
Do	Ananas sativus (pineapple) (2)	New York.
Do	Hibiscus esculentus (okra)	Do.
Do	Solanum melongena (eggplant)	Do.
Prodenia ornithogalli (yellow-striped armyworm).	do	Do.
Psara sp. (Pyralidae)	do	Do.
Pseudaonidia articulatus (rufous scale)	Amygdalus communis (almond)	Florida.*
Do	Cinnamomum zeylanicum (cinnamon)	Do.*
Do	Citrus grandis (grapefruit) (3)	Massachusetts.
Do	Citrus grandis (grapefruit) (2)	Missouri.
Do	do	New York.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
CUBA—Continued		
Insects—Continued.		
Pseudaonidia articulatus (rufous scale)	Citrus sinensis (orange)	Florida.*
Do	do	New York.
Do	do	Pennsylvania.
Do	Citrus sp	Florida.*
Do	Cocos nucifera (coconut)	California.*
Do	Codiaeum sp. (croton)	Florida.*
Do	Coffea sp. (coffee)	Do.*
Do	Laurus sp. (Cuban laurel)	Do.*
Do	Roystonea regia (royal palm)	Do.*
Pseudococcus brevipes (pineapple mealybug).	Ananas sativus (pineapple) (11)	Louisiana.
Do	Ananas sativus (pineapple) (5)	New York.
Pseudococcus citri (citrus mealybug)	Chayota edulis (chayote) (fruit)	District of Columbia.
Do	Citrus grandis (grapefruit)	Florida.*
Do	Codiaeum sp. (croton)	Massachusetts.
Do	Solanum melongena (eggplant)	Louisiana.
Pseudococcus maritimus (Coccidae)	Citrus sinensis (orange)	South Carolina.
Do	Phaseolus lunatus macrocarpus (Lima bean).	New York.
Do	Solanum melongena (eggplant)	Do.
Pseudococcus nipae (palm mealybug)	Annona muricata (soursop)	Florida.*
Do	Roystonea regia (royal palm)	Do.*
Pseudococcus sacchari (Coccidae)	Saccharum officinarum (sugar cane) (cutting).	District of Columbia.
Pseudococcus sp. (Coccidae)	Saccharum officinarum (sugar cane)	Florida.*
Do	Solanum melongena (eggplant)	New York.
Pyralid	Phaseolus lunatus macrocarpus (Lima bean).	Do.
Pyraustinae (Pyralidae)	Chayota edulis (chayote)	Do.
Do	Cucurbita maxima (squash) (14)	Do.
Do	Lycopersicum esculentum (tomato) (2)	Do.
Do	Phaseolus lunatus macrocarpus (Lima bean) (2).	Do.
Do	Solanum melongena (eggplant) (3)	Do.
Pyroderces rileyi (Cosmopterygidae)	Ananas sativus (pineapple)	Do.
Rhizoglyphus sp. (mite)	do	Louisiana.
Do	Ipomoea batatas (sweet potato)	Massachusetts.
Do	Lycopersicum esculentum (tomato)	Louisiana.
Rhysida longipes (myriapod)	Cane dust	Pennsylvania.
Saissetia oleae (black scale)	Annona muricata (soursop)	Florida.*
Do	Citrus sinensis (orange)	Do.*
Sciara sp. (Mycetophilidae)	Solanum melongena (eggplant)	New York.
Scolytid	Palm (seed)	District of Columbia.
Solenopsis geminata rufa (ant)	Agave fourcroydes (henequen) (plant)	Louisiana.
Do	Ananas sativus (pineapple)	Do.
Do	Solanum melongena (eggplant)	New York.
Do	In ship's storeroom	Pennsylvania.
Spilosota signata (Scarabaeidae)	Cane dust	Do.
Syrphid	Brassica oleracea (cabbage)	New York.
Targionia sacchari (Coccidae)	Grass plant	District of Columbia.
Do	Saccharum officinarum (sugar cane)	Pennsylvania.
Telephanus sp. (Cucujidae)	Musa sp. (banana)	Louisiana.
Tetranychus sp. (mite)	Rosa sp. (rose)	Florida.*
Tortricid	Ananas sativus (pineapple)	Louisiana.
Do	Capsicum annuum (pepper)	New York.
Ulosonia sp. (Tenebrionidae)	Cane dust	Pennsylvania.
Xylastodoris luteolus (royal-palm bug)	Roystonea regia (royal palm)	Florida.*
Diseases:		
Cercospora capsici	Capsicum annuum (pepper)	New York.
Sphaceloma citri	Citrus grandis (grapefruit)	Florida.*
Colletotrichum gossypii	Gossypium sp. (cotton)	Do.*
Colletotrichum gloeosporioides	Musa sapientum (banana)	Do.*
Colletotrichum phomoides	Lycopersicum esculentum (tomato) (2)	New York.
Colletotrichum lindemuthianum	Phaseolus sp.	Do.
Diplodia perseana	Persea americana (avocado)	Louisiana.
Melanconium sacchari	Saccharum officinarum (sugar cane) (4)	Pennsylvania.
Penicillium sp	Persea americana (avocado)	Louisiana.
Phomopsis citri	Citrus grandis (grapefruit)	Florida.*
Do	Citrus sp.	Do.*
Physopella fici	Ficus carica (fig)	Do.*
Rhizopus nigricans	Musa sapientum (banana)	Do.*
Thielaviopsis paradoxa	Saccharum officinarum (sugar cane) (4)	Pennsylvania.
CURAÇAO		
Insects		
Targionia hartii (Coccidae)	Dioscorea sp. (yam) (2)	Massachusetts.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
CYPRUS		
Insects:		
Chrysomphalus aurantii (California red scale).	Ceratonia siliqua (carob) (plant)	District of Columbia.
Geophilus sp. (myriapod)	In basket of Bilbergia sp	Pennsylvania.
Helix aspersa (Mollusca)	do	Do.
Pectinophora gossypiella (pink bollworm).	Gossypium sp. (cottonseed) (3)	District of Columbia.
Pseudococcus citri (citrus mealybug)	Ceratonia siliqua (carob) (plant)	Do.
CZECHOSLOVAKIA		
Insects:		
Blastodacna sp. (Cosmopterygidae)	Malus sylvestris (apple) (cutting)	District of Columbia.
Forficula auricularia (European earwig).	Soil used as packing for dahlia tubers	Illinois.
Histiostoma sp. (mite)	Unknown	Pennsylvania.
Microtrombidium sp. (mite)	In soil and plant litter used as packing for apple scions and unidentified roots.	Illinois.
DANZIG		
Insects:		
Forficula auricularia (European earwig).	Soil	New York.
DENMARK		
Insects:		
Arion hortensis (Mollusca)	Soil used as packing	Illinois.
Brachydesmus superus (myriapod)	Soil	Do.
Ephestia sp. (Pyralidae)	Feed bags	Maryland.
Myzus pelargonii (aphid)	House plant	New York.
Plutella maculipennis (diamond-back moth).	Brassica oleracea (cabbage)	Do.
Rhizoglyphus sp. (mite)	Allium cepa (onion)	Pennsylvania.
Do	Solanum tuberosum (potato)	Maryland.
Do	do	South Carolina.
Rhopalosiphum rufomaculata (aphid)	Aster sp. (plant)	Pennsylvania.
Sciara sp. (Mycetophilidae)	Solanum tuberosum (potato)	New York.
Trypetid	do	Pennsylvania.
Diseases:		
Oospora pustulans	do	Massachusetts.
Venturia inaequalis	Malus sylvestris (apple)	Florida.*
DOMINICA		
Insects:		
Chionaspis citri (orange chionaspis)	Citrus aurantifolia (lime)	Massachusetts.
Euxesta sp. (Ortalidae)	Citrus sinensis (orange) (2)	New York.
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime) (3)	Do.
Pheidole megacephala (ant)	Saccharum officinarum (sugar cane)	Do.
Prolabia arachidis (earwig)	Dioscorea sp. (yam)	Do.
Pseudaonidia articulatus (rufous scale)	Citrus aurantifolia (lime)	Do.
Solenopsis geminata (ant)	Saccharum officinarum (sugar cane)	Do.
DOMINICAN REPUBLIC		
Insects:		
Anastrepha sp. (Trypetidae)	Mangifera indica (mango) (2)	New York.
Anobiid	Caesalpinia coriaria (seed)	District of Columbia.
Aphis sp. (aphid)	Bryophyllum sp. (leaf)	New York.
Aspidiotus destructor (Coccidae)	Chayota edulis (chayote)	District of Columbia.
Do	Cocos nucifera (coconut)	Florida.*
Bephrata sp. (Chalcididae)	Annona muricata (soursop)	New York.
Catorama sp. (Anobiidae)	Caesalpinia coriaria (divi-divi) (seed)	District of Columbia.
Coccinae (Coccidae)	Chayota edulis (chayote)	New York.
Curculionid	Ipomoea batatas (sweet potato)	Do.
Cylas formicarius (sweet-potato weevil).	do	Do.
Diaphania sp. (Pyralidae)	On bag of chayotes	Do.
Ephestia sp. (Pyralidae)	Theobroma cacao (cacao bean) (2)	California.*
Euxesta sp. (Ortalidae)	Cucurbita pepo (pumpkin)	New York.
Do	Xanthosoma sp. (malanga)	Do.
Forcipomyia sp. (Chironomidae)	Chayota edulis (chayote)	Do.
Ischnaspis longirostris (thread scale)	Cocos nucifera (coconut)	Florida.*
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime)	Do.*
Do	Citrus sp. (leaf)	Pennsylvania.
Mylabris sp. (Mylabridae)	Caesalpinia coriaria (divi-divi) (seed)	District of Columbia.
Parlatoria pergandii (chaff scale)	Citrus aurantifolia (lime)	Florida.*
Prenolepis longicornis (crazy ant)	Ipomoea batatas (sweet potato)	New York.
Pseudaonidia articulatus (rufous scale)	Citrus sp. (leaf)	Pennsylvania.
Pseudischnaspis sp. (Coccidae)	Coccoloba uvifera (sea grape) (leaf)	New York.
Pseudococcus brevipes (pineapple mealybug).	Chayota edulis (chayote) (fruit)	District of Columbia.
Do	Cucurbita pepo (pumpkin) (2)	New York.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
DOMINICAN REPUBLIC—Continued		
Insects—Continued.		
Pseudococcus citri (citrus mealybug)	Chayota edulis (chayote) (fruit)	District of Columbia.
Pseudococcus sp. (Coccidae)	Cucurbita pepo (pumpkin)	New York.
Pyralid	Ipomoea batatas (sweet potato)	Do.
Rhizoglyphus phylloxerae (mite)	Mammea americana (mamey)	Do.
Saissetia hemisphaerica (hemispherical scale).	Chayota edulis (chayote)	District of Columbia.
Targionia hartii (Coccidae)	Dioscorea sp. (yam)	Porto Rico.
Di[illegible]		
Gloeosporium musarum	Musa sapientum (banana)	New York.
DUTCH EAST INDIES		
Insects:		
Ephestia sp. (Pyralidae)	Burlap bags containing shelled peanuts.	New York.
ECUADOR		
Insects:		
Ephestia sp. (Pyralidae)	Theobroma cacao (cacao bean) (2)	California.*
EGYPT		
Insects:		
Agriotes sp. (Elateridae)	Solanum tuberosum (potato)	Massachusetts.
Aspidiotus hederae (ivy scale)	Citrus limonia (lemon)	Do.
Do	do	Texas.
Chrysomphalus aonidum (Florida red scale).	do	Pennsylvania.
Do	Citrus sinensis (orange)	Do.
Chrysomphalus aurantii (California red scale).	do	Texas.
Chrysomphalus dictyospermi (Coccidae).	Evergreen plant	South Carolina.
Chrysomphalus sp. (Coccidae)	Citrus limonia (lemon)	New York.
Do	Citrus sinensis (orange)	Massachusetts.
Colobicus sp. (Colydiidae)	Solanum tuberosum (potato)	Pennsylvania.
Dermestes sp. (Dermestidae)	Gossypium sp. (roll of cotton)	New York.
Ephestia figulilella (Pyralidae)	In ship's stores	Massachusetts
Ephestia sp. (Pyralidae)	Allium sativum (garlic)	New York.
Gibbium psylloides (Ptinidae)	Gossypium sp. (cotton) (raw)	Massachusetts.
Hemichionaspis aspidistrae (aspidistra scale).	Aspidistra sp. (plant)	South Carolina.
Histiostoma sp. (mite)	Allium cepa (onion)	Pennsylvania.
Do	Potato debris	Do.
Hylemyia cilicrura (Anthomyiidae)	Allium cepa (onion)	Do.
Hylemyia sp. (Anthomyiidae)	do	New York.
Lepidosaphes beckii (purple scale)	Citrus limonia (lemon) (2)	Massachusetts.
Do	Citrus sinensis (orange)	Do.
Melachiid	Bale of rags	New York.
Mylabris sp. (Mylabridae)	Seed	District of Columbia.
Myzus persicae (green peach aphid)	Brassica oleracea (cabbage)	Pennsylvania.
Pectinophora gossypiella (pink bollworm).	Cotton containing seed (2)	Massachusetts.
Do	Cottonseed in lint	Do.
Do	Cotton used for packing (2)	Do.
Do	Cottonseed adhering to burlap	New York.
Do	Gossypium sp. (cotton) (raw)	Massachusetts.
Do	Gossypium sp. (cottonseed) (2)	District of Columbia.
Do	Gossypium sp. (cottonseed)	Massachusetts.
Do	Gossypium sp. (cottonseed) (2)	New York.
Phthorimaeaoperculella (potato tuber worm).	Solanum tuberosum (potato) (2)	Massachusetts.
Do	do	New York.
Do	Solanum tuberosum (potato) (5)	Pennsylvania.
Phycitinae (Pyralidae)	Allium cepa (onion)	New York.
Prenolepis longicornis (crazy ant)	Palm (plant)	Pennsylvania.
Psammoecus desjardinsi (Cucujidae)	Allium cepa (onion)	Do.
Rhizoglyphus hyacinthi (bulb mite)	do	Do.
Do	Solanum tuberosum (potato)	Massachusetts.
Do	do	New York.
Do	Solanum tuberosum (potato) (4)	Pennsylvania.
Rhizoglyphus phylloxerae (mite)	Solanum tuberosum (potato)	Do.
Rhizoglyphus sp. (mite)	Allium cepa (onion)	Do.
Do	Solanum tuberosum (potato)	Do.
Sciara sp. (Mycetophilidae)	Allium cepa (onion)	Do.
Tenebrioid	Bagging	New York.
Tineid	Potato debris	Pennsylvania.
Tyroglyphus sp. (mite)	Allium cepa (onion)	New York.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
ENGLAND		
Insects:		
Agriolimax agrestis (Mollusca)	Primula sp. (primrose) (root)	Massachusetts.
Do	Saxifraga sp. (saxifrage)	Do.
Agromyzid	Brassica oleracea (cabbage)	New York.
Anthomyiid	Lactuca sativa (lettuce)	Pennsylvania.
Do	Lycopersicum esculentum (tomato)	Do.
Do	Primula sp. (primrose) (root)	Massachusetts.
Anuraphis tulipae (aphid)	Iris chrysographes (goldvein iris)	District of Columbia.
Do	Iris mos	Do.
Do	Iris sp. (rhizome) (3)	Do.
Do	Iris sp. (3)	Do.
Anuraphis viburnicola (aphid)	Viburnum lantana versicolor (leaf)	Do.
Aphis sp. (aphid)	Colutea melanocalyx (leaf)	Do.
Do	Laeliocattleya schroderae (orchid)	Do.
Araecerus fasciculatus (coffee-bean weevil)	Dendrobium molucca (orchid)	Do.
Aspidiotus hederae (ivy scale)	Citrus limonia (lemon)	Pennsylvania.
Do	do	South Carolina.
Do	do	Washington.
Do	Clerodendron hookeri	District of Columbia.
Do	Cymbidium dryad (orchid)	Do.
Do	Palm	Massachusetts.
Athous mutilatus (Elateridae)	In soil around aspidistra plant	Washington.
Brachygeophilus truncorum (myriapod).	Rosa sp. (Manetti stock)	Illinois.
Brevicorne brassicae (cabbage aphid)	Brassica oleracea (cabbage)	Massachusetts.
Do	Brassica oleracea (cabbage) (2)	Pennsylvania.
Do	Brassica oleracea botrytis (cauliflower).	Do.
Do	Brassica oleracea gemmifera (Brussels sprouts) (2).	Do.
Cantharis sp. (Cantharidae)	On foliage of various bedding plants	Massachusetts.
Carpocapsa sp. (Olethreutidae)	Rags	Pennsylvania.
Cerataphis lataniae (palm aphid)	Cypripedium stadium (orchid)	District of Columbia.
Do	Cypripedium sp. (orchid)	Do.
Do	do	Pennsylvania.
Do	Maxillaria elegantilla (orchid)	District of Columbia.
Do	Odontoglossum citrosmum (orchid)	Do.
Do	Orchid	Do.
Ceutorhynchus pleurostigma (turnip gall weevil).	Brassica rapa (turnip)	New York.
Ceutorhynchus sp. (Curculionidae)	Brassica rapa (turnip) (2)	South Carolina.
Chaetopsis sp. (Ortalidae)	Iris sp. (rhizome)	District of Columbia.
Chironomid	Solanum tuberosum (potato)	Pennsylvania.
Chrysomphalus aurantii (California red scale).	Citrus limonia (lemon)	Washington.
Coccinae (Coccidae)	Dendrobium sp. (orchid) (leaf)	District of Columbia.
Coccus hesperidum (soft brown scale)	Coronilla glauca (honey coronilla)	Do.
Do	Laurus nobilis (Grecian laurel)	California.*
Do	Laurus sp. (bay) (3)	Massachusetts.
Do	Saccolabium pallens (orchid)	District of Columbia.
Do	Schomburgkia rosea (orchid)	Do.
Do	Stanhopea bucephalus (orchid)	Do.
Do	Stanhopea devoniana (orchid)	Do.
Do	Stanhopea tigrina (orchid)	Do.
Do	Xylobium pallidiflorum (orchid)	Do.
Coccus pseudohesperidum (Coccidae)	Aerides houlletianum (orchid)	Do.
Do	Eria longifera (orchid)	Do.
Do	Sarcanthus ophylla (orchid)	Do.
Do	Schomburgkia fletcheri (orchid)	Do.
Do	Stouropsis fascinator (orchid)	Do.
Do	Vanda dearei (orchid)	Do.
Coccus sp. (Coccidae)	Clematis armandi (armand clematis)	Do.
Do	Olearia nummularifolia	Do.
Do	Pholidota articulata (orchid)	Do.
Curculionid	Brassica rapa (turnip)	New York.
Do	Grammatophyllum sp. (orchid)	District of Columbia.
Diaspis boisduvalii (Boisduval's scale)	Brassocattleya veitchi (orchid)	Do.
Do	Brassocattleya sp. (orchid) (2)	Do.
Do	Brassolaeliocattleya sp. (orchid (2))	Do.
Do	Cattleya armobilis alba (orchid) (2)	Do.
Do	Cattleya enid (orchid) (2)	Do.
Do	Cattleya leda (orchid)	Do.
Do	Cattleya sp. (orchid) (2)	Do.
Do	Cymbidium alexanderi (orchid)	Do.
Do	Cymbidium diana (orchid)	Do.
Do	Cymbidium gottianum (orchid)	Do.
Do	Cymbidium moira (orchid)	Do.
Do	Laeliocattleya canhamiana (orchid)	Do.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
ENGLAND—Continued		
Insects—Continued.		
Diaspis boisduvalli (Boisduval's scale)	Laeliocattleya luminosa aurea (orchid)	District of Columbia.
Do	Laeliocattleya milo (orchid)	Do.
Do	Laeliocattleya sp. (orchid) (3)	Do.
Do	Orchid (2)	Do.
Do	Saphrolaeliocattleya, sp. (orchid)	Do.
Diaspis sp. (Coccidae)	Brassocattleya sp. (orchid)	Do.
Do	Brassolaeliocattleya sp. (orchid) (2)	Do.
Do	Cattleya albion (orchid)	Do.
Do	Cattleya dupreana (orchid)	Do.
Do	Cattleya gigas sanderiana (orchid)	Do.
Do	Cymbidium pauwelsi (orchid)	Pennsylvania.
Do	Laelia purpurata flava (orchid)	District of Columbia.
Do	Laeliocattleya callistoglossa×Cattleya atalanta (orchid).	Do.
Do	Laeliocattleya cowani (orchid)	Do.
Do	Laeliocattleya dominiana (orchid)	Do.
Do	Laeliocattleya eximia (orchid)	Do.
Do	Laeliocattleya wellsiana (orchid)	Do.
Do	Laeliocattleya sp. (orchid)	Do.
Do	Orchid (2)	Do.
Do	Vanda smeciana (orchid)	Do.
Do	Xylobium squalens (orchid)	Do.
Drymus sylvaticus (Lygaeidae)	In moss packing around roses	Do.
Emphytus cinctus (sawfly)	Rosa sp. (Manetti stock) (7)	Pennsylvania.*
Do	Rosa sp. (Manetti stock)	Pennsylvania.
Ephestia sp. (Pyralidae)	Gossypium sp. (cottonseed) (in old sugar bags).	Louisiana.
Do	In bale of burlap contaminated with cottonseed.	Do.
Eumerus strigatus (lesser bulb fly)	Narcissus sp. (bulb)	Rhode Island.
Forficula auricularia (European earwig).	In box containing primrose, shamrock, and yarrow, packed in soil and moss.	Massachusetts.
Formica rufa var. (ant)	Bags	New York.
Hemichionaspis aspidistrae (aspidistra scale).	Aspidistra sp. (plant)	Washington.
Histiostoma sp. (mite)	Allium cepa (onion) (3)	Pennsylvania.
Do	Brassica rapa (turnip)	Do.
Do	Solanum tuberosum (potato) (2)	Do.
Hygromia hispida (Mollusca)	In box containing primrose, shamrock, and yarrow, packed in soil and moss.	Massachusetts.
Hylemyia cilicrura (Anthomyiidae)	Brassica oleracea (cabbage)	Pennsylvania.
Do	Brassica rapa (turnip)	Maryland.
Do	do	New York.
Do	do	South Carolina.
Do	Phaseolus vulgaris (string bean)	New York.
Do	Solanum tuberosum (potato)	Pennsylvania.
Hylemyia sp. (Anthomyiidae)	do	Do.
Jassid	Primula sp. (primrose)	New York.
Lamyctes fulvicornis (myriapod)	In soil around roots of euonymus plant	Massachusetts.
Lepidosaphes beckii (purple scale)	Citrus limonia (lemon)	Missouri.
Do	do	Pennsylvania.
Do	Citrus sinensis (orange)	Massachusetts.
Lepidosaphes tuberculata (Coccidae)	Cymbidium eburneo-lowianum (orchid) (2).	District of Columbia.
Do	Cymbidium egret (orchid)	Do.
Do	Cymbidium guillimot (orchid)	Do.
Do	Cymbidium lowio grandiflorum (orchid).	Pennsylvania.
Do	Cymbidium pauwelsi (orchid)	District of Columbia.
Do	Cymbidium schlegeli (orchid)	Do.
Do	Cymbidium sp. (orchid) (5)	Do.
Lepidosaphes ulmi (oyster-shell scale)	Acer palmatus sanguineum	Do.
Do	Aristotelia racemosa (stem)	Do.
Do	Crataegus karolkowi (bark)	Do.
Do	Olearia nummularifolia (stem)	Do.
Do	Paeonia delavayii (stem)	Do.
Leucopis sp. (Agromyzidae)	Brassica oleracea (cabbage)	Pennsylvania.
Liosomaphis berberidis (aphid)	Berberis angulosa (barberry)	District of Columbia.
Do	Berberis fisherii (barberry)	Do.
Do	Berberis macrophylla (barberry)	Do.
Lymnaea peregra (Mollusca)	Radicula nasturtium-aquaticum (water cress).	Pennsylvania.
Macrocheles sp. (mite)	In soil around roots of miscellaneous bedding plants.	Massachusetts

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
ENGLAND—Continued		
Insects—Continued.		
Merodon sp. (Syrphidae)	Narcissus sp. (bulb)	District of Columbia.
Do	do	New York.
Monomorium destructor (ant)	Orchid	District of Columbia.
Monomorium sp. (ant)	Coelogyne burfordiense (orchid)	Do.
Mycetophilid	Solanum tuberosum (potato)	Pennsylvania.
Myzaphis sp. (aphid)	Rosa sp. (rose)	District of Columbia.
Myzus circumflexus (aphid)	Oncidium varicosum rogersi (orchid)	Do.
Myzus persicae (green peach aphid)	Brassica oleracea (cabbage)	Maryland.
Do	Brassica oleracea (cabbage) (5)	Pennsylvania.
Do	Chrysanthemum sp.	District of Columbia.
Do	Dianthus sp. (carnation)	Do.
Noctuid	In bale of burlap contaminated with cottonseed.	Louisiana.
Nopoiulus pilosus (myriapod)	In moss and soil used as packing for primrose plants.	Massachusetts.
Oecophorid	On burlap bales contaminated with cottonseed (2).	Louisiana.
Olethreutid	Rhododendron auriculatum (leaf)	District of Columbia.
Parlatoria pergandii (chaff scale)	Citrus sinensis (orange) (2)	Massachusetts.
Parlatoria proteus (Coccidae)	Eria rosea (orchid)	District of Columbia.
Do	Masdevallia corniculata (orchid)	Do.
Do	Staurochilus fasciata (orchid)	Pennsylvania.
Parlatoria ziziphus (Coccidae)	Citrus sinensis (orange)	Massachusetts.
Periphyllus sp. (aphid)	Acer palmatum purpureum superbum (maple).	District of Columbia.
Do	Acer palmatum rubufolium (maple)	Do.
Philosica muscorum (isopod)	In moss and soil used as packing for primrose plants.	Massachusetts.
Physa fontinalis (Mollusca)	Radicula nasturtium-aquaticum (water cress).	Pennsylvania.
Pinnaspis buxi (Coccidae)	Dendrobium falconeri (orchid)	District of Columbia.
Plutella maculipennis (diamond-back moth).	Brassica oleracea (cabbage)	New York.
Pseudococcus adonidum (long-tailed mealybug).	Parrotia jacquemontiana (Himalayan parrotia).	District of Columbia.
Pseudococcus nipae (palm mealybug)	Palm	Massachusetts.
Pseudococcus sp. (Coccidae)	Odontoglossum grande (orchid)	District of Columbia.
Psilid	Solanum tuberosum (potato)	Pennsylvania.
Psylliodes chrysocephala (Chrysomelidae).	Brassica rapa (turnip)	New York.
Ptinus sp. (Ptinidae)	Bale of old bagging	Georgia.
Pulvinaria floccifera (Coccidae)	Cattleya cooksoni (orchid)	District of Columbia.
Do	Dendrobium aurantiacum (orchid)	Do.
Do	Dendrobium nobile (orchid)	Do.
Pulvinaria sp. (Coccidae)	Cymbidium sp. (orchid)	Do.
Do	Dendrobium ainsworthi (orchid)	Do.
Do	Ricinus communis (castor bean) (plant).	Massachusetts.
Rhizoglyphus hyacinthi (bulb mite)	Allium cepa (onion) (2)	Pennsylvania.
Do	Colchicum autumnale (common autumn crocus).	Massachusetts.
Do	Colchicum speciosum	District of Columbia.
Do	Narcissus sp. (bulb)	Rhode Island.
Do	In soil around roots of plants	Pennsylvania.
Do	Solanum tuberosum (potato)	Maryland.
Do	do	Pennsylvania.
Do	do	South Carolina.
Rhizoglyphus phylloxerae (mite)	Allium cepa (onion)	Pennsylvania.
Do	Solanum tuberosum (potato)	Do.
Rhizoglyphus sp. (mite)	Allium cepa (onion)	Massachusetts.
Do	Allium cepa (onion) (2)	Pennsylvania.
Do	Solanum tuberosum (potato) (2)	Do.
Rhizophagus parallelicollis (mite)	Primula sp. (primrose)	Massachusetts.
Saissetia hemisphaerica (hemispherical scale).	Codiaeum weismanii	Do.
Do	Codiaeum sp. (croton)	Do.
Do	Dendrobium ainsworthi (orchid)	District of Columbia.
Do	Dendrobium rolfeae (orchid)	Do.
Do	Dendrobium sp. (orchid)	Do.
Do	Fern	Massachusetts.
Do	Ricinus communis (castor bean)	Do.
Do	Ricinus communis (castor bean) (plant).	Do.
Do	Unknown	Do.
Sciara sp. (Mycetophilidae)	Allium cepa (onion) (3)	Pennsylvania.
Do	In soil around roots of plants	Do.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
ENGLAND—Continued		
Insects—Continued.		
Sciara sp. (Mycetophilidae)	In case of orchids	District of Columbia.
Do	Solanum tuberosum (potato) (2)	Pennsylvania.
Scutellerid	Solanum tuberosum (potato)	Do.
Syrphid	Lactuca sativa (lettuce)	Do.
Tetramorium cespitum (ant)	In box containing primose, shamrock and yarrow, packed in soil and moss.	Massachusetts.
Thrips tabaci (onion thrips)	Brassica oleracea (cabbage)	Pennsylvania.
Tipulid	Brassica oleracea botrytis (cauliflower).	Do.
Trichocera sp. (Tipulidae)	Brassica oleracea (cabbage)	Do.
Do	Daucus carota (carrot)	Do.
Trionymus diminutus (Coccidae)	Phormium veitchii	District of Columbia.
Do	Phormium sp	Do.
Tyroglyphus sp. (mite)	Solanum tuberosum (potato)	Pennsylvania.
Vitrea cellaria (Mollusca)	In box containing primrose, shamrock and yarrow, packed in soil and moss.	Massachusetts.
Vitrea crystallina (Mollusca)	do	Do.
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato) (17)	Florida.*
Actinonema rosae	Rosa sp. (rose) (2)	New York.
Bacterium tumefaciens	Rosa sp. (Manetti stock) (2)	Illinois.*
Do	Rosa sp. (Manetti stock)	Indiana.*
Do	Rosa sp. (Manetti stock) (2)	New York.
Do	Rosa sp. (Manetti stock) (12)	Pennsylvania.*
Do	Pelargonium sp	District of Columbia.
Bacterial rot	Iris sp	Do.
Cytospora ceratophora	Castanea vesca (marron)	New York.
Exobasidium vaccinii	Azalea sp	Do.
Fusarium sp	Solanum tuberosum (potato) (5)	Florida.*
Heterodera radicicola	Paeonia sp. (peony)	District of Columbia.
Do	Philadelphus sp	Do.
Oospora pustulans	Solanum tuberosum (potato) (2)	Louisiana.
Do	Solanum tuberosum (potato)	Massachusetts.
Do	Solanum tuberosum (potato) (4)	Pennsylvania.
Phragmidium sp	Rosa sp. (rose)	New York.
Phyllosticta sp	Cypripedium sp. (orchid)	Pennsylvania.
Rhizoctinia solani	Solanum tuberosum (potato) (2)	Florida.*
Do	Solanum tuberosum (potato)	New York.
Sclerotial rot	Colchicum autumnale (autumn crocus).	District of Columbia.
Do	Iris sp	Do.
Spondylocladium atrovirens	Solanum tuberosum (potato) (6)	Florida.*
Spongospora subterranea	Solanum tuberosum (potato)	Maryland.
Do	Solanum tuberosum (potato) (2)	New York.
Do	do	Pennsylvania.
ESTONIA		
Insects:		
Rhizoglyphus hyacinthi (bulb mite)	Solanum tuberosum (potato)	Do.
FIJI ISLANDS		
Insects:		
Pyraustinae (Pyralidae)	Saccharum officinarum (sugar cane)	Hawaii.*
FRANCE		
Insects:		
Acronycta auricoma (dagger moth)	Cydonia oblonga (quince) (stock)	Iowa.*
Do	Rosa sp. (Manetti stock) (3)	Do.*
Do	Prunus sp. (Mahaleb stock)	Do.*
Do	Prunus sp. (Myrobalan stock)	Do.*
Do	Pyrus communis (pear) (stock)	Do.*
Acronycta rumicis (sorrel cutworm)	Malus sylvestris (apple) (stock)	Pennsylvania.*
Do	Pyrus communis (pear) (stock)	Connecticut.*
Acronycta sp. (Noctuidae)	Malus sylvestris (apple) (stock)	Do.*
Agriolimax agrestis (Mollusca)	Brassica oleracea (cabbage)	New York.
Anarsia lineatella (peach twig borer)	Amygdalus communis (almond)	Maryland.
Anisolabis annulipes (earwig)	Lilium sp. (lily)	Massachusetts.
Do	Solanum tuberosum (potato)	Pennsylvania.
Anisolabis moesta (earwig)	Lilium sp. (lily) (bulb)	New York.
Anuraphis tulipae (aphid)	Iris argos	District of Columbia.
Do	Iris germanica (German iris) (2)	Do.
Do	Iris pumila	Do.
Do	Iris sp	Do.
Do	Iris sp. (rhizomatous)	Do.
Aonidia lauri (Coccidae)	Laurus sp. (bay) (leaf)	Maryland.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
FRANCE—Continued		
Insects—Continued.		
Aporia crataegi (white tree pierid)	Cydonia oblonga (quince)	Iowa.*
Do	Cydonia oblonga (quince) (stock)	New York.*
Do	Cydonia oblonga (quince)	Ohio.*
Do	Malus sylvestris (apple) (stock)	Iowa.*
Do	Malus sylvestris (apple) seedling)	New York.*
Do	Malus sylvestris (apple) (stock) (2)	Do.*
Do	Malus sylvestris (apple)	Pennsylvania.
Do	Rosa sp. (Manetti stock)	Ohio.*
Do	Pyrus communis (pear) (stock)	Do.*
Aporia sp. (Pieridae)	Malus sylvestris (apple) (seedling) (2)	New York.*
Do	Prunus domestica (plum) (stock) (2)	Do.*
Do	Pyrus communis (pear) (seedling)	Do.*
Arctiid	Cork	Pennsylvania.
Arion hortensis lutea (Mollusca)	Brassica oleracea (cabbage)	New York.
Aspidiotus camelliae (greedy scale)	Mimosa sp	District of Columbia.
Aspidiotus hederae (ivy scale)	Citrus limonia (lemon) (2)	California.*
Do	Citrus limonia (lemon)	Pennsylvania.
Do	do	Rhode Island.
Do	Mimosa sp	District of Columbia.
Do	Nerium oleander (oleander) (leaf)	New York.
Aspidiotus ostreaeformis (Coccidae)	Ficus sp. (fig.)	District of Columbia.
Aspidiotus sp. (Coccidae)	Ficus sp. (fig) (2)	Do.
Do	Pachysandra terminalis follis variegatis.	Do.
Aulacaspis rosae (rose scale)	Rosa sp. (Manetti stock)	Connecticut.*
Balaninus sp. (Curculionidae)	Corylus avellana (filbert)	Pennsylvania.
Blastodacna sp. (Cosmopterygidae)	Lilium candidum (Madonna lily)	New York.
Brevicoryne brassicae (cabbage aphid)	Brassica oleracea (cabbage)	Pennsylvania.
Calophasia lunula (Noctuidae)	Malus sylvestris (apple) (seedling)	North Carolina.*
Carpocapsa pomonella (codling moth)	Malus sylvestris (apple)	New York.
Carpocapsa sp. (Olethreutidae)	On bag of walnuts	Do.
Cecidomyiid	Hyacinthus sp. (bulb)	Massachusetts.
Do	do	Pennsylvania.
Ceroplastes sp. (Coccidae)	Green leaves	Do.
Ceutorhynchus pleurostigma (turnip gall weevil).	Brassica rapa (turnip)	New York.
Chionaspis euonymi (euonymus scale)	Euonymus europaeus (European burning bush).	District of Columbia.
Chrysomphalus dictyospermi (Coccidae).	Mimosa hamburgeana	Do.
Do	Mimosa sp. (stem)	Do.
Chrysomphalus sp. (Coccidae)	Citrus limonia (lemon)	Rhode Island.
Do	Phoenix dactylifera (date palm)	Do.
Cilix glaucata (Drepanidae)	Prunus sp. (Myrobalan stock)	Pennsylvania.*
Do	Pyrus communis (pear) (stock)	California.*
Coccus hesperidum (soft brown scale)	Citrus limonia (lemon)	New York.
Do	Clematis armandi (armand clematis) (stem).	District of Columbia.
Do	Cotoneaster sp	Do.
Do	Davidia involucrata (dove tree)	Do.
Do	Escallonia newryensis (leaf)	Do.
Do	Laurus nobilis (Grecian laurel)	Rhode Island.
Do	Laurus sp	New York.
Coccus sp. (Coccidae)	Mimosa sp	District of Columbia.
Dermestes sp. (Dermestidae)	Lilium candidum (Madonna lily)	New York.
Do	On bag of walnuts	Do.
Diaspis boisduvalii (Boisduval's scale)	Cattleya sp. (orchid) (3)	District of Columbia.
Diaspis carueli (Coccidae)	Juniperus communis (juniper) (seed)	Do.
Do	Juniperus oxycedrus (prickly juniper) (berry).	Do.
Diaspis piricola (Coccidae)	Malus sylvestris (apple) (stock)	Pennsylvania.*
Do	Prunus sp. (Myrobalan stock)	Do.*
Do	Pyrus communis (pear) (stock)	Do.*
Emphytus cinctus (sawfly)	Rosa sp. (Manetti stock)	Connecticut.*
Do	Rosa sp. (rose)	Do.*
Entomobrya sp. (Collembola)	Lilium sp. (lily) (bulb)	Massachusetts.
Ephestia xanthotricha (Pyralidae)	Juglans sp. (walnut)	Do.
Do	do	New York.
Ephestia sp. (Pyralidae)	Juglans regia (English walnut)	Massachusetts.
Do	do	New York.
Do	Juglans sp. (walnut) (2)	Massachusetts.
Do	Juglans sp. (walnut) (5)	New York.
Do	Juglans sp. (walnut)	Pennsylvania.
Do	Unknown	New York.
Epidiaspis piricola (Coccidae)	Malus sylvestris (apple)	Rhode Island.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
FRANCE—Continued		
Insects—Continued.		
Eriosoma lanigerum (woolly apple aphid).	Malus sylvestris (apple)	Connecticut.*
Do	Malus sylvestris (apple) (root)	Do.*
Do	Malus sylvestris (apple (seedling)	Iowa.*
Do	Malus sylvestris (apple) (stock)	Michigan.*
Do	Pyrus communis (pear)	Do.*
Eriosoma pyricola (woolly pear aphid)	Pyrus communis (pear) (stock)	California.*
Eumerus strigatus (lesser bulb fly)	Lilium sp. (lily) (bulb)	Massachusetts.
Do	do	New York.
Do	Narcissus sp. (bulb)	Do.
Do	On case of narcissus bulbs	Do.
Haplothrips arenarins (thrips)	Dianthus sp. (carnation) (plant)	Rhode Island.
Hemichionaspis aspidistrae (aspidistra scale).	Aerides odoratum (orchid) (leaf)	District of Columbia.
Do	Mimosa hamburgeana	Do.
Hippodamia sp. (Coccinellidae)	Rags	California.*
Histiostoma sp. (mite)	Allium cepa (onion)	Pennsylvania.
Do	Solanum tuberosum (potato) (2)	Do.
Hygromia sericea (Mollusca)	Rosa sp. (rose) (plant)	New York.
Hylemyia cilicrura (Anthomyiidae)	Brassica rapa (turnip)	Do.
Hylemyia sp. (Anthomyiidae)	Brassica oleracea botrytis (cauliflower)	Pennsylvania.
Do	Lactuca sativa (lettuce)	New York.
Icerya purchasi (cottony-cushion scale)	Mimosa sp.	District of Columbia.
Illinoia solanifolii (aphid)	Lactuca sativa (lettuce)	New York.
Lampyris noctiluca (Lampyridae)	In moss packing around aquatic plants	District of Columbia.
Lepidosaphes beckii (purple scale)	Citrus limonia (lemon) (2)	California.*
Do	Citrus limonia (lemon)	Pennsylvania.
Do	Citrus nobilis (tangerine)	Do.
Do	Citrus sinensis (orange)	Do.
Do	Green leaves	Do.
Lepidosaphes gloverii (Glover's scale)	Citrus limonia (lemon)	California.*
Lepidosaphes ulmi (oyster-shell scale)	Cotoneaster affinis (leaf)	District of Columbia.
Do	Davidia involucrata (dovetree) (plant)	Do.
Do	Pachysandra terminalis foliis variegatis.	Do.
Do	Paeonia mouton (peony) (tree)	Do.
Do	Plagianthus lyalli (bark)	Do.
Do	Syringa sp. (lilac)	Do.
Liosomaphis berberidis (aphid)	Berberis sp. (barberry)	Do.
Liothrips vaneeckei (thrips)	Lilium candidum (Madonna lily)	New York.
Do	do	Pennsylvania.
Merodon sp. (Syrphidae)	Hyacinthus sp. (bulb)	New York.
Mycetophilid	Solanum tuberosum (potato)	Pennsylvania.
Mylabris sp. (Mylabridae)	Spartium junceum (weavers broom) (seed).	District of Columbia.
Myzus persicae (green peach aphid)	Brassica oleracea (cabbage)	Pennsylvania.
Necrobia violacea (Corynetidae)	Lilium sp. (lily) (bulb)	Massachusetts.
Noctuid	Brassica oleracea (cabbage)	New York.
Do	Brassica oleracea botrytis (cauliflower)	Massachusetts.
Do	Cork (2)	Pennsylvania.
Do	In package of unknown plant and cuttings.	Massachusetts.
Do	Prunus domestica (plum) (stock)	Pennsylvania.
Do	Prunus sp. (Mahaleb stock)	New York.
Do	Pyrus communis (pear) (stock)	Pennsylvania.
Notolophus antiqua (European tussock moth).	Cydonia oblonga (quince)	Iowa.*
Do	Cydonia oblonga (quince) (stock)	Ohio.*
Do	Prunus domestica (plum) (stock)	Do.*
Do	Prunus sp. (Myrobalan stock)	Iowa.*
Do	Pyrus communis (pear) (stock) (2)	Connecticut.*
Do	Pyrus communis (pear) (2)	Iowa.*
Do	Pyrus communis (pear) (stock)	Ohio.*
Do	Rosa sp. (Manetti stock)	Iowa.*
Do	Rosa sp. (rose)	Connecticut.*
Nygmia phaeorrhoea (brown-tail moth).	Malus sylvestris (apple) (seedling)	Do.*
Do	do	North Carolina.*
Do	Malus sylvestris (Doucin stock) (2)	New York.
Do	Malus sylvestris (apple) (stock)	Ohio.*
Do	do	Pennsylvania.*
Do	Prunus domestica (plum) (stock)	Ohio.*
Do	Pyrus communis (pear) (stock)	New York.*
Olethreutid	Prunus domestica (plum)	New York.
Papilio podalirius (Papilionidae)	Pyrus communis (pear)	Iowa.*
Parlatoria oleae (Coccidae)	Pyrus gharbiana (scion)	District of Columbia.
Parlatoria pergandii (chaff scale)	Citrus limonia (lemon)	Pennsylvania.
Do	Citrus sinensis (orange)	Florida.*

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
FRANCE—Continued		
Insects—Continued		
Parlatoria proteus (Coccidae)	Aerides odoratum (orchid) (leaf)	District of Columbia.
Parlatoria ziziphus (Coccidae)	Citrus nobilis (tangerine)	Pennsylvania.
Do	Citrus nobilis deliciosa (mandarin orange).	Texas.
Pentatomid	Prunus domestica (plum)	New York.
Philoscia sp. (isopod)	Lilium candidum (Madonna lily)	Pennsylvania.
Do	Lilium sp. (lily) (bulb)	New York.
Phosphuga strata (Silphidae)	Malus sylvestris (apple) (stock)	Do.
Phthorimaea operculella (potato tuber worm).	Solanum tuberosum (potato) (2)	Do.
Phytonomus variabilis (Curculionidae)	Astilbe feerie	District of Columbia.
Pieris sp. (Pieridae)	Brassica oleracea (cabbage)	New York.
Plodia sp. (Pyralidae)	Castanea sp. (chestnut)	Do.
Plutella maculipennis (diamond-back moth).	Brassica oleracea (cabbage)	Pennsylvania.
Do	Brassica oleracea botrytis(cauliflower)	Do.
Porcellio sp. (isopod)	Lilium sp. (lily) (bulb)	New York.
Pseudococcus gahani (Coccidae)	Mimosa sp. (stem)	District of Columbia.
Pseudococcus maritimus (Coccidae)	do	Do.
Pyralid	Juglans regia (English walnut)	New York.
Do	Juglans sp. (walnut) (3)	Massachusetts.
Do	Juglans sp. (walnut) (10)	New York.
Rhizoglyphus hyacinthi (bulb mite)	Allium cepa (onion)	Do.
Do	Allium sativum (garlic) (2)	Do.
Do	Hyacinthus sp. (bulb)	Massachusetts.
Do	do	New York.
Do	Hyacinthus sp. (2)	Do.
Do	Lilium candidum (Madonna lily)	Do.
Do	Lilium sp. (lily) (bulb)	Massachusetts.
Do	Solanum tuberosum (potato)	Maryland.
Do	do	Pennsylvania.
Rhizoglyphus tarsalis (mite)	Allium cepa (onion)	South Carolina.
Rhizoglyphus sp. (mite)	do	Pennsylvania.
Do	Solanum tuberosum (potato)	Do.
Do	Tulipa sp. (tulip)	New York.
Rhopalosiphum nymphaeae (aphid)	Nymphaea sp.	District of Columbia.
Saissetia oleae (black scale)	Pyrus namorensis (scion)	Do.
Sciara sp. (Mycetophilidae)	Allium cepa (onion)	New York.
Do	Hyacinthus sp. (bulb)	Massachusetts.
Do	Lilium candidum (Madonna lily)	New York.
Do	do	Pennsylvania.
Do	Solanum tuberosum (potato) (3)	Do.
Silvanus bidentatus (Cucujidae)	Lilium sp. (lily) (bulb)	Massachusetts.
Taeniothrips dianthi (thrips)	Dianthus sp. (carnation) (plant)	Rhode Island.
Tinea fuscipunctella (Tineidae)	Hyacinthus sp. (bulb)	New York.
Tineid	Amygdalus communis (almond)	Maryland.
Do	Juglans sp. (walnut)	New York.
Tyroglyphus sp. (mite)	do	Pennsylvania.
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato)	Florida.*
Aphelenchus subtenuis	Narcissus sp.	New York.
Bacterial rot	Paeonia sp. (peony)	District of Columbia.
Bacterium tumefaciens	Cydonia oblonga (quince)	Michigan.*
Do	do	New York.*
Do	do	Pennsylvania.*
Do	Cydonia oblonga (quince) (2)	Pennsylvania.
Do	Malus sylvestris (apple)	Michigan.*
Do	do	New York.
Do	do	North Carolina.*
Do	do	Pennsylvania.*
Do	Prunus sp. (Mazzard stock) (2)	Do.*
Do	Prunus sp. (Mazzard stock)	Tennessee.*
Do	Pyrus communis (pear)	Connecticut.*
Do	do	Michigan.*
Do	do	New York.
Do	do	New York.*
Do	do	Pennsylvania.*
Do	Syringa sp. (lilac) (3)	District of Columbia.
Do	Paeonia tenuifolia (peony)	Do.
Heterodera radicicola	Paeonia sp. (peony) (3)	Do.
Do	Styrax sp.	Do.
Do	Syringa sp. (lilac) (3)	Do.
Tylenchus dipsaci	Hyacinthus sp.	New York.
Tylenchus sp.	Narcissus sp.	Do.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
GERMANY		
Insects:		
Agriotes sp. (Elateridae)	In package with acorns	District of Columbia.
Agromyzid	Brassica oleracea (cabbage)	Pennsylvania.
Anthomyiid	Unknown perennial	Maryland.
Aplon sp. (Curculionidae)	Picea sp. (spruce) (seedling)	Illinois.
Arion hortensis (Mollusca)	Lilium sp. (lily) (bulb)	Pennsylvania.
Aspidiotus destructor (Coccidae)	Aspidistra sp. (leaf)	Do.
Aspidiotus perniciosus (San Jose scale).	Malus sylvestris (apple)	California.*
Aspidiotus pyri (Coccidae)	do	Massachusetts.
Do	do	Pennsylvania.
Balaninus sp. (Curculionidae)	Quercus sp. (oak) (seed)	District of Columbia.
Blastodacna sp. (Cosmopterygidae)	Malus sylvestris (apple)	Do.
Cantharis sp. (Cantharidae)	do	Do.
Carpocapsa pomonella (codling moth)	do	Massachusetts.
Do	Pyrus communis (pear) (2)	New York.
Ceratitis capitata (Mediterranean fruit fly).	Citrus nobilis (tangerine)	Illinois.
Cerosipha sp. (aphid)	Rubus sp	District of Columbia.
Coccus hesperidum (soft brown scale)	Coleus sp	Massachusetts.
Curculionid	Gall on turnip root	South Carolina.
Do	Radicula armoracia (horse-radish)	Pennsylvania.
Diaspis carueli (Coccidae)	Juniperus virginiana (red cedar) (berry)	District of Columbia.
Diplolulus luscus (myriapod)	Radicula armoracia (horse-radish)	New York.
Ephestia sp. (Pyralidae)	Juniperus virginiana (red cedar) (berry).	District of Columbia.
Histiostoma sp. (mite)	Allium cepa (onion) (3)	Pennsylvania.
Do	Dahlia sp	Maryland.
Do	Daucus carota (carrot)	South Carolina.
Do	Solanum tuberosum (potato) (9)	Pennsylvania.
Hylemyia cilicrura (Anthomyiidae)	Brassica rapa (turnip)	New York.
Do	Radicula armoracia (horse-radish)	Do.
Julus sp. (myriapod)	Geranium	Maryland.
Do	Radicula armoracia (horse-radish)	New York.
Lecanium corni (Coccidae)	Aesculus versicolor (hybrid buckeye)	District of Columbia.
Lepidosaphes beckii (purple scale)	Citrus sinensis (orange)	New York.
Limacodid	Unknown	Illinois.
Macrosiphum sp. (aphid)	Rosa sp. (rose) (leaf)	Pennsylvania.
Monomorium pharaonis (Pharaoh's ant).	Dahlia sp	New York.
Myzaphis tetrahodus (aphid)	Rosa sp. (rose)	District of Columbia.
Myzus cerasi (aphid)	Prunus paracerasus (leaf)	Do
Nematinae (sawfly)	Erica hyemalis (form of winter heath)	Pennsylvania.
Periphyllus lyropicta (aphid)	Acer hybridum	District of Columbia.
Do	Aesculus sp. (leaf)	Do.
Pieris sp. (Pieridae)	Brassica oleracea (cabbage)	Pennsylvania.
Plutella maculipennis (diamond-back moth).	do	New York.
Do	do	Pennsylvania.
Polydesmus sp. (myriapod)	Unknown perennial	Maryland.
Rhizoglyphus hyacinthi (bulb mite)	Allium cepa (onion) (2)	Pennsylvania.
Do	Radicula armoracia (horse-radish)	New York.
Do	do	Pennsylvania.
Do	Solanum tuberosum (potato) (3)	Do.
Rhizoglyphus sp. (mite)	Allium cepa (onion)	Do.
Do	do	South Carolina.
Rhopalosiphum padi (aphid)	Prunus padus commutata	District of Columbia.
Saturnid	Unknown	Illinois.
Sciara sp. (Mycetophilidae)	Allium cepa (onion) (5)	Pennsylvania.
Do	Lilium sp. (lily) (bulb)	Do.
Do	Radicula armoracia (horse-radish) (2)	New York.
Do	Radicula armoracia (horse-radish)	Pennsylvania.
Do	Solanum tuberosum (potato)	New York.
Do	Solanum tuberosum (potato) (2)	Pennsylvania.
Do	In package with acorns	District of Columbia.
Tineid	Tree seed	New York.
Tipulid	Convallaria majalis (lily-of-the-valley) (pip).	Do.
Trachyphloeus olivieri (Curculionidae).	Picea sp. (spruce) (seedling)	Illinois.
Trichoniscus pusillus (isopod)	In moss packing around evergreen plants.	Pennsylvania.
Vallonia pulchella (Mollusca)	In moss packing around apple cuttings	Do.
Vitrea cellaria (Mollusca)	In moss packing around evergreen plants.	Do.
Vitrea sp. (Mollusca)	In moss packing around apple cuttings.	Do.
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato) (19)	Florida.*
Bacterium tumefaciens	Radicula armoracia (horse-radish)	New York.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
GERMANY—Continued		
Diseases—Continued.		
Fusarium sp.	Solanum tuberosum (potato) (5)	Florida.*
Rhizoctonia sp.	Solanum tuberosum (potato)	Do.*
Sclerotial rot	Iris sp. (2)	District of Columbia.
Spondylocladium atrovirens	Solanum tuberosum (potato)	Florida.*
GIBRALTAR		
Insects:		
Aspidiotus spinosus (Coccidae)	Fern	Florida.*
Lepidosaphes beckii (purple scale)	Citrus limonia (lemon)	Rhode Island.
Do	Citrus sinensis (orange) (2)	Florida.*
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato)	Do.*
GRAND CAYMAN ISLAND		
Insects:		
Chrysomphalus dictyospermi (Coccidae).	Citrus grandis (shaddock)	Do.*
Cylas formicarius (sweet-potato weevil)	Ipomoea batatas (sweet potato)	Do.*
Lepidosaphes beckii (purple scale)	Citrus grandis (grapefruit) (2)	Do.*
GREAT BRITAIN		
Insects:		
Lecanium corni (Coccidae)	Ribes sp. (gooseberry) (plant)	District of Columbia.
GREECE		
Insects:		
Agromyzid	Water lily	New York.
Aspidiotini (Coccidae)	Olea europaea (olive) (cutting)	District of Columbia.
Chrysomphalus aurantii (California red scale).	Citrus medica (citron)	New York.
Corcyra cephalonica (Pyralidae)	Ficus sp. (fig.)	Washington.
Diaspis carueli (Coccidae)	Cupressus macrocarpa (Monterey cypress) (fruit).	District of Columbia.
Do	Cupressus sempervirens (Italian cypress) (2).	Massachusetts.
Do	Cupressus sp. (cypress) (cone) (2)	District of Columbia.
Ephestia sp. (Pyralidae)	Punica granatum (pomegranate)	Rhode Island.
Evetria tessulatana (Olethreutidae)	Cupressus macrocarpa (Monterey cypress).	District of Columbia.
Do	Cupressus macrocarpa (Monterey cypress) (cone).	Do.
Lepidosaphes beckii (purple scale)	Citrus sinensis (orange)	Rhode Island.
Olethreutid	Cydonia oblonga (quince)	New York.
Pseudococcus citri (citrus mealybug)	Punica granatum (pomegranate)	Rhode Island.
Pyralid	Raisins (2)	Washington.
Pyralis sp. (Pyralidae)	Ficus sp. (fig)	New York.
Do	Ficus sp. (Smyrna fig)	Do.
Scolytid	Cupressus sp. (cypress) (cone)	District of Columbia.
GUAM		
Insects:		
Araecerus sp. (Anthribidae)	Tree seed	Hawaii.*
Aspidiotus lataniae (Coccidae)	Cocos nucifera (coconut)	California.*
Chrysomphalus dictyospermi (Coccidae).	Citrus limonia (lemon)	Do.*
Monomorium sp. (ant)	Tree seed	Hawaii.*
Nitidulid	do	Do.*
Pseudococcus sp. (Coccidae)	Nipa sp. (palm) (seed)	Do.*
Tenebrionid	Tree seed	Do.*
GUATEMALA		
Insects:		
Aspidiotini (Coccidae)	Orchid (leaf)	District of Columbia
Aspidiotus cyanophylli (Coccidae)	Musa sp. (banana) (3)	California.*
Aspidiotus sp. (Coccidae)	Musa sp. (banana)	Do.*
Camponotus sp. (ant)	Orchid	District of Columbia.
Chrysomphalus scutiformis (Coccidae)	Musa sp. (banana)	California.*
Chrysomphalus sp. (Coccidae)	Orchid (leaf)	District of Columbia.
Ephestia sp. (Pyralidae)	Theobroma cacao (cacao bean)	California.*
Metamasius sericeus (silky cane weevil).	Banana débris	Massachusetts.
Do	Musa sp. (banana) (2)	Louisiana.
Nasutitermes ephratae (termite)	Banana débris	Do.
Orthoporus cobanus (myriapod)	Musa sp. (banana)	Do.
Paleococcus sp. (Coccidae)	Musa sp. (banana) (2)	California.*
Prenolepis sp. (ant)	Orchid	District of Columbia.
Pseudococcus sp. (Coccidae)	Musa sp. (banana) (2)	California.*
Rutherfordi	do	Do.*

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
HAITI		
Insects:		
Aleurocanthus woglumi (citrus blackfly).	Citrus sp. (leaf)	Missouri.
Anastrepha sp. (Trypetidae)	Mangifera indica (mango)	New York.
Cerambycinae (Cerambycidae)	Lignum-vitae (log)	Washington.
Cylas formicarius (sweet-potato weevil).	Ipomoea batatas (sweet potato)	Florida.*
Dinoderus minutus (Bostrichidae)	Basket made of bamboo stalks	New York.
Elaphidion nanum (Cerambycidae)	Lignum-vitae (log)	Washington.
Howardia biclavis (mining scale)	Undetermined cutting	District of Columbia.
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime)	Florida.*
Do	Citrus grandis (grapefruit) (2)	Pennsylvania.
Do	Citrus sinensis (orange)	Missouri.
Do	do	Pennsylvania.
Do	Citrus sp. (leaf)	Missouri.
Monomorium pharaonis (Pharaoh's ant).	Persea americana (avocado)	New York.
Noctuid	Lycopersicum esculentum (tomato)	Do.
Pyroderces rileyi (Cosmopterygidae)	Gossypium sp. (cotton) (boll)	Missouri.
Solenopsis geminata rufa (ant)	Saccharum officinarum (sugar cane)	Do.
Disease:		
Actinomyces scabies	Solanum tuberosum (potato)	Florida.*
Sphaceloma citri	Citrus aurantifolia (lime)	Do.*
Diplodia tubericola	Ipomoea batatas (sweet potato)	Pennsylvania.
Thielaviopsis paradoxa	Saccharum officinarum (sugar cane)	Missouri.
HAWAII		
Insects:		
Agrotis sp. (Noctuidae)	Brassica oleracea (cabbage)	Oregon.
Araecerus fasciculatus (coffee-bean weevil).	Musa sp. (banana)	California.*
Do	Undetermined seed	Do.*
Aspidiotus coccotiphagus (Coccidae)	Cocos nucifera (coconut) (6)	Do.*
Aspidiotus cyanophylli (Coccidae)	Cocos nucifera (coconut) (16)	Do.*
Do	Musa sp. (banana) (9)	Do.*
Do	Nerium oleander (oleander)	Do.*
Aspidiotus lataniae (Coccidae)	Cocos nucifera (coconut) (62)	Do.*
Do	Dracaena sp. (leaf)	Do.*
Do	Musa sp. (banana) (5)	Do.*
Do	Undetermined plant	Do.*
Aspidiotus persearum (Coccidae)	Cocos nucifera (coconut) (4)	Do.*
Aspidiotus sp. (Coccidae)	Citrus grandis (pomelo)	Do.*
Do	Palm	Do.*
Do	Vitis sp. (grape)	Do.*
Bactrocera cucurbitae (melon fly)	Cucumis sativus (cucumber) (2)	Do.*
Caryedon gonagra (Mylabridae)	Cascara pod (4)	Do.*
Do	Legume	Do.*
Do	Poinciana regia (royal poinciana) (pod) (2).	Do.*
Do	Poinciana regia (royal poinciana) (seed).	Do.*
Do	Undetermined plant	Do.*
Do	Wild will seed	Do.*
Catorama sp. (Anobiidae)	Gossypium tomentosum (boll)	District of Columbia.
Cecidomyiid	Lilium sp (lily) (plant)	California.*
Ceratitis capitata (Mediterranean fruit fly).	Carica papaya (papaya)	Do.*
Do	Coffea sp. (coffee) (berry) (2)	Do.*
Do	Lycopersicum esculentum (tomato) (2)	Do.*
Do	Mangifera indica (mango) (2)	Do.*
Do	Persea americana (avocado)	Do.*
Ceroplastes floridensis (Florida wax scale).	Undetermined plant	Do.*
Chelisoches morio (earwig)	Cocos nucifera (coconut)	Do.*
Chrysomphalus aonidum (Florida red scale).	Areca catechu (betel palm) (leaf)	Do.*
Do	Cocos nucifera (coconut) (149)	Do.*
Do	Codiaeum variegatum (croton)	Do.*
Do	Dracaena sp.	Do.*
Do	Dracaena sp. (leaf) (5)	Do.*
Do	Musa sp. (banana) (28)	Do.*
Do	Musa sp. (leaf)	Do.*
Do	Palm	Do.*
Do	Undetermined plant	Do.*
Chrysomphalus aurantii (California red scale).	Areca catechu (betel palm) (12)	Do.*
Do	Citrus grandis (pomelo)	Do.*
Chrysomphalus (dictyospermi (Coccidae).	Cocos nucifera (coconut) (2)	Do.*

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
HAWAII—Continued		
Insects—Continued.		
Coccinellid	Ananas sativus (pineapple)	California.*
Coccus elongatus (Coccidae)	Areca catechu (betel palm) (15)	Do.*
Do	Codiaeum sp. (croton)	Do.*
Do	Dracaena sp. (2)	Do.*
Do	Dracaena sp. (leaf)	Do.*
Do	Dried flower	Do.*
Do	Fern	Do.*
Do	Hibiscus sp. (2)	Do.*
Do	Undetermined plant (2)	Do.*
Coccus hesperidum (soft brown scale)	Dracaena sp. (leaf) (2)	Do.*
Do	Hibiscus sp	Do.*
Coccus sp. (Coccidae)	Codiaeum variegatum (croton)	Do.*
Do	Dracaena sp. (leaf)	Do.*
Curculionid	Dioscorea sp. (yam)	District of Columbia.
Dermestid	Coix lacryma-jobi (Jobs-tears)	California.*
Diaspis boisduvalii (Boisduval's scale)	Hylocereus tricostatus	Do.*
Diaspis bromeliae (Coccidae)	Ananas sativus (pineapple) (87)	Do.*
Do	Ananas sativus (pineapple) (plant)	Do.*
Do	Ananas sativus (pineapple) (sucker)	District of Columbia.
Do	Ananas sativus (pineapple) (top) (2)	California.*
Diaspis sp. (Coccidae)	Ananas sativus (pineapple)	Do.*
Diocalandra taitensis (Curculionidae)	Cocos nucifera (coconut) (2)	Do.*
Ephestia sp. (Pyralidae)	Bird seed	Do.*
Do	Palm (tree)	Do.*
Ereunetis flavistriata (sugar-cane bud moth)	Ananas sativus (pineapple)	Do.*
Do	Cocos nucifera (coconut) (71)	Do.*
Do	Musa sp. (banana) (9)	Do.*
Do	Saccharum officinarum (sugar cane)	Do.*
Ereunetis sp. (Tineidae)	Musa sp. (banana)	Do.*
Eucalymnatus tessellatus (Coccidae)	Palm (2)	Do.*
Hemichionaspis aspidistrae (aspidistra scale)	Citrus sinensis (orange)	Do.*
Do	Dracaena sp. (leaf)	Do.*
Hemichionaspis minor (Coccidae)	Cocos nucifera (coconut) (160)	Do.*
Do	Dracaena sp. (leaf) (6)	Do.*
Do	Musa sp. (banana) (5)	Do.*
Do	Palm	Do.*
Hemichionaspis sp. (Coccidae)	Dracaena sp. (leaf)	Do.*
Do	Holcus sorghum var. (milo) (leaf)	Do.*
Do	Musa sp. (banana)	Do.*
Howardia biclavis (mining scale)	Hibiscus sp. (2)	Do.*
Do	Hibiscus sp. (cutting)	Do.*
Do	Undetermined plant	Do.*
Hylemyia cilicrura (Anthomyiidae)	On canvas in empty fruit and vegetable locker.	Washington.
Ischnaspis longirostris (thread scale)	Palm	California.*
Lepidosaphes beckii (purple scale)	Citrus grandis (pomelo)	Do.*
Do	Citrus limonia (lemon)	Do.*
Lepidosaphes crotonis (Coccidae)	Codiaeum sp. (croton) (2)	Do.*
Lepidosaphes auriculata (Coccidae)	Codiaeum sp. (croton)	Do.*
Lepidosaphes sp. (Coccidae)	do	Do.*
Molyrid	Seed	Do.*
Mylabris limbatus (Mylabridae)	Seed (2)	Do.*
Mylabris prosopis (Mylabridae)	Prosopis sp. (mesquite) (bean)	Do.*
Opogona sp. (Tineidae)	Dioscorea sp. (yam)	District of Columbia.
Parlatoria proteus (Coccidae)	Codiaeum sp. (croton)	California.*
Pectinophora gossypiella (pink bollworm)	Gossypium sp. (cotton) (boll)	Do.*
Pheidole megacephala (ant)	Ananas sativus (pineapple) (10)	Do.*
Do	Areca catechu (betel palm) (2)	Do.*
Do	Cocos nucifera (coconut)	Do.*
Do	Codiaeum sp. (croton)	Do.*
Do	Lilium sp. (lily) (plant)	Do.*
Do	Lilium sp. (lily) (root) (2)	Do.*
Do	Musa sp. (banana) (4)	Do.*
Phenacaspis sp. (Coccidae)	Cocos nucifera (coconut) (20)	Do.*
Do	Musa sp. (banana)	Do.*
Do	Nerium oleander (oleander)	Do.*
Prenolepis sp. (ant)	Cocos nucifera (coconut) (3)	Do.*
Do	Musa sp. (banana) (2)	Do.*
Pseudococcus adonidum (long-tailed mealybug)	Dracaena sp. (leaf)	Do.*
Do	Palm	Do.*

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
HAWAII—Continued		
Insects—Continued.		
Pseudococcus brevipes (pineapple mealybug).	Ananas sativus (pineapple) (97)	California.*
Do	Ananas sativus (pineapple)	Washington.
Do	Ananas sativus (pineapple) (plant)	California.*
Do	Ananas sativus (pineapple) (sucker)	District of Columbia.
Do	Musa sp. (banana) (28)	California.*
Pseudococcus nipae (palm mealybug)	Palm (3)	Do.*
Pseudococcus virgatus (Coccidae)	Areca catechu (betel palm) (6)	Do.*
Do	Dracaena sp. (2)	Do.*
Do	Dracaena sp. (leaf) (3)	Do.*
Do	Hibiscus sp	Do.*
Pseudococcus sp. (Coccidae)	Begonia sp	Do.*
Do	Codiaeum variegatum (croton)	Do.*
Do	Codiaeum sp. (croton)	Do.*
Do	Lilium sp. (lily) (root) (3)	Do.*
Do	Musa sp. (banana)	Do.*
Do	Saccharum officinarum (sugar cane)	Do.*
Do	Streptosolen jamesoni	Do.*
Do	Undetermined plant	Do.*
Pyroderces rileyi (Cosmopterygidae)	Gossypium sp. (cotton) (boll)	Do.*
Ripersia palmarum (Coccidae)	Cocos nucifera (coconut) (76)	Do.*
Saissetia nigra (Coccidae)	Areca catechu (betel palm) (11)	Do.*
Do	Begonia sp. (plant)	Washington.
Do	Cactus (flower)	California.*
Do	Codiaeum variegatum (croton)	Do.*
Do	Codiaeum sp. (croton)	Do.*
Do	Fresh flowers	Do.*
Do	Hibiscus sp. (2)	Do.*
Do	Hibiscus sp. (cutting)	Do.*
Do	Musa sp. (banana) (3)	Do.*
Do	Musa sp. (banana) (leaf) (2)	Do.*
Do	Poinsettia pulcherrima (poinsettia)	Do.*
Do	Undetermined plant (2)	Do.*
Saissetia oleae (black scale)	Hibiscus sp	Do.*
Solenopsis sp. (ant)	Packing material	Do.*
Syrphid	Ananas sativus (pineapple)	Washington.
Tenebrionid	Areca catechu (betel palm)	California.*
Tineid	Ananas sativus (pineapple)	Washington.
HOLLAND		
Insects:		
Acronycta rumicis (sorrel cutworm)	Cydonia oblonga (quince) (stock)	Pennsylvania.*
Do	Rosa sp. (Manetti stock)	Ohio.*
Acronycta sp. (Noctuidae)	Malus sylvestris (apple) (stock)	Pennsylvania.*
Agriotes sp. (Elateridae)	Lilium sp. (lily)	New York.
Anisolabis annulipes (earwig)	In bale of burlap contaminated with cottonseed.	Louisiana.
Do	Tulipa sp	Pennsylvania.
Anuraphis tulipae (aphid)	Crocus sp	New York.
Do	Iris hoogiana (redbeard iris)	District of Columbia.
Do	Iris tingitana (Morocco iris)	Do.
Do	Iris sp	Do.
Do	Iris sp. (rhizomatous)	Do.
Aporia crataegi (white tree pierid)	Rosa sp. (Manetti stock) (2)	Ohio.*
Archilithobius sp. (myriapod)	Bale of burlap	Louisiana.
Arion hortensis (Mollusca)	Daucus carota (carrot)	New York.
Carpocapsa pomonella (codling moth)	Juglans sp. (walnut)	Do.
Cecidomyiid	Crocus sp. (bulb)	Maryland.
Do	Crocus sp. (bulb) (3)	Massachusetts.
Do	Hyacinthus orientalis (bulb)	New York.
Do	Hyacinthus sp. (bulb) (7)	Massachusetts.
Do	Hyacinthus sp. (bulb) (20)	New York.
Do	Hyacinthus sp. (bulb)	Oregon.
Do	Hyacinthus sp. (bulb) (2)	Pennsylvania.
Do	Iris sp	District of Columbia.
Do	Narcissus sp. (bulb)	Oregon.
Do	do	Washington.
Do	Scilla sibirica (Siberian squill)	Pennsylvania.
Do	Tulipa sp. (bulb)	California.*
Do	Tulipa sp. (bulb) (3)	Massachusetts.
Do	Tulipa sp. (bulb)	New York.
Do	Inside paper packing containing hyacinth bulbs.	Massachusetts.
Coccus hesperidum (soft brown scale)	Hedera dentata variegata (ivy) (leaf)	District of Columbia.
Diplolulus luscus (myriapod)	Soil	New York.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
HOLLAND—Continued		
Insects—Continued.		
Emphytus cinctus (sawfly)	Rosa rugosa (rose)	Connecticut.*
Do	Rosa sp. (Manetti stock) (4)	Do.*
Do	Rosa sp. (Manetti stock)	Pennsylvania.*
Endrosis lacteella (Oecophoridae)	Crocus sp. (bulb)	New York.
Do	Galanthus sp. (snowdrop) (bulb)	Massachusetts.
Do	Hyacinthus sp. (bulb)	New York.
Do	Hyacinthus sp. (2)	Do.
Do	In packing aorund bulbs	District of Columbia.
Do	Tulipa sp.	New York.
Do	Unknown	Massachusetts.
Ephestia xanthotricha (Pyralidae)	Ground peat	District of Columbia.
Ephestia sp. (Pyralidae)	Hyacinthus sp. (2)	New York.
Do	do	Pennsylvania.
Do	Ribes sp. (currant)	California.*
Do	Sugar sack bagging contaminated with cottonseeds.	Louisiana.
Epipaschiinae (Pyralidae)	do	Do.
Eumerus strigatus (lesser bulb fly)	Allium cepa (onion) (3)	New York.
Do	Hyacinthus sp. (bulb)	Do.
Do	Narcissus cervantes	District of Columbia.
Do	Narcissus sp. (bulb)	Missouri.
Do	Narcissus sp. (bulb) (7)	Oregon.
Do	Narcissus sp. (bulb) (10)	Pennsylvania.
Do	In case of narcissus bulbs	New York.
Do	On crates containing narcissus and other bulbs.	Do.
Exechia sp. (Mycetophilidae)	Hyacinthus sp. (bulb)	Pennsylvania.
Forficula auricularia (European earwig).	do	New York.
Do	In case with iris and gladiolus	District of Columbia.
Do	In packing around iris bulbs	Do.
Do	Narcissus sp. (bulb) (2)	Pennsylvania.
Do	On old sugar bag	Louisiana.
Do	In case of hyacinth and tulip bulbs	Massachusetts.
Do	In box of iris	District of Columbia.
Do	Tulipa sp. (bulb)	California.*
Do	do	New York.
Do	Tulipa sp. (bulb) (3)	Pennsylvania.
Hemichionaspis aspidistrae (aspidistra scale).	Unknown	Oregon.
Histiostoma sp. (mite)	Allium cepa (onion)	South Carolina.
Do	Iris kaempferi (Japanese iris)	District of Columbia.
Do	Solanum tuberosum (potato) (5)	Pennsylvania.
Hylemyia cilicrura (Anthomyiidae)	Allium cepa (onion)	New York.
Do	Allium sativum (garlic)	Do.
Hylemyia sp. (Anthomyiidae)	Hyacinthus sp. (bulb)	Do.
Hypera nigrirostris (Curculionidae)	On packing case of astilbe	District of Columbia.
Lamyctes fulvicornis (myriapod)	Narcissus sp. (bulb)	Pennsylvania.
Liothrips vaneeckei (thrips)	Lilium sp. (purple lily)	New York.
Merodon sp. (Syrphidae)	Narcissus sp. (bulb) (2)	Louisiana.
Do	Narcissus sp. (bulb)	Missouri.
Do	do	New York.
Do	Narcissus sp. (bulb) (6)	Oregon.
Do	Narcissus sp. (bulb) (16)	Pennsylvania.
Do	Narcissus sp. (bulb)	Rhode Island.
Do	Narcissus sp. (bulb) (2)	Washington.
Mycetophilid	In case with peony roots	District of Columbia.
Do	Paeonia sp. (peony)	Do.
Do	Sugar sack bagging	Louisiana.
Myzus cerasi (aphid)	Prunus cerasus (sour cherry)	District of Columbia.
Do	Prunus cerasus sinensis flora plena (leaf).	Do.
Noctuid	Narcissus sp. (bulb)	Washington.
Do	Rosa sp. (Manetti stock)	Connecticut.*
Notolophus antiqua (European tussock moth).	Rosa rugosa (stock)	Do.*
Do	Rosa sp. (Manetti stock) (3)	Ohio.*
Oecophorid	Gossypium sp. (cottonseed) (2)	Louisiana.
Do	Ixia sp.	Maryland.
Do	Tulipa sp.	Do.
Ortalid	Allium cepa (onion)	New York.
Pectinophora gossypiella (pink bollworm).	Gossypium sp. (cottonseed)	Louisiana.
Periphyllus negundinis (aphid)	Acer palmatum (Japanese maple)	District of Columbia.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
HOLLAND—Continued		
Insects—Continued.		
Phthorimaea operculella (potato tuber worm)	Solanum tuberosum (potato) (3)	New York.
Do	Solanum tuberosum (potato)	Pennsylvania.
Porcellio scaber (isopod)	Hyacinthus sp. (bulb)	Maryland.
Do	Narcissus sp. (bulb)	Pennsylvania.
Pseudococcus sp. (Coccidae)	Hedera dentata variegata (ivy) (leaf)	District of Columbia.
Pyralid	On burlap bag contaminated with cottonseeds.	Louisiana.
Rhabdophaga salicis (Cecidomyiidae)	Salix sp. (tying willow)	Connecticut.*
Rhizoglyphus hyacinthi (bulb mite)	Allium cepa (onion) (5)	Pennsylvania.
Do	Crocus sp. (3)	Do.
Do	Crocus sp. (bulb)	Massachusetts.
Do	Crocus sp. (bulb) (2)	Pennsylvania.
Do	Fritillaria sp. (fritillary)	New York.
Do	Galanthus sp. (snowdrop)	Do.
Do	Gladiolus sp.	District of Columbia.
Do	Hyacinthus sp. (bulb) (3)	California.*
Do	Hyacinthus sp. (bulb) (2)	Maine.
Do	Hyacinthus sp. (bulb)	Maryland.
Do	Hyacinthus sp. (bulb) (27)	Massachusetts.
Do	Hyacinthus sp. (bulb) (21)	New York.
Do	Hyacinthus sp. (bulb) (41)	Pennsylvania.
Do	Iris sp. (2)	District of Columbia.
Do	Iris sp. (bulb)	Do.
Do	Ixia sp. (bulb)	Pennsylvania.
Do	Narcissus sp. (bulb)	California.*
Do	do	Missouri.
Do	do	New York.
Do	Narcissus sp. (bulb) (4)	Oregon.
Do	Narcissus sp. (bulb)	Washington.
Do	Scilla sp. (squill)	Maryland.
Do	Scilla sp. (squill) (bulb) (2)	Massachusetts.
Do	Scilla sp. (squill) (bulb)	New York.
Do	Solanum tuberosum (potato) (2)	Pennsylvania.
Do	Tulipa sp. (bulb) (4)	California.
Do	Tulipa sp. (bulb) (7)	Massachusetts.
Do	Tulipa sp. (bulb) (2)	New York.
Do	Tulipa sp. (bulb) (6)	Pennsylvania.
Rhizoglyphus sp. (mite)	Allium cepa (onion)	New York.
Do	Allium cepa (onion) (2)	Pennsylvania.
Do	Buckwheat hulls	Do.
Do	Chionodoxa sp. (bulb)	Do.
Do	Crocus sp. (bulb)	Maryland.
Do	Crocus sp. (bulb) (5)	Massachusetts.
Do	Crocus sp. (bulb)	New York.
Do	Crocus sp. (bulb) (3)	Pennsylvania.
Do	Fritillaria meleagris (checkered fritillary) (bulb).	Massachusetts.
Do	Fritillaria sp. (fritillary) (3)	Pennsylvania.
Do	Galanthus sp. (snowdrop) (bulb) (4)	Massachusetts.
Do	Galanthus sp. (snowdrop) (bulb) (2)	New York.
Do	Galanthus sp. (snowdrop) (bulb)	Pennsylvania.
Do	Hyacinthus sp. (bulb)	Massachusetts.
Do	do	Oregon.
Do	do	Pennsylvania.
Do	Ixia sp.	New York.
Do	Mixed bulbs	Massachusetts.
Do	Scilla sp. (squill) (bulb) (3)	Do.
Do	Scilla sp. (squill) (bulb) (2)	New York.
Do	Scilla sp. (squill) (bulb) (4)	Pennsylvania.
Do	Tulipa sp.	Maryland.
Do	Tulipa sp. (bulb) (3)	Massachusetts.
Do	Tulipa sp. (bulb) (6)	Pennsylvania.
Sciara sp. (Mycetophilidae)	Brassica rapa (turnip)	New York.
Do	Fritillaria sp. (fritillary)	Do.
Do	Hyacinthus sp. (bulb) (3)	Maryland.
Do	Hyacinthus sp. (bulb) (6)	Massachusetts.
Do	Hyacinthus sp. (bulb) (10)	New York.
Do	Hyacinthus sp. (bulb)	Oregon.
Do	Hyacinthus sp. (bulb) (13)	Pennsylvania.
Do	Lilium sp. (lily)	New York.
Do	Narcissus sp. (bulb) (2)	Oregon.
Do	Narcissus sp. (bulb)	Pennsylvania.
Do	Narcissus sp. (bulb) (2)	Washington.
Do	Paeonia sp. (peony)	District of Columbia.
Do	Paeonia sp. (peony) (root)	Do.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
HOLLAND—Continued		
Insects—Continued.		
Sciara sp. (Mycetophilidae)	Solanum tuberosum (potato) (3)	Pennsylvania.
Do	Tulipa sp. (bulb) (2)	Maryland.
Do	Tulipa sp. (bulb) (6)	New York.
Do	Tulipa sp. (bulb)	Pennsylvania.
Do	In package containing hyacinth bulbs	Massachusetts.
Scolopostethus affinis (Lygaeidae)	Chionodoxa sp	New York.
Tetramorium cespitum (ant)	In case with peony roots	District of Columbia.
Tineid	Muscari sp. (bulb)	New York.
Do	Taken from bagging contaminated with cottonseeds.	Louisiana.
Tipula sp. (Tipulidae)	Moss	New York.
Tortricid	Rosa sp. (rose) (stock)	Ohio.*
Trichocera sp. (Tipulidae)	Apium graveolens (celery)	Pennsylvania.
Tyroglyphid	Galanthus sp. (snowdrop) (bulb)	Do.
Do	Hyacinthus sp. (bulb)	Massachusetts.
Tyroglyphus sp. (mite)	Galanthus sp. (snowdrop)	Do.
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato) (9)	Florida.*
Alternaria sp	Solanum tuberosum (potato)	Do.*
Aphelenchus subtenuis	Hyacinthus sp	Massachusetts.
Do	Hyacinthus sp. (2)	Pennsylvania.
Aphelenchus sp	Hyacinthus sp	New York.
Bacterium hyacinthi	do	District of Columbia.
Bacterium tumefaciens	Malus sp	Pennsylvania.*
Do	Prunus sp	Do.*
Do	Rosa multiflora	New York.
Do	Rosa sp. (Manetti stock) (2)	Illinois.*
Do	Rosa sp. (Manetti stock)	Ohio.*
Do	Rosa sp. (Manetti stock) (3)	Pennsylvania.*
Do	Rosa sp. (stock)	New York.
Botrytis allii	Allium cepa (onion)	South Carolina.
Botrytis parasitica	Hydrangea sp	District of Columbia.
Cephalobus sp	Hyacinthus sp	New York.
Fusarium bulbigenum	Narcissus sp	Pennsylvania.
Fusarium sp	Solanum tuberosum (potato) (5)	Florida.*
Heterodera radicicola	Iris sp	District of Columbia.
Do	Paeonia sp. (peony) (12)	Do.
Rhizoctonia sp	Solanum tuberosum (potato)	Florida.*
Sclerotial rot	Brassica oleracea (cabbage)	Pennsylvania.
Septoria gladioli	Gladiolus sp. (2)	District of Columbia.
Spondylocladium atrovirens	Solanum tuberosum (potato)	Florida.*
Tylenchus sp	Hyacinthus sp	New York.
HONDURAS		
Insects:		
Aspidiotus sp. (Coccidae)	Pyrenoglyphis major (beach palm)	Louisiana.
Camponotus abdominalis var. (ant)	Musa sp. (banana)	Do.
Camponotus stercorarius (ant)	Musa sp. (banana) (2)	Massachusetts.
Camponotus sp. (ant)	Musa sp. (banana) (4)	Louisiana.
Do	Musa sp. (banana) (leaf)	New York.
Ceramidia viridis (Syntomidae)	Musa sp. (banana)	Louisiana.
Chelymorpha comata smithi (Chrysomelidae).	do	Do.
Chelymorpha sp. (Chrysomelidae)	do	Massachusetts.
Chrysomphalus dictyospermi (Coccidae).	Citrus sinensis (orange)	Florida.*
Crematogaster sp. (ant)	Musa sp. (banana) (leaf)	New York.
Dinocoris tripterus (Pentatomidae)	Musa sp. (banana) (2)	Massachusetts.
Epilachna defecta (Coccinellidae)	Musa sp. (banana)	Louisiana.
Euryophthalmus sp. (Pyrrhocoridae)	do	Do.
Hemichionaspis minor (Coccidae)	Annona muricata (soursop)	Florida.*
Do	Carica papaya (papaya)	Do.*
Do	Manihot esculenta (cassava) (cutting)	Do.*
Lepidosaphes beckii (purple scale)	Citrus grandis (grapefruit)	Louisiana.
Do	Citrus grandis (grapefruit) (2)	South Carolina.
Do	Citrus sinensis (orange)	Florida.*
Leucotermes sp. (termite)	Musa sp. (banana) (leaf)	Louisiana.
Lixus sp. (Curculionidae)	Unknown leaves and twigs	Do.
Metamasius sericeus (silky cane weevil).	Musa sp. (banana) (3)	Do.
Do	Musa sp. (banana)	Massachusetts.
Metriona ventricosa (Chrysomelidae)	do	Louisiana.
Myocoucha girafla (Lygaeidae)	do	Do.
Nasutitermes cornigera (termite)	Banana débris	Do.
Noctuid	Musa sp. (banana)	Do.
Oxystyla sp. (Mollusca)	do	Do.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
HONDURAS—Continued		
Insects—Continued.		
Pariatoria pergandii (chaff scale)	Citrus grandis (grapefruit)	Louisiana.
Pariatoria sp. (Coccidae)	Citrus aurantifolia (lime)	Do.
Pseudaonidia articulatus (rufous scale)	Citrus grandis (grapefruit)	Do.
Do	do	South Carolina.
Pseudomesomphalia punicea (Chrysomelidae).	Musa sp. (banana)	Louisiana.
Pseudomesomphalia punicea var. (Chrysomelidae).	do	Do.
Psychid	do	Do.
Pyralid	Musa sapientum (banana)	Do.
Pyraustinae (Pyralidae)	Melothria sp.	New York.
Diseases:		
Colletotrichum sp.	Carica papaya (papaya)	Florida.*
HUNGARY		
Insects:		
Lasius sp. (ant)	Paeonia sp. (peony) (root)	Pennsylvania.
Pyrausta nubilalis (European corn borer).	Holcus sorghum var. (broomcorn) (5)	Massachusetts.
Do	Holcus sorghum var. (broomcorn)	New York.
INDIA		
Insects:		
Bemisia sp. (whitefly)	Codiaeum sp. (croton)	Florida.*
Bythinia sp. (Mollusca)	In soil around canna plants	Pennsylvania.
Chrysomphalus aurantii (California red scale).	Citrus grandis (pomelo)	Massachusetts.
Do	Citrus sinensis (orange)	Texas.
Chrysomphalus dictyospermi (Coccidae).	Palm	Pennsylvania.
Curculionid	Castanopsis sp. (seed)	District of Columbia.
Dimerogonus sp. (myriapod)	Palm	Pennsylvania.
Ephestia sp. (Pyralidae)	Theobroma cacao (cacao bean) (3)	California.*
Ischnaspis longirostris (thread scale)	Palm	Florida.*
Laemophloeus sp. (Cucujidae)	Triticum aestivum (wheat) (seed)	District of Columbia.
Lepidosaphes beckii (purple scale)	Citrus sinensis (orange)	Texas.
Leptotrichus sp. (isopod)	In soil around potted plant	Pennsylvania.
Lophocateres pusillus (Siamese grain beetle).	Triticum aestivum (wheat) (seed)	District of Columbia.
Mecistocephalus insularis (myriapod)	In soil around canna plant	Pennsylvania.
Mylabris sp. (Mylabridae)	Acacia catechu (seed) (2)	District of Columbia.
Do	Albizzia amara (seed)	Do.
Do	Albizzia lebbeck (lebbek) (seed)	Do.
Do	Hibiscus pungens (seed)	Do.
Olethreutid	Araucaria sp. (seed)	Do.
Pariatoria pergandii (chaff scale)	Citrus grandis (pomelo)	New York.
Pariatoria ziziphus (Coccidae)	do	Do.
Pectinophora gossypiella (pink bollworm).	Gossypium indicum (cottonseed)	District of Columbia.
Do	Gossypium neglectum (cottonseed)	Do.
Do	Gossypium sp. (cotton) (raw)	California.*
Do	Gossypium sp. (cottonseed)	District of Columbia.
Porcellio sp. (isopod)	In soil around fern	Pennsylvania.
Pseudococcus sacchari (Coccidae)	Saccharum officinarum (sugar cane) (cutting).	District of Columbia.
Pseudococcus virgatus (Coccidae)	Codiaeum sp. (croton)	Massachusetts.
Pyralis sp. (Pyralidae)	Holcus sorghum (sorghum)	New York.
Pyraustinae (Pyralidae)	In package of Sesbania grandiflora seed	District of Columbia.
Rhizoglyphus sp. (mite)	Allium cepa (onion)	Pennsylvania.
Do	Solanum tuberosum (potato)	Do.
Scolytid	Annona squamosa (sugar apple)	District of Columbia.
Do	Wooden sticks used in stowing cargo	Washington.
Sitophilus linearis (tamarind pod-borer.	Tamarindus indica (tamarind)	Pennsylvania.
Solenopsis geminata rufa (ant)	In soil of potted plant	Do.
Do	Solanum tuberosum (potato)	Do.
Spilochalcis sp. (Chalcididae)	Albizzia amara (seed)	District of Columbia.
Subulina sp. (Mollusca)	In soil around canna plants	Pennsylvania.
Targionia glomeratus (Coccidae)	Saccharum officinarum (sugar cane) (2)	District of Columbia.
Tetranychus sp. (mite)	Codiaeum sp. (croton)	Florida.*
Zonites sp. (Mollusca)	In soil around canna plants	Pennsylvania.
Diseases:		
Hypocreopsis phyllostachidis	Bambos polymorpha	District of Columbia.
Do	Bambos stricta	Do.
Ustilaginoidea virens	Oryza sativa (rice)	Do.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
IRELAND		
Insects:		
Achrotrichis sp. (Ptilidae)	Dianthus sp. (pink)	Massachusetts.
Craspedosoma rawlinsi (myriapod)	Among Manetti stock	Pennsylvania.
Emphytus cinctus (sawfly)	Rosa sp. (Manetti stock) (3)	Do.
Do	do	Pennsylvania.*
Megasternum boletophagum (Hydrophilidae).	Dianthus sp. (pink)	Massachusetts.
Rhizoglyphus sp. (mite)	Allium cepa (onion)	Pennsylvania.
Tetranychid (mite)	Cytisus sp. (stem)	District of Columbia.
Diseases:		
Bacterium tumefaciens	Rosa sp. (Manetti stock)	Pennsylvania.*
ITALIAN SOMALILAND		
Insects:		
Pectinophora gossypiella (pink bollworm).	Gossypium sp. (cottonseed) (3)	District of Columbia.
ITALY		
Insects:		
Agromyza sp. (Agromyzidae)	Juglans sp. (walnut)	New York.
Agromyzid	do	Do.
Anarsia lineatella (peach twig borer)	Prunus domestica (plum)	Do.
Anisolabis annulipes (earwig)	Citrus limonia (lemon) (3)	Do.
Do	Malus sylvestris (apple)	Pennsylvania.
Do	Muscari comosum (cipollino)	New York.
Anisolabis sp. (earwig)	do	Do.
Anthomyiid	Solanum tuberosum (potato) (2)	Pennsylvania.
Do	Vitis sp. (grape) (plant)	New York.
Anuraphis tulipae (aphid)	Lilium sp. (lily)	Do.
Do	Tulipa sp	Do.
Aonidia lauri (Coccidae)	Unknown	Do.
Aphodius sp. (Scarabaeidae)	In soil in case of cipollini and plants	Pennsylvania.
Apion sp. (Curculionidae)	Muscari comosum (cipollino)	Do.
Aspidiotus hederae (ivy scale)	Citrus limonia (lemon) (36)	California.*
Do	Citrus limonia (lemon) (2)	Florida.*
Do	Citrus limonia (lemon) (11)	Louisiana.
Do	Citrus limonia (lemon) (17)	Massachusetts.
Do	Citrus limonia (lemon) (12)	New York.
Do	Citrus limonia (lemon) (22)	Pennsylvania.
Do	Citrus limonia (lemon)	Washington.
Do	Citrus medica (citron)	California.*
Do	Citrus sinensis (orange)	New York.
Do	Palm	Do.
Do	Plant (unknown)	Pennsylvania.
Aspidiotus lataniae (Coccidae)	Palm	Maryland.
Balaninus sp. (Curculionidae)	Castanea sp. (chestnut) (12)	California.*
Do	Castanea sp. (chestnut) (24)	Massachusetts.
Do	Castanea sp. (chestnut) (93)	New York.
Do	Castanea sp. (chestnut)	Pennsylvania.
Do	On dock near chestnuts (3)	New York.
Do	Corylus avellana (filbert) (5)	Massachusetts.
Do	Corylus avellana (filbert) (2)	New York.
Do	Corylus avellana (filbert) (3)	Pennsylvania.
Do	Corylus avellana (filbert) (2)	Washington.
Do	Corylus sp. (hazelnut)	California.*
Do	Quercus sp. (acorn)	District of Columbia.
Blastobasid	Citrus limonia (lemon)	Louisiana.
Brachycerus albidentatus (Brachyceridae).	Allium sativum (garlic) (3)	New York.
Brachycerus sp. (Brachyceridae)	do	Do.
Brevicoryne brassicae (aphid)	Brassica oleracea (cabbage)	Massachusetts.
Carpocapsa pomonella (codling moth)	Cydonia oblonga (quince)	New York.
Do	Malus sylvestris (apple)	Pennsylvania.
Do	Pyrus communis (pear) (2)	New York.
Carpocapsa sp. (Olethreutidae)	Castanea sp. (chestnut)	California.*
Do	In basket containing prickly pear	New York.
Carpoglyphus anonymus (mite)	Prunus cerasus (sour cherry)	Pennsylvania.
Carpoglyphus sp. (mite)	Ficus sp. (fig)	Do.
Ceratitis capitata (Mediterranean fruit fly).	Amygdalus persica (peach)	New York.
Do	Citrus aurantium (bitter orange) (3)	Do.
Do	Citrus sinensis (orange)	Do.
Do	Olea europaea (olive) (in brine)	Pennsylvania.
Do	Olea europaea (olive) (ripe)	Do.
Do	Opuntia sp. (prickly pear)	New York.
Do	On paper in basket containing prickly pear.	Do.
Do	Pyrus communis (pear)	Do.
Ceratitis sp. (Trypetidae)	Prunus avium (sweet cherry)	Do.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
ITALY—Continued		
Insects—Continued.		
Ceroplastes rusci (Coccidae)	Ficus sp. (fig) (cutting((2)	New York.
Ceroplastes sp. (Coccidae)	Citrus sinensis (orange) (leaf)	Do.
Chalcidid	Castanea sp. (chestnut)	Do.
Chionaspis euonymi (euonymus scale)	Euonymus sp.	California.*
Do	Ornamental plant	Washington.
Chrysomphalus aonidum (Florida red scale).	Citrus limonia (lemon)	California.*
Chrysomphalus aurantii (California red scale).	Citrus limonia (lemon) (3)	Do.*
Do	Citrus limonia (lemon)	Maryland.
Do	Citrus limonia (lemon) (2)	Massachusetts.
Do	Citrus limonia (lemon)	Pennsylvania.
Do	do	Washington.
Chrysomphalus dictyospermi (Coccidae).	Citrus limonia (lemon) (7)	California.*
Do	Citrus limonia (lemon) (3)	Massachusetts.
Do	do	New York.
Do	Citrus limonia (lemon) (2)	Pennsylvania.
Do	Citrus medica (citron)	California.*
Chrysomphalus dictyospermi var. (Coccidae).	Citrus aurantium (bitter orange)	New York.
Do	Citrus limonia (lemon) (2)	Louisiana.
Do	Citrus limonia (lemon)	Maryland.
Do	Citrus limonia (lemon) (2)	New York.
Do	do	Pennsylvania.
Do	Citrus sinensis (orange)	New York.
Do	Citrus sp.	Do.
Do	Palm	Pennsylvania.
Chrysomphalus sp. (Coccidae)	Citrus limonia (lemon)	Massachusetts.
Do	do	New York.
Do	Citrus limonia (lemon) (2)	Pennsylvania.
Do	Citrus sinensis (orange)	Massachusetts.
Coccus hesperidum (soft brown scale)	Nerium oleander (oleander)	New York.
Do	Palm	Maryland.
Corcyra cephalonica (Pyralidae)	Juglans sp. (walnut)	New York.
Do	On bag of filberts	Do.
Cossid	Unidentified roots	Do.
Crematogaster sp. (ant)	Muscari comosum (cipollino)	Pennsylvania.
Curculionid	Juglans sp. (walnut)	New York.
Do	Unidentified tubers	District of Columbia.
Cynips sp. (Cynipidae)	Unknown	New York.
Dacus oleae (olive fly)	Olea europaea (olive)	Do.
Do	Olea europaea (olive) (2)	Pennsylvania.
Do	Olea europaea (olive) (in brine) (3)	Do.
Dacus sp. (Trypetidae)	Among olives	New York.
Dermestes sp. (Dermestidae)	In basket containing prickly pears	Do.
Ephestia xanthotricha (Pyralidae)	Castanea sp. (chestnut)	Do.
Do	Juglans sp. (walnut)	Massachusetts.
Ephestia sp. (Pyralidae)	Allium sativum (garlic) (2)	New York.
Do	Amygdalus communis (almond)	Pennsylvania.
Do	Corylus avellana (filbert) (2)	California.*
Do	Corylus avellana (filbert) (7)	Massachusetts.
Do	Corylus avellana (filbert)	Washington.
Do	Ficus sp. (fig)	Pennsylvania.
Do	Holcus sorghum var. (broomcorn)	Massachusetts.
Do	Juglans regia (English walnut)	New York.
Do	Juglans sp. (walnut)	Illinois.
Do	Juglans sp. (walnut) (5)	Massachusetts.
Do	Juglans sp. (walnut) (9)	New York.
Do	Juglans sp. (walnut)	Pennsylvania.
Do	On bag of filberts (4)	New York.
Epidiaspis piricola (Coccidae)	Malus sylvestris (apple)	Pennsylvania.
Eriosoma lanigerum (woolly apple aphid).	Malus sylvestris (apple) (stock)	Michigan.*
Do	Pyrus communis (pear) (stock)	Do.*
Eumerus strigatus (lesser bulb fly)	Muscari comosum (cipollino) (3)	New York.
Euxesta sp. (Ortalidae)	On bag of filberts	Do.
Forcipomyia sp. (Chironomidae)	Allium cepa (onion)	Massachusetts.
Forficula auricularia (European earwig).	Citrus limonia (lemon)	New York.
Do	Ficus sp. (fig)	Do.
Do	Vicia faba (fava bean)	Massachusetts.
Formica rufa var. (ant)	Corylus avellana (filbert)	Do.
Geometrid	Origanum sp. (marjoram)	Pennsylvania.
Gibbium psylloides (Ptinidae)	In soil around fig tree	Do.
Do	Malus sylvestris (apple)	Do.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
ITALY—Continued		
Insects—Continued.		
Glyciphagus domesticus (mite)	Capriola dactylon (Bermuda grass)	Pennsylvania.
Do	Origanum sp. (marjoram)	Do.
Helicella carthusiana (Mollusca)	In soil around roots of shrub	Do.
Helicella maritima (Mollusca)	Brassica oleracea (cabbage)	Do.
Heliothrips haemorrhoidalis (greenhouse thrips).	Citrus limonia (lemon)	New York.
Hemichionaspis aspidistrae (aspidistra scale).	Aspidistra sp.	Massachusetts.
Histiostoma sp. (mite)	Allium cepa (onion)	Pennsylvania.
Do	Daucus carota (carrot)	Do.
Do	Solanum tuberosum (potato)	New York.
Do	Solanum tuberosum (potato) (5)	Pennsylvania.
Hylemyia sp. (Anthomyiidae)	Malus sylvestris (apple)	Do.
Labidura riparia (earwig)	Castanea sp. (chestnut)	Massachusetts.
Lasperesia splendana (Olethreutidae)	do	Do.
Do	On dock	New York.
Lasperesia splendana resumurana (Olethreutidae).	Castanea sp. (chestnut) (8)	Massachusetts.
Do	Castanea sp. (chestnut) (189)	New York.
Do	On case of chestnuts	Do.
Do	On dock near chestnut barrels (3)	Do.
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime)	Pennsylvania.
Do	Citrus limonia (lemon) (16)	California.*
Do	Citrus limonia (lemon) (3)	Florida.*
Do	do	Louisiana.
Do	Citrus limonia (lemon) (17)	Massachusetts.
Do	Citrus limonia (lemon) (6)	New York.
Do	Citrus limonia (lemon) (13)	Pennsylvania.
Do	Citrus limonia (lemon) (2)	Washington.
Do	Citrus medica (citron) (2)	California.*
Do	Citrus medica (citron)	Illinois.
Do	do	New York.
Do	Citrus nobilis (tangerine)	Pennsylvania.
Do	Citrus sinensis (orange)	California.*
Do	Citrus sinensis (orange) (2)	New York.
Do	Citrus sinensis (orange) (3)	Pennsylvania.
Do	Citrus sp. (fruit)	District of Columbia.
Lepidosaphes conchiformis (Coccidae)	Ficus sp. (fig) (cutting)	Do.
Do	do	New York.
Lepidosaphes gloverii (Glover's scale)	Citrus limonia (lemon)	California.*
Lepidosaphes ulmi (oyster-shell scale)	Olea europaea (olive)	Pennsylvania.
Lycophotia margaritosa (Noctuidae)	Solanum tuberosum (potato)	New York.
Lymnaea sp. (Mollusca)	Rosa sp. (rose) (cutting)	Do.
Merodon sp. (Syrphidae)	Muscari comosum (cipollino) (5)	Do.
Mylabris tristis (Mylabridae)	Bean	Pennsylvania.
Myrmica sp. (ant)	Malus sylvestris (apple)	Do.
Nacerda emlanura (Oedemeridae)	Citrus limonia (lemon)	New York.
Nitidulid	Allium cepa (onion)	Massachusetts.
Noctuid	Allium sativum (garlic)	New York.
Do	Holcus sorghum var. (broomcorn) (2)	Massachusetts.
Do	Holcus sorghum var. (broomcorn)	New York.
Oecophorid	Juglans regia (English walnut)	Maryland.
Olethreutid	Amygdalus persica (peach)	New York.
Do	Castanea sp. (chestnut)	Do.
Do	In package with acorns	District of Columbia.
Do	Juglans sp. (walnut)	Massachusetts.
Ortalid	Capriola dactylon (Bermuda grass)	Pennsylvania.
Otiorhynchid	Triticum esativum (wheat)	New York.
Parlatoria oleae (Coccidae)	Citrus limonia (lemon)	Do.
Parlatoria pergandii (chaff scale)	Citrus limonia (lemon) (11)	California.*
Do	Citrus limonia (lemon)	Florida.*
Do	Citrus limonia (lemon) (5)	Louisiana.
Do	Citrus limonia (lemon) (7)	Massachusetts.
Do	Citrus limonia (lemon) (5)	New York.
Do	Citrus limonia (lemon)	Pennsylvania.
Do	Citrus sinensis (orange)	California.*
Do	Citrus sinensis (orange) (2)	New York.
Parlatoria ziziphus (Coccidae)	Citrus limonia (lemon) (13)	California.*
Do	Citrus limonia (lemon) (3)	Louisiana.
Do	Citrus limonia (lemon)	Massachusetts.
Do	Citrus limonia (lemon) (6)	New York.
Do	Citrus limonia (lemon)	Pennsylvania.
Do	Citrus medica (citron)	California.*
Do	Citrus medica (citron) (fruit)	New York.
Do	Citrus sinensis (orange) (2)	Do.
Pheidole sp. (ant)	Allium cepa (onion)	Do.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
ITALY—Continued		
Insects—Continued.		
Phthorimaea operculella (potato tuber worm).	Solanum tuberosum (potato) (2)	Pennsylvania.
Phycitinae (Pyralidae)	Ceratonia siliqua (St. John's bread)	New York.
Do	Citrus sinensis (orange)	Do.
Do	Commercial broom	Do.
Do	Origanum sp. (marjoram)	Pennsylvania.
Do	Punica granatum (pomegranate)	New York.
Polychrosis sp. (Olethreutidae)	Vitis sp. (grape) (fresh)	Do.
Pseudococcus adonidum (long-tailed mealybug).	Palm	Maryland.
Pseudococcus citri (citrus mealybug)	Citrus aurantium (bitter orange)	New York.
Do	Citrus limonia (lemon)	Massachusetts.
Do	Citrus limonia (lemon) (7)	New York.
Pseudococcus maritimus (Coccidae)	Chayota edulis (chayote)	Do.
Pseudococcus sp. (Coccidae)	Citrus limonia (lemon)	Louisiana.
Do	do	Massachusetts.
Pyralid	Corylus avellana (filbert) (4)	Do.
Do	do	New York.
Do	Corylus avellana (filbert) (2)	Washington.
Do	Ficus sp. (fig)	New York.
Do	Ficus sp. (fig) (5)	Pennsylvania.
Do	Garlic used as packing for earthenware	Do.
Do	Juglans sp. (walnut) (4)	New York.
Do	do	Pennsylvania.
Do	Malus sylvestris (apple)	New York.
Do	Olea europaea (olive) (green)	Do.
Do	On bag of filberts	Do.
Do	Pinus sp. (pinion) (cone)	Do.
Do	Raisins	Washington.
Do	Zea mays (corn)	New York.
Pyralis sp. (Pyralidae)	Allium sativum (garlic)	Louisiana.
Pyrausta nubilalis (European corn-borer).	Holcus sorghum var. (broomcorn) (7)	Massachusetts.
Do	Zea mays (corn) (stalk)	New York.
Rhizoglyphus hyacinthi (bulb mite)	Allium cepa (onion) (2)	Massachusetts.
Do	Allium cepa (onion) (10)	Pennsylvania.
Do	Muscari comosum (cipollino)	New York.
Do	do	Pennsylvania
Do	Solanum tuberosum (potato)	Massachusetts
Do	Solanum tuberosum (potato) (6)	Pennsylvania.
Rhizoglyphus phylloxerae (mite)	Citrus limonia (lemon)	Louisiana.
Do	do	New York.
Rhizoglyphus sp. (mite)	Allium cepa (onion)	Do.
Do	Allium cepa (onion) (4)	Pennsylvania.
Do	Allium sativum (garlic)	Do
Do	Corylus avellana (filbert)	New York.
Do	Solanum tuberosum (potato) (3)	Pennsylvania.
Rhyncolus truncorum (Curculionidae).	On burlap wrapper on cotton rags	New York.
Rumina decollata (Mollusca)	In soil in case of cipollini and plants	Pennsylvania.
Sciara sp. (Mycetophilidae)	Allium cepa (onion) (4)	Do.
Do	Muscari comosum (cipolino)	Do.
Do	Solanum tuberosum (potato)	Massachusetts.
Do	Solanum tuberosum (potato) (9)	Pennsylvania.
Syntomaspis druparum (apple seed chalcid).	Malus sylvestris (apple)	Do.
Tenebroides sp. (Ostomidae)	Juglans sp. (walnut)	California.*
Tetranychus sp. (mite)	Citrus limonia (lemon)	Massachusetts.
Do	do	New York.
Thrips sp. (thrips)	Allium cepa (onion)	Florida.*
Tinea sp. (Tineidae)	do	New York.
Tineid	Mushroom	Illinois.
Trichocera sp. (Tipulidae)	Allium cepa (onion) (2)	Pennsylvania.
Do	Solanum tuberosum (potato) (2)	Do.
Tyroglyphus sp. (mite)	Allium cepa (onion)	Do.
Do	Allium sativum (garlic)	New York.
Do	Castanea sp. (chestnut) (2)	Pennsylvania.
Do	Citrus limonia (lemon)	New York.
Do	Holcus sorghum var. (broomcorn)	Massachusetts.
Do	Juglans sp. (walnut)	Pennsylvania.
Zeuzera pyrina (leopard moth)	Castanea sp. (chestnut)	New York.
Do	Juglans sp. (walnut)	Massachusetts.
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato) (2)	Florida.*
Bacterium tumefaciens	Malus sylvestris (apple) (5)	Michigan.
Do	Malus sylvestris (apple)	New York.
Do	Prunus sp. (Mahaleb) (2)	Do.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
ITALY—Continued		
Diseases—Continued.		
Bacterium tumefaciens	Pyrus communis (pear) (4)	New York.
Do	Rosa sp. (rose)	Do.
Fusarium sp.	Solanum tuberosum (potato)	Florida.*
Gloeosporium ampelophagum	Vitis vinifera (grape) (cutting)	Pennsylvania.
Gloeosporium sp.	Citrus limonia (lemon)	California.*
Spondylocladium atrovirens	Solanum tuberosum (potato) (3)	Florida.*
Venturia inaequalis	Malus sylvestris (apple)	Do.*
JAMAICA		
Insects:		
Aleurocanthus woglumi (citrus blackfly).	Citrus grandis (grapefruit)	Pennsylvania.
Do	Citrus sp.	Florida.*
Anastrepha fraterculus (West Indian fruit fly).	Mangifera indica (mango)	Massachusetts.
Do	Mangifera indica (mango) (10)	New York.
Do	Mangifera indica (mango) (6)	Pennsylvania.
Anastrepha sp. (Trypetidae)	Mangifera indica (mango) (3)	New York.
Do	Mangifera indica (mango) (2)	Pennsylvania.
Anisolabis ambigua (earwig)	Dioscorea sp. (yam)	Do.
Anisolabis annulipes (earwig)	Saccharum officinarum (sugar cane)	Do.
Anisolabis sp. (earwig)	Citrus aurantifolia (lime)	Louisiana.
Aspidiotus camelliae (greedy scale)	Achras sapota (sapodilla)	Pennsylvania.
Aspidiotus hederae (ivy scale)	Citrus grandis (grapefruit)	Do.
Do	Citrus limonia (lemon)	Do.
Asterolecanium bambusae (Coccidae)	Bamboo	Do.
Asterolecanium pustulans (Coccidae)	Ixora sp.	Florida.*
Aulacaspis pentagona (West Indian peach scale).	Carica papaya (papaya)	New York.
Bephrata sp. (Chalcididae)	Annona muricata (soursop)	Do.
Camponotus abdominalis var. (ant)	Musa sp. (banana)	Louisiana.
Camponotus wilburdi (ant)	Banana débris	Massachusetts.
Carpophilini (Nitidulidae)	Zea mays (corn) (2)	Pennsylvania.
Caryoborus gonagra (Mylabridae)	Tamarindus indica (tamarind)	New York.
Caryoborus sp. (Mylabridae)	do	Do.
Catocalinae (Noctuidae)	Thea sinensis (tea) (leaf)	Pennsylvania.
Cecidomyiid	Citrus aurantifolia (lime)	Louisiana.
Chaetopsis sp. (Ortalidae)	Zea mays (corn) (2)	Pennsylvania.
Chionaspis citri (orange chionaspis)	Citrus aurantifolia (lime) (2)	Do.
Do	Citrus grandis (grapefruit)	Maryland.
Do	Citrus grandis (grapefruit) (2)	Pennsylvania.
Do	Citrus sinensis (orange)	Louisiana.
Do	do	Pennsylvania.
Chrysomphalus aonidum (Florida red scale).	Citrus grandis (grapefruit)	Maryland.
Do	Citrus grandis (grapefruit) (2)	Massachusetts.
Do	Citrus grandis (grapefruit) (4)	Pennsylvania.
Chrysomphalus aurantii (California red scale).	Citrus aurantifolia (lime)	Do.
Chrysomphalus dictyospermi (Coccidae).	Citrus grandis (grapefruit)	Do.
Chrysomphalus sp. (Coccidae)	Unknown	Do.
Corizus sidae (Coreidae)	Thea sinensis (tea) (green bush)	Do.
Curculionid	Dioscorea sp. (yam)	New York.
Delphacid	Zea mays (corn)	Pennsylvania.
Dinoderus minutus (Bostrichidae)	Dioscorea sp. (yam)	Do.
Euxesta sp. (Ortalidae)	Citrus sinensis (orange)	Do.
Forcipomyia sp. (Chironomidae)	Banana débris (2)	Massachusetts.
Gibbium psylloides (Ptinidae)	Dioscorea sp. (yam)	Pennsylvania.
Haplothrips gowdeyi (thrips)	Zea mays (corn)	Do.
Hemichionaspis minor (Coccidae)	Annona muricata (soursop)	Do.
Howardia biclavis (mining scale)	Achras sapota (sapodilla)	Do.
Ischnaspis longirostris (thread scale)	Mangifera indica (mango)	Maryland.
Jamaicana subguttata (Tettigoniidae)	Musa sp. (banana)	Do.
Do	Musa sp. (banana) (leaf)	Do.
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime)	California.*
Do	Citrus aurantifolia (lime) (2)	Louisiana.
Do	Citrus aurantifolia (lime) (3)	Massachusetts.
Do	Citrus aurantifolia (lime) (32)	Pennsylvania.
Do	Citrus grandis (grapefruit)	California.*
Do	Citrus grandis (grapefruit) (3)	Maryland.
Do	Citrus grandis (grapefruit) (leaf)	Do.
Do	Citrus grandis (grapefruit) (7)	Massachusetts.
Do	Citrus grandis (grapefruit) (74)	Pennsylvania.
Do	Citrus limonia (lemon) (5)	Do.
Do	Citrus nobilis (tangerine)	Maryland.
Do	do	Pennsylvania.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
JAMAICA—Continued		
Insects—Continued.		
Lepidosaphes beckii (purple scale)	Citrus sinensis (orange)	Louisiana.
Do	do	Maryland.
Do	Citrus sinensis (orange) (4)	Massachusetts.
Do	Citrus sinensis (orange)	New York.
Do	Citrus sinensis (orange) (44)	Pennsylvania.
Do	Citrus sp.	Florida.*
Lepidosaphes gloverii (Glover's scale)	Citrus aurantifolia (lime)	California.*
Do	Citrus sinensis (orange)	Pennsylvania.
Macropygium reticulare (Pentatomidae).	Musa sp. (banana)	Louisiana.
Metamasius sericeus (silky cane weevil).	Citrus sinensis (orange)	New York.
Monomorium pharaonis (Pharaoh's ant).	Zea mays (corn)	Pennsylvania.
Monomorium sp. (ant)	Musa sp. (banana) (leaf)	Maryland.
Myzaphis sp. (aphid)	Unknown plant	Pennsylvania.
Nesidiphilus marginalis (myriapod)	In soil around unknown plant	Do.
Nitidulid	Mangifera indica (mango)	Do.
Noctuid	Aster in bouquet	Do.
Nysius sp. (Lygaeidae)	Thea sinensis (tea) (green bush)	Do.
Olethreutid	Mangifera indica (mango) (2)	New York.
Do	Thea sinensis (tea) (green leaf)	Pennsylvania.
Opeas micra (Mollusca)	In soil around unknown plant	Do.
Otocryptops ferrugineus (myriapod)	Musa sp. (banana)	Maryland.
Parlatoria pergandii (chaff scale)	Citrus aurantifolia (lime)	Louisiana.
Do	Citrus sinensis (orange)	Pennsylvania.
Parlatoria pergandii camelliae (Coccidae).	Codiaeum variegatum (croton)	Do.
Phalantha championi (Endomychidae)	Musa sp. (banana)	New York.
Pholus satellitia (Sphingidae)	Unknown	Maryland.
Phycitinae (Pyralidae)	Tamarindus indica (tamarind)	New York.
Pleurodonte sloaneana (Mollusca)	Musa sp. (banana)	Louisiana.
Porcellionides pruinosus (isopod)	Dioscorea sp. (yam)	Pennsylvania.
Do	Musa sp. (banana)	Louisiana.
Porcellionides (isopod)	Dioscorea sp. (yam)	Pennsylvania.
Prenolepis longicornis (crazy ant)	Citrus aurantifolia (lime)	Louisiana.
Do	Thea sinensis (tea) (leaf)	Pennsylvania.
Pseudaonidia articulatus (rufous scale)	Citrus grandis (grapefruit)	California.*
Do	Citrus grandis (grapefruit) (6)	Pennsylvania.
Do	Citrus sinensis (orange)	Massachusetts.
Do	Citrus sinensis (orange) (4)	Pennsylvania.
Do	Jasminum mauritianum (jasmine)	Do.
Pseudococcus adonidum (long-tailed mealybug).	Unknown	Do.
Pseudococcus brevipes (pineapple mealybug).	Ananas sativus (pineapple)	Do.
Pseudococcus citri (citrus mealybug)	Colocasia esculenta (dasheen)	New York.
Pseudococcus maritimus (Coccidae)	Chayota edulis (chocho)	Pennsylvania.
Pseudococcus sp. (Coccidae)	Musa sp. (banana)	Massachusetts.
Pseudoparlatoria sp. (Coccidae)	Citrus aurantifolia (lime)	Do.
Psyllobora sp. (Coccinellidae)	Thea sinensis (tea) (green leaf)	Pennsylvania.
Pterophorid	do	Do.
Pyralid	Achras sapota (sapodilla)	New York.
Rhizoglyphus hyacinthi (bulb mite)	Dioscorea sp. (yam)	Pennsylvania.
Saissetia hemispherica (hemispherical scale).	Shrub	Florida.*
Saissetia oleae (black scale)	Euphorbia sp.	Pennsylvania.
Sciara sp. (Mycetophilidae)	Dioscorea sp. (yam) (2)	Do.
Do	In soil around plant	Do.
Scolopendra viridis (myriapod)	Musa sp. (banana)	Maryland.
Scolytid	Acrocomia sclerocarpa (palm)	Pennsylvania.
Do	Archontophoenix sp. (seed)	District of Columbia.
Do	Bichea acuminata (kola-nut)	Pennsylvania.
Do	Phoenix acaulis (seed)	District of Columbia.
Sitophilus linearis (tamarind pod-borer)	Geonoma sp. (seed)	Do.
Do	Tamarindus indica (tamarind)	New York.
Solenopsis geminata (ant)	In box containing sweet potato, candy, beans, tobacco and palm leaves.	Massachusetts.
Do	Saccharum officinarum (sugar cane)	New York.
Solenopsis geminata rufa (ant)	Dioscorea sp. (yam) (2)	Pennsylvania.
Do	Musa sp. (banana) (2)	Massachusetts.
Do	Musa sp. (banana)	New York.
Solenopsis geminata var. (ant)	Unknown plant	Pennsylvania.
Solenopsis sp. (ant)	Dioscorea sp. (yam)	Do.
Steatoderim (Elateridae)	do	Do.
Do	In soil around unknown plant (2)	Do.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
JAMAICA—Continued		
Insects—Continued.		
Targionia hartii (Coccidae)	Dioscorea sp. (yam)	Pennsylvania.
Targionia sp. (Coccidae)	Saccharum officinarum (sugar cane)	Do.
Teleonemia sp. (Tingididae)	Thea sinensis (tea) (green bush)	Do.
Tetramorium cespitum (ant)	Dioscorea sp. (yam)	Do.
Tineid	Colocasia esculenta (dasheen) (2)	New York.
Do	Dioscorea sp. (yam)	Do.
Do	do	Pennsylvania.
Do	Musa sp. (banana) (leaf)	Maryland.
Trypetid	Achras sapota (sapodilla)	Pennsylvania.
Tyroglyphus sp. (mite)	Saccharum officinarum (sugar cane)	Do.
Veronicella floridana (Mollusca)	Banana débris	Massachusetts.
Veronicella sp. (Mollusca)	Musa sp. (banana)	New York.
Diseases:		
Colletotrichum falcatum	Saccharum officinarum (sugar cane) (5)	Pennsylvania.
Fusarium sp	Solanum tuberosum (potato)	Florida.*
Melanconium sacchari	Saccharum officinarum (sugar cane) (2)	Pennsylvania.
Penicillium sp	Saccharum officinarum (sugar cane)	Do.
Thielaviopsis paradoxa	Saccharum officinarum (sugar cane) (6)	Do.
JAPAN		
Insects:		
Agromyzid	Ornamental plant	Washington.
Alsophila japonensis (Geometridae)	Dead twig	Pennsylvania.
Amatissa consorta (Psychidae)	do	Do.
Ancylolomia chrysographella (Pyralidae).	Oryza sativa (rice) (straw)	Washington.
Anomalini (Scarabaeidae)	Lilium sp. (lily) (bulb)	New York.
Arctiid	Unknown	Oregon.
Aspidiotus camelliae (greedy scale)	Camellia japonica (camellia)	California.*
Aspidiotus cocotiphagus (Coccidae)	Undetermined plant	Do.*
Aspidiotus hederae (ivy scale)	Palm (tree)	Massachusetts.
Aspidiotus perniciosus (San Jose scale)	Amygdalus persica (peach) (cutting)	California.*
Do	Paeonia sp. (peony) (tree form)	District of Columbia.
Do	Pyrus communis (pear)	Washington.
Do	Pyrus sp. (pear)	Do.
Do	Undetermined plant	California.*
Aspidiotus sp. (Coccidae)	Citrus sinensis (orange)	Washington.
Aulacaspis pentagona (West Indian peach scale).	Amygdalus persica (peach) (cutting)	California.*
Do	Ilex sp. (holly)	Washington.
Do	Log and twig	Pennsylvania.
Do	Unknown shrub	Oregon.
Baccha sp. (Syrphidae)	Brassica oleracea (cabbage)	Washington.
Balaninus sp. (Curculionidae)	Castanea sp. (chestnut) (4)	California.*
Buprestis fasciata langi (Buprestidae)	Fan	Washington.
Camponotus sp. (ant)	Log	California.*
Cecidomyiid	Lilium sp. (lily)	New York.
Cerambycid	Quercus sp. (oak) (log) (2)	California.*
Ceroplastes ceriferus (Coccidae)	Aralia sp. (3)	Do.*
Do	Buxus sp. (boxwood)	Washington.
Do	Camellia japonica (camellia)	California.*
Do	Undetermined plant	Do.*
Ceroplastes floridensis (Florida wax scale).	Euonymus sp	Do.*
Do	Paeonia sp. (peony) (tree form)	District of Columbia.
Do	Undetermined plant	California.*
Ceroplastes rubens (Coccidae)	do	Do.*
Ceroplastes sp. (Coccidae)	do	Do.*
Chionaspis euonymi (euonymus scale)	Ornamental plant	Washington.
Chrysomelid	Lilium sp. (lily) (bulb)	California.*
Chrysomphalus aonidum (Florida red scale).	Aspidistra sp	Massachusetts.
Do	Buxus sp. (boxwood)	Washington.
Do	Citrus sinensis (orange)	California.*
Do	Undetermined plant	Do.*
Chrysomphalus aurantii (California red scale).	Citrus limonia (lemon)	Washington.
Do	Citrus sinensis (orange)	Do.
Chrysomphalus dictyospermi var. (Coccidae).	Ornamental plant (2)	Do.
Clania sp. (Psychidae)	Dead twig	Pennsylvania.
Coccinella brucki (Coccinellidae)	Unknown	Washington.
Coccus hesperidum (soft brown scale)	Camellia japonica (camellia)	California.*
Do	Citrus sinensis (orange) (leaf and branch).	Washington.
Do	Shrub	Oregon.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
JAPAN—Continued		
Insects—Continued.		
Dermestes sp. (Dermestidae)	Castanea sp. (chestnut)	California.*
Dermestid	Lilium sp. (lily) (bulb)	Do.*
Dinoderus minutus (Bostrichidae)	Bamboo basket	Washington.
Ephestia sp. (Pyralidae)	Capsicum annuum (pepper)	California.*
Do	Capsicum annuum (chili pepper) (2)	Do.*
Fiorinia fioriniae (Coccidae)	Undetermined plant	Do.*
Hemichionaspis aspidistrae (aspidistra scale).	Aspisdistra sp	Do.*
Do	Citrus grandis (pomelo)	Washington.
Do	Citrus nobilis unshiu (Satsuma orange)	Do.
Do	Citrus sinensis (orange) (8)	Do.
Do	Citrus sinensis (orange) (leaf and branch).	Do.
Do	Citrus sp. (orange)	Oregon.
Hemichionaspis sp. (Coccidae)	Unknown	Do.
Himantarium sp. (myriapod)	Soil around plant	Pennsylvania.
Hippelates sp. (Oscinidae)	Buxus sp. (boxwood) (plant)	Washington.
Hippodamia sp. (Coccinellidae)	Log	California.*
Lasius niger (ant)	Undetermined plant	Do.*
Laspeyresia sp. (Olethretuidae)	Castanea sp. (chestnut)	Do.*
Do	do	District of Columbia.
Lepidosaphes beckii (purple scale)	Citrus grandis (grapefruit)	California.*
Do	Citrus limonia (lemon)	Washington.
Do	Citrus sinensis (orange)	California.*
Lepidosaphes conchiformis (Coccidae)	Pyrus communis (pear) (3)	Washington.
Lepidosaphes ficus (Coccidae)	Pyrus serotina (sand pear)	Hawaii.*
Lepidosaphes gloverii (Glover's scale)	Citrus nobilis (tangerine)	California.*
Do	Citrus sinensis (orange) (6)	Washington.
Do	Citrus sinensis (orange) (leaf and branch).	Do.
Lepidosaphes ulmi (oyster-shell scale)	Pyrus communis (pear)	California.*
Lepidosaphes sp. (Coccidae)	Ornamental plant	Washington.
Liosomaphis sp. (aphid)	Citrus aurantium (bitter orange)	Louisiana.
Macrosiphoniella sanborni (aphid)	Chrysanthemum sp. (plant)	Washington.
Matsucoccus matsumurae (Coccidae)	Pinus sp. (pine) (tree)	Do.
Myzus persicae (green peach aphid)	Beta vulgaris cicla (chard)	Do.
Noctuid	Dead twig	Pennsylvania.
Oberea sp. (Cerambycidae)	Prunus sp	Oregon.
Olethreutid	Castanea moilissima (hairy chestnut)	District of Columbia.
Do	Castanea sp. (chestnut)	Do.
Parlatoria pergandii (chaff scale)	Citrus nobilis (tangerine)	Washington.
Do	Citrus nobilis unshiu (Satsuma orange)	Do.
Do	Citrus sinensis (orange) (3)	California.*
Do	do	Washington.
Do	Citrus sinensis (orange) (leaf and branch).	Do.
Do	Undetermined plant (2)	California.*
Parlatoria theae viridis (Coccidae)	Unknown shrub	Oregon.
Parlatoria ziziphus (Coccidae)	Citrus grandis (grapefruit)	California.*
Parlatoria sp. (Coccidae)	Aucuba sp	Pennsylvania.
Do	Ornamental plant	Washington.
Pheidole megacephala (ant)	Gladiolus sp. (bulb)	California.*
Pheidole sp. (ant)	Castanea sp. (chestnut)	Do.*
Phenacaspis sp. (Coccidae)	Ornamental plant	Washington.
Podabrus sp. (Cantharidae)	Dwarf pine	Do.
Ponerid (ant)	Sagittaria sagittifolia (water chestnut)	Hawaii.*
Porthetria dispar (gipsy moth)	Aucuba sp	California.*
Pseudaonidia duplex (camphor scale)	Citrus nobilis unshiu (Satsuma orange)	Washington.
Do	Citrus sinensis (orange) (6)	Do.
Pseudaonidia sp. (Coccidae)	Malus sylvestris (apple)	Oregon.
Do	Undetermined plant	California.*
Pseudococcus citri (citrus mealybug)	Coleus sp. (2)	Washington.
Pseudococcus comstocki (Coccidae)	Aralia sp	California.*
Do	Begonia sp. (plant)	Washington.
Do	Pyrus serotina (sand pear)	Hawaii.*
Do	Undetermined plant	California.*
Do	do	Hawaii.*
Pseudococcus kraunhiae (Coccidae)	Pyrus communis (pear)	Washington.
Pseudococcus maritimus (Coccidae)	Ornamental plant	Do.
Pseudococcus sp. (Coccidae)	Buxus sp. (boxwood) (plant)	Do.
Do	Pyrus communis (pear)	Do.
Do	Pyrus serotina (sand pear)	Hawaii.*
Do	Undetermined plant	California.*
Pyraustinae (Pyralidae)	Castanea sp. (chestnut)	Do.*
Rhizoglyphus hyacinthi (bulb mite)	Lilium sp. (lily) (bulb)	New York.
Do	Lilium sp. (lily) (bulb) (2)	Pennsylvania.
Rhizoglyphus phylloxerae (mite)	Allium cepa (onion)	Do.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
JAPAN—Continued		
Insects—Continued.		
Rhizoglyphus sp. (mite)	Allium sepa (onion)	Washington.
Do	Lilium sp. (lily) (bulb)	Pennsylvania.
Saissetia hemisphaerica (hemispherical scale).	Undetermined plant	California.*
Sylepta balteata (Pyralidae)	Brought over in larval stage for bird food.	Do.*
Tenebroides sp. (Ostomidae)	Capsicum annuum (chili pepper)	Do.*
Do	Pinus sp. (pine) (tree)	Do.*
Thereuopoda clunifera (myirapod)	Lilium sp. (lily) (bulb)	Washington.
Diseases:		
Sphaceloma citri	Citrus sinensis (orange) (2)	California.*
Phomopsis citri	do	Do.*
JAVA		
Insects:		
Araecerus fasciculatus (coffee-bean weevil).	Coffea sp. (coffee)	Califronia.*
Do	Sapindus rarak (seed)	District of Columbia.
Araecerus sp. (Platystomidae)	Cassia glauca	Do.
Aspidiotus destructor (Coccidae)	Mangifera indica (mango) (plant) (3)	Do.
Aspidiotus lataniae (Coccidae)	Mangifera indica (mango) (plant) (2)	Do.
Ceroplastes rubens (Coccidae)	Mangifera indica (mango) (plant)	Do.
Chaetococcus bambusae (Coccidae)	Gigantochloa aspersa (plant)	Do.
Chrysomphalus aurantii (California red scale).	Mangifera indica (mango)	Do.
Lepidosaphes alba (Coccidae)	Mandioca trapecuma (cutting)	Do.
Monomorium sp. (ant)	Dendrocalamus asper	Do.
Parlatoria pergandii (chaff scale)	Citrus sinensis (orange)	Pennsylvania.
Parlatoria sp. (Coccidae)	Citrus sinensis (orange)	Do.
Do	Mangifera indica (mango)	District of Columbia
Ponerinae (ant)	In soil around roots of Andropogon	Do.
Do	In soil around plants	Do.
Pseudococcus sp. (Coccidae)	Mangifera indica (mango)	Do.
Rutelini (Scarabaeidae)	In soil around plants	Do.
Solenopsis geminata var. (ant)	do	Do.
Scolytid	Chrysalidocarpus lucubensis (seed)	Do.
Do	Chrysalidocarpus madagascariensis (seed).	Do.
Thaneroclerus girodi (Cleridae)	Coffea sp. (coffee)	California.*
Tyroglyphus sp. (mite)	Garcinia mangostana (mangosteen)	District of Columbia.
JUGOSLAVIA		
Insects:		
Parlatoria pergandii (chaff scale)	Citrus limonia (lemon)	Pennsylvania.
Pyralid	Juglans sp. (walnut)	New York.
Pyrausta nubilalis (European corn borer).	Holcus sorghum var. (broomcorn)	Do.
LATVIA		
Insects:		
Tyroglyphus sp. (mite)	Solanum tuberosum (potato)	Massachusetts.
LIBERIA		
Insects:		
Araecerus fasciculatus (coffee-bean weevil).	Palm (kernel)	Pennsylvania.
Do	Palm (seed)	Do.
Do	Theobroma cacao (cacao bean)	Do.
Pyralid	Palm (seed)	Do.
LUXEMBURG		
Insects:		
Cecidomyiid	In soil around peony roots	New York.
MADAGASCAR		
Insects:		
Gelechioid	Coffea sp. (coffee) (berry)	District of Columbia.
MADERIA		
Insects:		
Aspidiotus hederae (ivy scale)	Citrus limonia (lemon)	Rhode Island.
Do	Cytisus sp.	Massachusetts.
Aspidiotus lataniae (Coccidae)	Citrus sp. (leaf)	Rhode Island.
Do	Ficus sp. (fig) (cutting)	Massachusetts.
Do	Ficus sp. (fig)	Rhode Island.
Blastobasid	Eriobotrya japonica (loquat)	Do.
Do	Vitis sp. (grape) (leaf)	Do.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
MADERIA—Continued		
Insects—Continued.		
Ceratitis capitata (Mediterranean fruit fly.)	Eriobotrya japonica (loquat)	Massachusetts.
Do	Eriobotrya japonica (loquat) (2)	Rhode Island.
Do	Opuntia sp. (prickly pear)	Do.
Ephestia sp. (Pyralidae)	Castanea sp. (chestnut)	Do.
Do	Citrus sinensis (orange)	Do.
Histiostoma sp. (mite)	In soil around plants	Do.
Julus sp. (myriapod)	In soil around roots of wild fern	Massachusetts.
Lepidosaphes beckii (purple scale)	Citrus sinensis (orange)	Rhode Island.
Phycitinae (Pyralidae)	Citrus sp. (leaf)	Do.
Pseudococcus adonidum (long-tailed mealybug).	Chayota edulis (chayote)	Do.
Do	Eriobotrya japonica (loquat)	Do.
Do	Punica granatum (pomegranate)	Do.
Pseudococcus citri (citrus mealybug)	Chayota edulis (chayote)	Massachusetts.
Do	do	Rhode Island.
Pseudococcus maritimus (Coccidae)	do	Do.
Pseudococcus sp. (Coccidae)	Saccharum officinarum (sugar cane)	Do.
Saissetia hemisphaerica (hemispherical scale).	Chayota edulis (chayote)	Do.
Do	Citrus siennsis (orange) (twig and leaf)	Massachusetts.
Do	Mangifera indica (mango)	Rhode Island.
Saissetia nigra (Coccidae)	Annona sp	Do.
Tetramorium sp. (ant)	Chayote edulis (chayote)	Do.
Tineid	Saccharum officinarum (sugar cane)	Do.
MALAYSIA		
Insects:		
Ephestia sp. (Pyralidae)	Theobroma cacao (cacao bean)	California.*
MALTA		
Insects:		
Pectinophora gossypiella (pink bollworm).	Gossypium herbaceum (cottonseed)	District of Columbia.
Do	Gossypium sp. (Gallipoli cottonseed)	Do.
MANCHURIA		
Insects:		
Balaninus sp. (Curculionidae)	Quercus mongolica (Mongolian oak) (acorn).	District of Columbia.
Do	Quercus sp. (oak) (acorn)	Do.
Lepidosaphes conchiformis (Coccidae)	Pyrus sp. (cutting)	Do.
Do	Pyrus sp. (stem)	Do.
Lepidosaphes ulmi (oyster-shell scale)	Populus sp. (poplar) (tree)	Do.
Mylabris sp. (Mylabridae)	Unknown	Do.
Olethreutid	Prunus armeniaca (apricot) (fruit)	Do.
Do	Quercus sp. (oak) (acorn)	Do.
Ptychanatis axyridis (Coccinellidae)	Viburnum sp. (seed)	Do.
Do	With seeds of Vitis amurensis	Do.
MAURITIUS		
Insects:		
Araecerus fasciculatus (coffee-bean weevil).	Acrocomia sclerocarpa (seed)	California.*
Scolytid	Corypha elata	Do.*
MESOPOTAMIA		
Insects:		
Anthomyiid	Potato dust	Pennsylvania.
Rhizoglyphus sp. (mite)	do	Do.
MEXICO		
Insects:		
Agriolimax agrestis (Mollusca)	Lactuca sativa (lettuce) (leaf)	Pennsylvania.
Aleurodicus sp. (whitefly)	Cuila sp.	Louisiana.
Anastrepha ludens (Mexican fruit fly)	Psidium guajava (guava) (2)	Texas.
Anastrepha sp. (Trypetidae)	Achras sapota (sapodilla)	Do.
Do	Mammea americana (mamey) (3)	Do.
Do	Mangifera indica (mango) (5)	Do.
Anisolabis annulipes (earwig)	Banana débris	Do.
Anobiid	In case containing plants and bulbs	District of Columbia.
Do	Seed	California.*
Anthonomus grandis (boll weevil)	Gossypium sp. (cotton) (boll)	Texas.
Anthrenus sp. (Dermestidae)	Wild orchid	District of Columbia.
Aphaenogaster sp. (ant)	In case with miscellaneous plants	Do.
Arctiid	Orchid	Texas.
Aspidiotini (Coccidae)	do	District of Columbia.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
MEXICO—Continued		
Insects—Continued.		
Aspidiotus camelliae (greedy scale)	Crataegus sp. (red haw)	Texas.
Aspidiotus lataniae (Coccidae)	Citrus aurantifolia (lime)	California.*
Do	Lucuma mammosa (sapote)	Florida.*
Aspidiotus sp. (Coccidae)	do	California.*
Barid (Curculionidae)	Cattleya citrina (tulip orchid)	District of Columbia.
Blapstinus sp. (Tenebrionidae)	In case containing plants and bulbs	Do.
Callimone sp. (Chalcididae)	Orchid	Texas.
Camponotus abdominalis var. (ant)	Banana débris	Do.
Cardiophorus sp. (Elateridae)	Live plants	California.*
Carpocapsa pomonella (codling moth)	Malus sylvestris (apple)	Texas.
Do	Pyrus communis (pear) (8)	Do.
Cecidomyiid	Wild orchid	District of Columbia.
Ceramidia butleri (Syntomidae)	Musa sp. (banana)	Louisiana.
Chaetopsis sp. (Ortalidae)	Zea mays (corn)	Texas.
Chionaspis citri (orange chionaspis)	Citrus aurantifolia (lime)	California.*
Chrysomphalus aonidum (Florida red scale).	Citrus aurantifolia (lime) (3)	Do.*
Do	Citrus limonia (lemon)	Do.*
Do	Citrus sinensis (orange) (2)	Do.*
Chrysomphalus aurantii (California red scale).	Citrus aurantifolia (lime)	Do.*
Do	Citrus sinensis (orange)	Arizona.
Do	Citrus sinensis (orange) (3)	California.*
Chrysomphalus dictyospermi (Coccidae).	Citrus aurantifolia (lime)	Do.*
Do	Citrus sinensis (orange)	Do.*
Do	do	Louisiana.
Chrysomphalus scutiformis (Coccidae).	Citrus aurantifolia (lime) (4)	California.*
Coccinellid	Musa sp. (banana)	Do.*
Collops sp. (Melyridae)	Lycopersicum esculentum (tomato)	Do.*
Conotrachelus aguacatae (Curculionidae).	Persea americana (avocado) (10)	Texas.
Conotrachelus sp. (Curculionidae)	Persea americana (avocado)	Do.
Do	Persea americana (avocado) (seed)	Do.
Corylophid	Musa sp. (banana) (leaf)	Louisiana.
Crocidosema plebeiana (Olethreutidae).	Crataegus sp. (red haw)	Texas.
Crophius scabrosus (Lygaeidae)	Orchid	Do.
Curculionid	Chamaedorea sp. (seed)	District of Columbia.
Do	Psidium guajava (guava)	Texas.
Do	Quercus sp. (oak) (acorn)	Do.
Diaphania nitidalis (pickle worm)	Cucumis sativus (cucumber)	Arizona.
Diaphania sp. (Pyralidae)	Cucurbita maxima (squash)	Texas.
Diaspis echinocacti cacti (Coccidae)	Cactus	District of Columbia.
Diatraea sp. (Pyralidae)	Holcus sorghum (sorghum)	Texas.
Do	Holcus sorghum (sorghum) (cane)	Do.
Do	Saccharum officinarum (sugar cane)	Arizona.
Do	Zea mays (corn) (stalk)	Do.
Ecton sp. (ant)	Musa sp. (banana)	California.*
Ephestia sp. (Pyralidae)	Capsicum annuum (pepper)	Do.*
Do	Tamarindus indica (tamarind)	Do.*
Do	Theobroma cacao (cacao bean)	Do.*
Eurycytus guttiger (Pentatomidae)	Musa sp. (banana)	Louisiana.
Euxesta sp. (Ortalidae)	Citrus sinensis (orange)	Texas.
Do	Zea mays (corn) (stalk)	Arizona.
Gelechiid	Lycopersicum esculentum (tomato)	Texas.
Grapholitha sp. (Olethreutidae)	Pyrus communis (pear)	Do.
Heilipus sp. (Curculionidae)	Persea americana (avocado)	Do.
Heliothis obsoleta (corn earworm)	Lycopersicum esculentum (tomato) (3).	California.*
Do	Zea mays (corn)	Louisiana.
Hemichionaspis sp. (Coccidae)	Hibiscus rosa-sinensis (Chinese hibiscus).	Texas.
Holcocera glandulella (Blastobasidae)	Quercus sp. (acorn)	Do.
Howardia biclavis (mining scale)	Unidentified cutting	District of Columbia.
Hylemyia cilicrura (Anthomyiidae)	Brassica rapa (turnip)	Arizona.
Do	Unknown	Louisiana.
Languriinae (Erotylidae)	Juglans regia (English walnut)	Texas.
Lasioderma sp. (Anobiidae)	Cottonseed used as packing in automobile cushion.	Do.
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime) (7)	California.*
Do	Citrus grandis (grapefruit)	Florida.*
Do	do	Pennsylvania.
Do	Citrus limonia (lemon)	Louisiana.
Do	Citrus sinensis (orange) (3)	California.*
Do	Citrus sinensis (orange) (2)	Florida.*

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
MEXICO—Continued		
Insects—Continued.		
Lepidosaphes crotonis (Coccidae)	Codiaeum sp. (croton)	California.*
Lepidosaphes gloverii (Glover's scale)	Citrus aurantifolia (lime) (6)	Do.*
Do	Citrus limonia (lemon)	Do.*
Do	Citrus sinensis (orange)	Do.*
Macrosiphoniella sp. (aphid)	Cattleya citrina (tulip orchid)	District of Columbia.
Macrosiphum sp. (aphid)	Cattleya citrina (tulip orchid) (leaf and stem).	Do.
Menes maridanus (Alleculidae)	In case containing plants and bulbs	Do.
Metamasius ritchiei (Curculionidae)	Ananas sativus (pineapple)	New York.
Metamasius sericeus carbonarius (Curculionidae).	Musa sp. (banana)	Louisiana.
Monomorium sp. (ant)	Musa sp. (banana) (leaf)	Do.
Monotomid	do	Do.
Myelois venipars (Pyralidae)	Tamarindus indica (tamarind)	California.*
Nemobius sp. (Gryllidae)	In case containing plants	District of Columbia.
Neomphalia tristigma (Cassididae)	Musa sp. (banana)	Louisiana.
Nitidulid	Ananas sativus (pineapple)	Texas.
Noctuid	Capsicum annuum (chili pepper)	Arizona.
Do	Holcus sorghum (sorghum)	Do.
Olethreutid	Annona cherimola (cherimoya) (2)	Texas.
Do	Cydonia oblonga (quince)	Do.
Pariatoria cinerea (Coccidae)	Citrus aurantifolia (lime) (2)	California.*
Pariatoria pergandii (chaff scale)	Citrus aurantifolia (lime)	Florida.*
Do	do	New York.
Do	Citrus sinensis (orange)	Florida.*
Do	do	Texas.
Pectinophora gossypiella (pink bollworm).	Gossypium sp. (cottonseed) (4)	Do.
Pheidole megacephala (ant)	Orchid	District of Columbia.
Pheidole sp. (ant)	Banana débris	Texas.
Phenacoccus sp. (Coccidae)	Unknown	District of Columbia.
Phthorimaea operculella (potato tuber worm).	Solanum tuberosum (potato) (2)	Arizona.
Phycitinae (Pyralidae)	Cactus	Texas.
Do	Pyrus communis (pear)	Do.
Pseudaonidia articulatus (rufous scale)	Citrus sinensis (orange)	California.*
Pseudococcus brevipes (pineapple mealybug)	Live plant	Do.*
Do	Piratinera alicastrum	District of Columbia.
Pseudococcus sp. (Coccidae)	Live plant	California.*
Pseudoparlatoria ostreata (Coccidae)	Wild orchid	District of Columbia.
Saissetia sp. (Coccidae)	Crataegus sp. (red haw)	Texas.
Sciara sp. (Mycetophilidae)	do	Do.
Scolytid	Banana débris	Louisiana.
Do	Phoenix dactylifera (date) (2)	Arizona.
Sitophilus linearis (tamarind podborer).	Tamarindus indica (tamarind)	California.*
Skalistes lugubris (earwig)	Cattleya citrina (tulip orchid) (pseudobulb).	District of Columbia.
Stenoma sp. (Stenomidae)	Persea americana (avocado) (seed)	Texas.
Do	Psidium guajava (guava)	Do.
Syrphus sp. (Syrphidae)	Brassica rapa (turnip) (foliage)	Do.
Tetramorium guineense (ant)	Banana débris	Do.
Do	Cactus	District of Columbia.
Tibicen robusta (Cicadidae)	In box car	Arizona.
Tyroglyphus sp. (mite)	Chamaedorea sp. (seed)	District of Columbia.
Xylotrechus sagittatus (Cerambycidae).	Musa sp. (banana)	Louisiana.
Diseases.		
Actinomyces scabies	Solanum tuberosum (potato) (3)	Florida.*
Alternaria solani	Lycopersicum esculentum (tomato) (2)	California.*
Bacterium citriputeale	Citrus sp.	Texas.*
Colletotrichum falcatum	Saccharum officinarum (sugar cane)	Florida.*
Colletotrichum phomoides	Lycopersicum esculentum (tomato)	New York.
Fusarium sp.	Solanum tuberosum (potato)	Florida.*
Phomopsis citri	Citrus sinensis (orange)	Do.*
Do	do	Texas.
Spondylocladium atrovirens	Solanum tuberosum (potato)	Florida.*
NEW BRUNSWICK		
Insects.		
Cecidomyiid	Artemisia abrotanum (southern wood)	Massachusetts.
Macrosiphoniella sp. (aphid)	do	Do.
NEWFOUNDLAND		
Insects.		
Geometrid	Vaccinium sp. (lingon berry)	New York.
Olethreutid	Vaccinium sp. (lingon berry) (6)	Do.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk in licate State inspection]

Country of origin and name of pest	Host	Intercepted in—
NEW GUINEA		
Insects:		
Gryllotalpa africana (Gryllidae)	In soil around grass plants	New York.
NEW ZEALAND		
Insects:		
Hemichionaspis sp. (Coccidae)	Phoenix roebelini (roebelin palm)	Hawaii.*
Lecanium sp. (Coccidae)	do	Do.*
Pheidole sp. (ant)	In packing material of plants	Do.*
NICARAGUA		
Insects:		
Camponotus sp. (ant)	Musa sp. (banana) (leaf)	Louisiana.
Lepidosaphes beckii (purple scale)	Citrus limonia (lemon)	California.*
Do	Citrus sinensis (orange) (3)	Do.*
Do	Citrus sinensis (orange)	Pennsylvania.
Do	Citrus sp. (fruit)	Louisiana.
Neoponera villosa (ant)	Musa sp. (banana)	Do.
Nitidulid	Annona muricata (soursop)	Do.
Pseudaonidia articulatus (rufous scale)	Citrus sinensis (orange)	California.*
Do	Cocos nucifera (coconut)	Do.*
Stenoma sp. (Stenomidae)	Annona muricata (soursop)	Louisiana.
Tenebrionid	Musa sp. (banana) (leaf)	Do.
Tythomimus rufotestaceus (Curculionidae).	do	Do.
NORWAY		
Insects:		
Balaninus sp. (Curculionidae)	Corylus avellana (filbert)	Pennsylvania.
Chalcidid	Sorbus sp. (mountain ash)	New York.
Geometrid	In package of lily-of-the-valley and narcissus.	Do.
Histiosoma sp. (mite)	Solanum tuberosum (potato)	Pennsylvania.
Lachnid (aphid)	Picea sp. (spruce)	New York.
Olethreutid	Malus sylvestris (apple)	Do.
Do	Picea sp. (spruce)	Do.
Psilid	Solanum tuberosum (potato)	Pennsylvania.
Tipulid	In refrigerator in ship's store	New York.
NOVA SCOTIA		
Insects:		
Adelges sp. (aphid)	Pinus strobus (white pine)	Massachusetts.
Arion hortensis (Mollusca)	Daisy root	Do.
Diploiulus luscus (myriapod)	do	Do.
Lachnus rosae (aphid)	Rosa sp. (rose)	Do.
Psyllid	Betula papyrifera (canoe birch)	Pennsylvania.
Sciara sp. (Mycetophilidae)	Pinus strobus (white pine)	Massachusetts.
ORIENT		
Insects:		
Chrysomphalus aonidum (Florida red scale)	Pandanus sp. (screw pine) (2)	California.*
Ephestia sp. (Pyralidae)	Copra	Do.*
Ischnaspis longirostris (thread scale)	Pandanus sp. (screw pine) (2)	Do.*
PALESTINE		
Insects:		
Calocoris sp. (Miridae)	Citrus limonia (lemon)	Rhode Island.
Chrysomphalus aonidum (Florida red scale).	Citrus sinensis (orange)	Massachusetts.
Do	Citrus sinensis (orange) (2)	New York.
Chrysomphalus aurantii (California red scale).	Citrus medica (citron)	Massachusetts.
Do	Citrus medica (citron) (2)	New York.
Do	Citrus medica (citron) (11)	Pennsylvania.
Do	Citrus sinensis (orange) (2)	Massachusetts.
Chrysomphalus dictyospermi (Coccidae).	Citrus sinensis (orange)	Do.
Heliothrips haemorrhoidalis (greenhouse thrips).	Citrus medica (citron)	Pennsylvania.
Lepidosaphes beckii (purple scale)	Citrus medica (citron) (4)	Do.
Do	Citrus sinensis (orange)	Rhode Island.
Mylabris brachialis (Mylabridae)	Vicia ervilea (seed)	District of Columbia.
Mylabris ervi (Mylabridae)	Ervum lens (seed)	Do.
Mylabris sp. (Mylabridae)	Trifolium alexandrinum (seed)	Do.
Parlatoria oleae (Coccidae)	Citrus sinensis (orange)	Massachusetts.
Parlatoria pergandii (chaff scale)	Citrus sinensis (orange) (3)	Do.
Pseudococcus citri (citrus mealybug)	Citrus medica (citron)	New York.
Do	Citrus medica (citron) (2)	Pennsylvania.
Pseudococcus sp. (Coccidae)	Citrus medica (citron) (3)	Do.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
PANAMA		
Insects:		
Alegoria dilatata (Tenebrionidae)	Musa sp. (banana)	Louisiana.
Aspidiotus cocotiphagus (Coccidae)	Cocos nucifera (coconut)	Florida.*
Azteca sp. (ant)	Oncidium ampliatum (orchid)	Pennsylvania.
Camponotus maculatus (ant)	Musa sp. (banana)	Louisiana.
Camponotus maculatus var. (ant)	do	Do.
Chionaspis citri (orange chionaspis)	Citrus grandis (grapefruit)	California.*
Chrysomphalus dictyospermi (Coccidae).	Cocos nucifera (coconut)	Do.*
Discocephala humilis (Pentatomidae)	Musa sp. (banana)	Louisiana.
Euxesta sp. (Ortalidae)	Persea americana (avocado)	Pennsylvania.
Hemichionaspis minor (Coccidae)	Cocos nucifera (coconut)	Florida.*
Homalodisca atra (Cicadellidae)	Banana débris	Louisiana.
Ischnaspis longirostris (thread scale)	Cocos nucifera (coconut)	Florida.*
Lepidosaphes beckii (purple scale)	Citrus limonia (lemon)	Louisiana.
Do	Citrus medica (citron)	California.*
Do	Citrus sinensis (orange) (6)	Do.*
Do	Citrus sinensis (orange) (2)	South Carolina.
Leucaspis sp. (Coccidae)	Citrus limonia (lemon) (leaf)	Louisiana.
Metamasius sericeus (silky cane weevil).	Banana débris	Do.
Do	Musa sp. (banana)	Do.
Neoponera villosa (ant)	Banana débris	Do.
Do	Musa sp. (banana)	Do.
Parlatoria pergandii (chaff scale)	Citrus sinensis (orange)	California.*
Stenoma sp. (Stenomidae)	Persea americana (avocado) (2)	Pennsylvania.
PERSIA		
Insects:		
Carpoglyphus passularum (mite)	Prunus cerasus (sour cherry)	Pennsylvania.
Ephestia sp. (Pyralidae)	Prunus sp. (cherry) (kernel)	Do.
Phycitinae (Pyralidae)	Undetermined seed pod	Do.
Pyralid	Prunus cerasus (sour cherry)	Do.
Sciara sp. (Mycetophilidae)	Unknown	Do.
Solenopsis geminata (ant)	Prunus cerasus (sour cherry)	Do.
Trogoderma sp. (Dermestidae)	Prunus sp. (cherry) (kernel)	Do.
PERU		
Insects:		
Bruchophagus funebris (clover seed chalcid).	Medicago sativa (alfalfa) (pod and leaf).	Louisiana.
Dysdercus ruficollis (Pyrrhocoridae)	Unknown	District of Columbia.
Rhigopsidius tucumanus (Argentine potato weevil).	Solanum tuberosum (potato)	Louisiana.
Solenopsis geminata rufa (ant)	do	New York.
Trypopremnon latithorax (Curculionidae).	do	Do.
PHILIPPINES		
Insects:		
Aspidiotus destructor (Coccidae)	Cocos nucifera (coconut) (3)	California.*
Aspidiotus lataniae (Coccidae)	Araucaria sp. (plant)	District of Columbia.
Do	Cocos nucifera (coconut)	California.*
Do	do	Oregon.
Aspidiotus sp. (Coccidae)	Citrus grandis (grapefruit)	California.*
Bostrichid	Bamboo	Hawaii.*
Chrysomphalus aonidum (Florida red scale).	Garcinia mangostana (mangosteen)	Pennsylvania.
Ephestia sp. (Pyralidae)	Theobroma cocao (cacao bean)	California.*
Hemichionaspis minor (Coccidae)	Cocos nucifera (coconut) (2)	Do.*
Icerya sp. (Coccidae)	Garcinia mangostana (mangosteen)	Pennsylvania.
Labia sp. (earwig)	In crate with lychee plants	District of Columbia.
Lepidosaphes beckii (purple scale)	Citrus grandis (pomelo)	California.*
Monomorium pharaonis (Pharaoh's ant).	Roots of nutgrass	Hawaii.*
Monomorium sp. (ant)	In packing material for plants	Do.*
Odontomachus sp. (ant)	do	Do.*
Parlatoria sp. (Coccidae)	Dioscorea sp. (tuber)	District of Columbia.
Pectinophora gossypiella (pink bollworm).	Gossypium sp. (cotton) (raw)	California.*
Pheidole megacephala (ant)	Garcinia mangostana (mangosteen)	Pennsylvania.
Phenacaspis inday (Coccidae)	Cocos nucifera (coconut)	California.*
Do	do	Oregon.
Phenacaspis sp. (Coccidae)	do	California.*
Ponera sp. (ant)	Palm grass in package of beneficial insects.	Hawaii.*
Porcellio sp. (isopod)	Palm	Oregon.
Prays sp. (Hyponomeutidae)	Citrus sinensis (orange)	California.*
Prenolepis longicornis (crazy ant)	Orchid	Do.*
Pseudococcus citri (citrus mealybug)	Dioscorea sp. (tuber)	District of Columbia.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
PHILIPPINES—Continued		
Insects—Continued.		
Pseudococcus sp. (Coccidae)	Citrus grandis (pomelo)	California.*
Do	Dioscorea sp. (yam)	Do.*
Do	Garcinia mangostana (mangosteen)	Pennsylvania.
Do	Orchid	Hawaii.*
Do	Zingiber officinale (ginger) (root)	Do.*
Solenopsis sp. (ant)	Palm	Oregon.
Tyroglyphus sp. (mite)	Garcinia mangostana (mangosteen)	Pennsylvania.
Diseases:		
Ustilago coicis	Coix lachryma-jobi (Jobs-tears)	District of Columbia.
PITCAIRN ISLAND		
Insects:		
Chrysomphalus aurantii (California red scale).	Citrus limonia (lemon)	Massachusetts.
POLAND		
Insects:		
Tineid	Mushroom	Pennsylvania.
Tyroglyphus sp. (mite)	Allium cepa (onion)	New York.
POLYNESIA		
Insects:		
Aspidiotus cyanophylli (Coccidae)	Cocos nucifera (coconut)	California.*
Chelisoches morio (earwig)	do	Do.*
Ephestia sp. (Pyralidae)	Copra	Do.*
Do	Theobroma cacao (cacao bean) (6)	Do.*
Ereunetis sp. (Tineidae)	Cocos nucifera (coconut)	Do.*
Hemichionaspis minor (Coccidae)	do	Do.*
Lepidosaphes beckii (purple scale)	Citrus sinensis (orange)	Do.*
Ripersia palmarum (Coccidae)	Cocos nucifera (coconut) (2)	Do.*
PORTO RICO		
Insects:		
Aleurothrixus howardi (woolly whitefly).	Musa sp. (banana) (leaf)	New York.
Anastrepha fraterculus (West Indian fruit fly).	Mangifera indica (mango)	Do.
Do	Spondias mombin (yellow mombin)	Do.
Anastrepha sp. (Trypetidae)	Mangifera indica (mango) (2)	Do.
Do	Mangifera indica (mango)	Pennsylvania.
Ancylostomia sp. (Pyralidae)	Cicer arientinum (chick pea)	New York.
Aspidiotus cyanophylli (Coccidae)	Annona reticulata (custard apple)	Do.
Aspidiotus destructor (Coccidae)	Cocos nucifera (coconut)	Massachusetts.
Aspidiotus herculeanus (Coccidae)	Phoenix sp. (palm)	New York.
Aspidiotus lataniae (Coccidae)	Achras sapota (sapodilla)	Do.
Asterolecanium sp. (Coccidae)	do	Do.
Aulacaspis pentagona (West Indian peach scale).	Carica papaya (papaya) (2)	Do.
Cecidomyiid	Unknown	Do.
Chaetopsis sp. (Ortalidae)	Zea mays (corn)	Pennsylvania.
Chionaspis citri (orange chionaspis)	Citrus grandis (grapefruit)	South Carolina.
Chionaspis sp. (Coccidae)	do	New York.
Chrysomphalus aurantii (California red scale).	Citrus sinensis (orange)	California.*
Cylas sp. (Curculionidae)	Ipomoea batatas (sweet potato) (3)	New York.
Diaspis boisduvalii (Boisduval's scale)	Cocos nucifera (coconut)	Massachusetts.
Doru albipes (earwig)	Punica granatum (pomegranite)	New York.
Ephestia sp. (Pyralidae)	Achras sapota (sapodilla)	Do.
Euscepes batatae (West Indian sweet-potato weevil).	Ipomoea batatas (sweet potato)	Do.
Euxesta sp. (Ortalidae)	Citrus sinensis (orange) (2)	Do.
Heliothis virescens (Noctuidae)	Cajanus indicus (pigeon pea)	Do.
Do	Cicer arientinum (chick pea) (2)	Do.
Do	Green bean	Do.
Hemichionaspis minor (Coccidae)	Annona muricata (soursop)	Do.
Do	do	Pennsylvania.
Do	Gossypium sp. (cotton)	New York.
Hemichionaspis sp. (Coccidae)	do	Do.
Howardia biclavis (mining scale)	Achras sapota (sapodilla) (3)	Do.
Do	Mammea americana (mamey)	Pennsylvania.
Ischnaspis longirostris (thread scale)	Carica papaya (papaya)	New York.
Do	Phoenix sp. (palm)	Do.
Lamprosema sp. (Pyralidae)	Cicer arientinum (chick pea)	Do.
Do	Green bean	Do.
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime)	Pennsylvania.
Do	do	South Carolina.
Do	Citrus grandis (grapefruit) (10)	California.*
Do	Citrus grandis (grapefruit) (2)	Massachusetts.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
PORTO RICO—Continued		
Insects—Continued.		
Lepidosaphes beckii (purple scale)	Citrus grandis (grapefruit) (4)	Pennsylvania.
Do	Citrus grandis (grapefruit)	South Carolina.
Do	Citrus sinensis (orange) (3)	California.*
Do	Citrus sinensis (orange) (2)	New York.
Do	Citrus sinensis (orange) (8)	Pennsylvania.
Lithosiinae (Arctiidae)	Among leaves of various plants	New York.
Maruca sp. (Pyralidae)	Phaseolus sp. (green bean) (pod)	Pennsylvania.
Pariatoria pergandii (chaff scale)	Citrus grandis (grapefruit) (2)	California.*
Do	Citrus grandis (grapefruit)	Massachusetts.
Pectinophora gossypiella (pink bollworm).	Gossypium sp. (sea-island seed cotton) (2).	District of Columbia.
Do	Gossypium sp. (cottonseed)	New York.
Pheidole megacephala (ant)	Dioscorea sp. (yam)	Pennsylvania.
Phenacoccus gossypii (Coccidae)	Gossypium sp. (cotton) (boll)	New York.
Phycitinae (Pyralidae)	Carica papaya (papaya)	Do.
Pinnaspis buxi (Coccidae)	Palm (seed)	Do.
Platypus sp. (Platypodidae)	Gossypium sp. (cotton)	Do.
Prenolepis longicornis (crazy ant)	Ipomoea batatas (sweet potato)	Do.
Pseudaonidia articulatus (rufous scale)	Citrus grandis (grapefruit) (7)	California.*
Do	Citrus grandis (grapefruit)	Massachusetts.
Do	do	Pennsylvania.
Do	do	South Carolina.
Do	Citrus sinensis (orange)	California.*
Do	Citrus sinensis (orange) (2)	Pennsylvania.
Do	Coffea sp. (coffee)	New York.
Do	Musa sp. (banana) (leaf)	Do.
Do	Various plants	Do.
Pseudococcus adonidum (long-tailed mealybug).	Ananas sativus (pineapple)	Massachusetts.
Pseudococcus citri (citrus mealybug)	Ananas sativus (pineapple) (slip)	District of Columbia.
Do	Musa sp. (banana) (plant)	Do.
Do	Musa sp. (banana)	New York.
Pseudococcus maritimus (Coccidae)	Chayota edulis (chayote)	District of Columbia.
Pseudococcus nipae (palm mealybug)	Annona reticulata (custard apple)	New York.
Pseudococcus sp. (Coccidae)	Moss packing around sweet potato vine.	District of Columbia.
Pseudoparlatoria ostreata (Coccidae)	Carica papaya (papaya)	New York.
Pyralid	Punica granatum (pomegranate)	Do.
Pyroderces sp. (Cosmopterygidae)	Ananas sativus (pineapple)	Massachusetts.
Rhizoglyphus phylloxerae (mite)	do	Do.
Rhizoglyphus sp. (mite)	Cocos nucifera (coconut)	Washington.
Saissetia hemisphaerica (hemispherical scale).	Gardenia sp	New York.
Saissetia oleae (black scale)	Annona muricata (soursop)	Do.
Sesamia vuteria (Noctuidae)	Cicer arientinum (chick pea)	Do.
Solenopsis geminata (ant)	Banana débris	Pennsylvania.
Targionia sacchari (Coccidae)	Saccharum officinarum (sugar cane)	New York.
Tineid	Carica papaya (papaya)	Do.
Do	Saccharum officinarum (sugar cane)	Do.
Trigonidiinae (Gryllidae)	Found on ship	Do.
Tyroglyphus sp. (mite)	Ananas sativus (pineapple)	Massachusetts.
Do	Annona muricata (soursop)	Do.
Diseases:		
Sphaceloma citri	Citrus grandis (grapefruit)	California.*
Melanconium sacchari	Saccharum officinarum (sugar cane)	Pennsylvania.
Phomopsis citri	Citrus grandis (grapefruit) (2)	California.*
Do	Citrus sinensis (orange)	Do.*
PORTUGAL		
Insects:		
Aspidiotus hederae (ivy scale)	Palm	Pennsylvania.
Aspidiotus sp. (Coccidae)	Ficus sp. (fig) (cutting)	Rhode Island.
Aulacaspis rosae (rose scale)	Rosa sp. (rose) (cutting)	Do.
Blastodacna sp. (Cosmopterygidae)	Cydonia oblonga (quince)	Do.
Brevicoryne brassicae (aphid)	Brassica oleracea (cabbage)	Pennsylvania.
Ceratitis capitata (Mediterranean fruit fly).	Eriobotrya japonica (loquat)	Rhode Island.
Do	Pyrus communis (pear)	Do.
Ephestia sp. (Pyralidae)	Ficus sp. (fig)	Do.
Fiorinia fiorinae (Coccidae)	Camellia sp. (leaf)	Massachusetts.
Histiostoma sp. (mite)	Solanum tuberosum (potato)	New York.
Lepidosaphes beckii (purple scale)	Citrus limonia (lemon)	Pennsylvania.
Do	Citrus sinensis (orange)	Massachusetts.
Do	Citrus sinensis (orange) (4)	Rhode Island.
Do	Citrus sinensis (orange) (fruit, twig, and leaf).	Do.
Do	Citrus sp. (stem)	Pennsylvania.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
PORTUGAL—Continued		
Insects—Continued.		
Phthorimaea operculella (potato tuber moth).	Solanum tuberosum (potato)	New York.
Phycitinae (Pyralidae)	Opuntia compressa (prickly pear)	Do.
Pseudococcus adonidum (long-tailed mealybug).	Malus sylvestris (apple)	Massachusetts.
Pseudococcus sp. (Coccidae)	Cydonia oblonga (quince)	Rhode Island.
Pupilla muscorum (Mollusca)	In soil around potted palm	Pennsylvania.
Rhizoglyphus hyacinthi (bulb mite)	Ipomoea batatas (sweet potato)	Do.
Do	Solanum tuberosum (potato)	Do.
Rhizoglyphus sp. (mite)	Allium cepa (onion)	Do.
Rumina decollata (Mollusca)	In soil around potted palm	Do.
Suissetia oleae (black scale)	Citrus sinensis (orange)	Rhode Island.
Sciara sp. (Mycetophilidae)	Allium cepa (onion)	Pennsylvania.
Do	Solanum tuberosum (potato)	Do.
Thrips tabaci pullus (thrips)	Brassica oleracea (cabbage)	Do.
RUMANIA		
Insects:		
Carpocapsa pomonella (codling moth)	Juglans sp. (walnut)	New York.
Histiostoma sp. (mite)	Solanum tuberosum (potato)	Pennsylvania.
RUSSIA		
Insects:		
Bruchophagus sp. (Chalcididae)	Trifolium pratense (red clover)	District of Columbia.
Liothrips vaneeckei (thrips)	Lilium sp. (lily) (bulb) (2)	New York.
ST. LUCIA		
Insects:		
Carpophilus humeralis (Nitidulidae)	Citrus aurantifolia (lime)	New York.
Targionia hartii (Coccidae)	Dioscorea sp. (yam)	Massachusetts.
ST. VINCENT		
Insects:		
Lepidosaphes beckii (purple scale)	Citrus sinensis (orange)	Massachusetts.
Ortalid	Allium cepa (onion)	Pennsylvania.
Rhizoglyphus hyacinthi (bulb mite)	do	Do.
SALVADOR		
Insects:		
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime) (2)	California.*
Pseudaonidia articulatus (rufous scale)	Citrus aurantifolia (lime)	Do.*
Tipulid	Soil	Do.*
SAMOA		
Insects:		
Aspidiotus lataniae (Coccidae)	Cocos nucifera (coconut)	California.*
Chrysomphalus aonidum (Florida red scale).	do	Do.*
Dermestid	do	Hawaii.*
Ephestia sp. (Pyralidae)	Theobroma cacao (cacao bean) (7)	California.*
Hemichionaspis minor (Coccidae)	Cocos nucifera (coconut)	Do.*
SCOTLAND		
Insects:		
Euxesta sp. (Ortalidae)	Solanum tuberosum (potato)	Pennsylvania.
Histiostoma sp. (mite)	do	Do.
Noctuid	Unknown	California.*
Ptinus sp. (Ptinidae)	Old bagging with cotton adhering	New York.
Pyralid	Old bagging with cotton adhering (2)	Do.
Rhizoglyphus hyacinthi (bulb mite)	Allium cepa (onion)	Pennsylvania.
Rhizoglyphus sp. (mite)	do	South Carolina.
Sciara sp. (Mycetophilidae)	Solanum tuberosum (potato)	Pennsylvania.
Diseases:		
Actinomyces scabies	do	Florida.*
Fusarium sp.	do	Do.*
Oospora pustulans	Solanum tuberosum (potato) (4)	Pennsylvania.
SOUTH AFRICA		
Insects:		
Agromyzid	Protea sp.	New York.
Aphis sp. (aphid)	Ornithogalum thyrsoides (chinkerichee).	Do.
Aspidiotus sp. (Coccidae)	Leucadendron sp (silver leaf tree)	Do
Ceratitis capitata (Mediterranean fruit fly).	Citrus nobilis (tangerine)	Do.
Chionaspis leucadendri (Coccidae)	Leucadendron sp. (silver leaf tree)	Do.
Chrysomphalus aonidum (Florida red scale).	Citrus limonia (lemon)	Massachusetts.
Do	Citrus sinensis (orange)	Pennsylvania.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
SOUTH AFRICA—Continued		
Insects—Continued.		
Chrysomphalus aurantii (California red scale).	Citrus sinensis (orange)	Massachusetts.
Do	Citrus sinensis (orange) (2)	Pennsylvania.
Coccus sp. (Coccidae)	Agave americana (century plant)	Do.
Curculionid	Solanum tuberosum (potato)	Do.
Diaspis echinocacti cacti (Coccidae)	Cactus (plant)	South Carolina.
Histiostoma sp. (mite)	Solanum tuberosum (potato)	Pennsylvania.
Lepidosaphes beckii (purple scale)	Citrus grandis (grapefruit)	Do.
Do	Citrus sinensis (orange)	Do.
Monocrepidius sp. (Elateridae)	Solanum tuberosum (potato)	Do.
Mylabris sp. (Mylabridae)	Mimosa horrida (seed)	District of Columbia.
Parlatoria pergandii (chaff scale)	Citrus sinensis (orange)	Massachusetts.
Phthorimaea operculella (potato tuber worm).	Solanum tuberosum (potato)	New York.
Do	Solanum tuberosum (potato) (6)	Pennsylvania.
Pseudaonidia articulatus (rufous scale)	Citrus grandis (grapefruit)	Do.
Rhizoglyphus hyacinthi (bulb mite)	Allium cepa (onion)	Do.
Do	Solanum tuberosum (potato)	Do.
Rhizoglyphus sp. (mite)	In soil around roots of century plant	Do.
Do	Solanum tuberosum (potato)	Do.
Sciara sp. (Mycetophilidae)	do	Do.
Trichoniscus sp. (isopod)	In soil around roots of potted century plant.	Do.
Diseases:		
Rhizoctonia solani	Solanum tuberosum (potato)	South Carolina.
Spongospora subterranea	do	Do.
SOUTH AMERICA		
Insects:		
Araecerus fasciculatus (coffee-bean weevil).	In hold of ship with cargo of corn and coffee.	Washington.
Aspidiotus sp. (Coccidae)	Citrus aurantifolia (lime)	California.*
Dermestes sp. (Dermestidae)	Theobroma cacao (cacao bean)	Do.*
Dermestid	In cargo	Do.*
Do	Zea mays (corn)	Do.*
Ephestia sp. (Pyralidae)	Theobroma cacao (cacao bean) (7)	Do.*
Do	Zea mays (corn)	Do.*
Mylabris sp. (Mylabridae)	On coffee bag	New York.
Prolabia arachidis (earwig)	In hold of ship with cargo of coffee and corn.	Washington.
Scolytid	Bertholletia excelsa (Brazil nut)	California.*
SPAIN		
Insects:		
Aporophyla nigleuca (Noctuidae)	In soil around esparta grass	District of Columbia
Aspidiotus camelliae (greedy scale)	Citrus sinensis (orange)	Florida.*
Aspidiotus hederae (ivy scale)	Citrus limonia (lemon)	Do.*
Do	Citrus limonia (lemon) (4)	Pennsylvania.
Do	Palm (plant)	Do
Aspidiotus lataniae (Coccidae)	Citrus sinensis (orange)	Massachusetts.
Aspidiotus sp. (Coccidae)	do	Pennsylvania.
Do	Ficus sp. (fig)	District of Columbia.
Balaninus sp. (Curculionidae)	Castanea sp. (chestnut)	Massachusetts.
Do	Castanea sp. (chestnut) (2)	New York.
Do	Corylus avellana (filbert)	Pennsylvania.
Do	do	Porto Rico.
Do	Quercus sp. (oak) (acorn)	District of Columbia.
Brachycerus albidentatus (Brachyceridae).	Allium sativum (garlic)	New York.
Brachycerus sp. (Brachyceridae)	Spartinia tenacissima (esparta grass)	District of Columbia.
Carpocapsa pomonella (codling moth)	Malus sylvestris (apple)	South Carolina.
Carpoglyphus passularum (mite)	Ficus sp. (fig)	Pennsylvania.
Ceratitis capitata (Mediterranean fruit fly).	Citrus sinensis (orange)	New York.
Do	Vitis sp. (grape)	Do.
Chironomid	Allium cepa (onion)	Pennsylvania.
Chrysomela sp. (Chrysomelidae)	Spartinia tenacissima (esparta grass)	District of Columbia.
Chrysomphalus aonidum (Florida red scale.)	Citrus sinensis (orange)	California.*
Chrysomphalus aurantii (California red scale).	Citrus limonia (lemon)	Massachusetts.
Chrysomphalus dictyospermi (Coccidae).	Citrus sinensis (orange)	California.*
Do	Citrus sinensis (orange) (2)	Florida.*
Do	Citrus sinensis (orange)	Massachusetts.
Chrysomphalus dictyospermi var. (Coccidae).	Citrus limonia (lemon) (3)	Pennsylvania.
Do	Citrus nobilis (tangerine)	Massachusetts.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
SPAIN—Continued		
Insects—Continued.		
Chrysomphalus dictyospermi var. (Coccidae).	Citrus sinensis (orange)	Maryland.
Do	do	New York.
Chrysomphalus sp. (Coccidae)	Citrus limonia (lemon)	Massachusetts.
Do	Citrus sinensis (orange)	Do.
Cryptocephalus sp. (Chrysomelidae)	Solanum tuberosum (potato)	Pennsylvania.
Ephesita sp. (Pyralidae)	Amygdalus communis (almond)	New York.
Do	do	Pennsylvania.
Do	do	Washington.
Do	Arachis hypogaea (peanut)	California.*
Do	Ficus sp. (fig)	Do.*
Do	On dock near sacks of chestnuts	New York.
Do	Raisins	Do.
Harmolita sp. (Eurytomidae)	Spartinia tenacissima (esparta grass)	District of Columbia.
Helicella sp. (Mollusca)	Dianthus sp. (carnation) (plant)	Pennsylvania.
Histiostoma sp. (mite)	Solanum tuberosum (potato)	Maryland.
Do	Solanum tuberosum (potato) (3)	Pennsylvania.
Hylemyia cilicrura (Anthomyiidae)	Allium cepa (onion)	Do.
Laspeyresia splendana reaumurana (Olethreutidae).	Castanea sp. (chestnut) (3)	New York.
Do	On bag of chestnuts	Do.
Lepidosaphes beckii (purple scale)	Citrus limonia (lemon) (3)	Pennsylvania.
Do	Citrus sinensis (orange) (4)	California.*
Do	Citrus sinensis (orange) (3)	Florida.*
Do	Citrus sinensis (orange) (4)	Massachusetts.
Do	Citrus sinensis (orange) (6)	Pennsylvania.
Lepidosaphes gloverii (Glover's scale)	Citrus sinensis (orange)	California.*
Do	do	Florida.*
Do	Citrus sinensis (orange) (3)	Massachusetts.
Do	Citrus sinensis (orange)	New York.
Do	do	Pennsylvania.
Lepidosaphes ulmi (oyster-shell scale)	Olea europaea (olive) (cutting)	New York.
Lepidosaphes sp. (Coccidae)	Citrus sinensis (orange)	Pennsylvania.
Mylabris brachialis (Mylabridae)	Vicia sp. (vetch) (seed)	District of Columbia.
Mylabris sp. (Mylabridae)	Vicia sp. (vetch)	Do.
Parlatoria pergandii (chaff scale)	Citrus limonia (lemon)	New York.
Do	do	Pennsylvania.
Do	Citrus sinensis (orange)	California.*
Do	Citrus sinensis (orange) (3)	Florida.*
Do	Citrus sinensis (orange)	Louisiana.
Do	Citrus sinensis (orange) (4)	Massachusetts.
Do	Citrus sinensis (orange)	New York.
Do	Citrus sinensis (orange) (2)	Pennsylvania.
Parlatoria ziziphus (Coccidae)	Citrus sinensis (orange)	Massachusetts.
Do	do	Pennsylvania.
Pentatomid	Spartinia tenacissima (esparta grass)	District of Columbia.
Pheidole sp. (ant)	do	Do.
Phthorimaea operculella (potato tuber worm).	Solanum tuberosum (potato) (3)	Louisiana.
Phycitinae (Pyralidae)	Punica granatum (pomegranate)	Maryland.
Pyralid	Castanea sp. (marron) (2)	New York.
Do	Corylus avellana (filbert)	Do.
Do	Juglans sp. (walnut)	Do.
Rhizoglyphus hyacinthi (bulb mite)	Allium cepa (onion) (2)	Massachusetts.
Do	do	New York.
Do	Allium cepa (onion) (6)	Pennsylvania.
Do	Allium sativum (garlic)	New York.
Do	Solanum tuberosum (potato)	Pennsylvania.
Rhizoglyphus sp. (mite)	Allium cepa (onion)	New York.
Do	Allium cepa (onion) (2)	Pennsylvania.
Do	Allium sativum (garlic)	New York.
Do	Solanum tuberosum (potato)	Louisiana.
Do	do	Pennsylvania.
Saissetia oleae (black scale)	Olea europaea (olive)	New York.
Sciara sp. (Mycetophilidae)	Allium cepa (onion)	Massachusetts.
Do	Allium cepa (onion) (3)	Pennsylvania.
Do	Solanum tuberosum (potato)	Do.
Do	do	South Carolina.
Tenebroides sp. (Ostomidae)	Ficus sp. (fig)	California.*
Tyroglyphus sp. (mite)	Juglans sp. (walnut)	Pennsylvania.
Do	Malus sylvestris (apple)	Maryland.
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato) (3)	Florida.*
Bacterium savastanoi	Olea europaea (olive)	New York.
Sphaceloma citri	Citrus sinensis (orange)	California.*
Cycloconium oleaginum	Olea europaea (olive)	District of Columbia.
Rhizoctonia sp	Solanum tuberosum (potato) (2)	Florida.*
Spondylocladium atrovirens	Solanum tuberosum (potato) (5)	Do.*

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
STRAITS SETTLEMENTS		
Insects:		
Acythopeus aterrimus (Curculionidae)	Grammatophyllum speciosum (orchid) (plant)	District of Columbia.
Aspidiotini (Coccidae)	Garcinia kydia (plant)	Do.
Aspidiotus sp. (Coccidae)	Cocos nucifera (coconut)	California.*
Cerococcus sp. (Coccidae)	Ixora coccinea (scarlet ixora) (plant)	District of Columbia.
Chrysomphalus aurantii (California red scale)	Citrus grandis (pomelo)	Massachusetts
Hemichionaspis sp (Coccidae)	Uvaria purpurea (plant)	District of Columbia.
Lepidosaphes beckii (purple scale)	Citrus grandis (grapefruit)	Massachusetts.
Do	Citrus grandis (pomelo)	Do.
Lepidosaphes sp (Coccidae)	Cocos nucifera (coconut)	California *
Parlatoria ziziphus (Coccidae)	Citrus grandis (pomelo)	Massachusetts.
Saissetia hemisphaerica (hemispherical scale).	Ixora coccinea (scarlet ixora)	District of Columbia.
Diseases:		
Diplodia sp	Xylocarpus granatum	Do.
SUMATRA		
Insects:		
Araecerus fasciculatus (coffee-bean weevil).	Gossypium sp. (cottonseed)	Do.
Dermatodes glaucopustulatus (Curculionidae).	On case containing plants and soil	Do.
Eurytomid	Sapotaceae (seed)	Do.
Gelechiid	Pterocarpus indicus (pod)	Do.
Lepidosaphes sp. (Coccidae)	Cyrtostachys renda (palm)	Do.
Odonaspis secretus lobulatus (Coccidae).	Gigantochloa verticillata (bamboo) (plant).	Do.
Pheidole megacephala (ant)	In case with miscellaneous plants	Do.
Scolytid	Arenga saccharifera	Do.
SWEDEN		
Insects:		
Acratrichis sp. (Ptiliidae)	Moss used as packing for shrubs	Massachusetts.
Agriolimax agrestis (Mollusca)	Moss	Do.
Aspidiotus hederae (ivy scale)	Phoenix canariensis (Canary date palm).	Oregon.
Eupodid	In moss and soil used as packing for spruce.	Massachusetts.
Gelechiid	Malus sylvestris (apple)	New York.
Histiostoma sp. (mite)	Solanum tuberosum (potato) (3)	Pennsylvania.
Julus foetidus (myriapod)	In moss used as packing for shrubs	Massachusetts.
Lampyris noctiluca (Lampyridae)	In packing with spruce seedlings	Do.
Lithobius curtipes (myriapod)	In moss and soil used as packing for spruce seedlings.	Do.
Mirid	In moss used as packing for shrubs	Do.
Pteromalid	In moss and soil used as packing for spruce seedlings.	Do.
Rhizoglyphus hyacinthi (bulb mite)	Solanum tuberosum (potato)	Maryland.
Rhizoglyphus sp. (mite)	do	Pennsylvania.
Schendyla nemorensis (myriapod)	In moss and soil used as packing for spruce seedlings.	Massachusetts.
Syrphid	Fragaria sp. (strawberry)	New York.
Do	In moss used as packing for shrubs	Massachusetts.
Vitrea hammonis (Mollusca)	do	Do.
Diseases:		
Gymnosporangium juniperinum	Sorbus aucuparia (European mountain ash).	New York.
SWITZERLAND		
Insects:		
Clausilia laminata (Mollusca)	In soil around roots or bulbs	Pennsylvania.
Coccinae (Coccidae)	Malus sylvestris (apple)	District of Columbia.
Endrosis lacteella (Oecophoridae)	Azalea sp. (twig)	Pennsylvania.
Julus sp. (myriapod)	Bulbs	Do.
Lepidosaphes ulmi (oyster-shell scale)	Malus sylvestris (apple)	District of Columbia.
Tyroglyphus sp. (mite)	Evergreen	Massachusetts.
Do	Malus sylvestris (apple)	Do.
Vitrea cellaria (Mollusca)	In soil packing	Pennsylvania.
SYRIA		
Insects:		
Chrysomphalus aonidum (Florida red scale).	Citrus sinensis (orange)	Massachusetts.
Eurytomid	Cassia sp	Rhode Island.
Lepidosaphes sp. (Coccidae)	Ficus sp. (fig.)	Do.
Pyralid	Morus sp. (mulberry)	Massachusetts.

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
TAHITI		
Insects:		
Aspidiotus camelliae (greedy scale)	Mangifera indica (mango) (plant)	District of Columbia.
Chrysomphalus aonidum (Florida red scale).	Cocos nucifera (coconut) (2)	California.*
Chrysomphalus aurantii (California red scale).	Citrus limonia (lemon)	Do.*
Do	Citrus sinensis (orange)	Do.*
Chrysomphalus dictyospermi (Coccidae).	Mangifera indica (mango) (leaf)	Do.*
Do	Mangifera indica (mango) (plant) (2)	District of Columbia
Diocalandra taitensis (Curculionidae)	Cocos nucifera (coconut)	California.*
Ephestia sp. (Pyralidae)	Copra (2)	Do.*
Do	Theobroma cacao (cacao bean) (2)	Do.*
Hemichionaspis minor (Coccidae)	Cocos nucifera (coconut) (2)	Do.*
Lepidosaphes beckii (purple scale)	Citrus aurantifolia (lime)	Do.*
Do	Citrus sinensis (orange) (3)	Do.
Morganella maskelli (Coccidae)	Citrus sinensis (orange)	Do.*
Parlatoria cinerea (Coccidae)	Citrus aurantifolia (lime)	Do.*
Ripersia palmarum (Coccidae)	Cocos nucifera (coconut)	Do.*
Saissetia sp. (Coccidae)	Plumbago sp. (plant)	Hawaii.*
Scarabaeid	Artocarpus indisa (breadfruit) (cutting).	Do.*
TASMANIA		
Diseases:		
Rhizoctonia solani	Solanum tuberosum (potato)	District of Columbia
TRINIDAD		
Insects:		
Aegeriid	Mora (seed)	District of Columbia
Anastrepha fraterculus (West Indian fruit fly).	Citrus grandis (grapefruit)	New York.
Anastrepha sp. (Trypetidae)	do	Do.
Aulacaspis sp. (Coccidae)	Mangifera indica (mango)	Do.
Blastobasid	Punica granatum (pomegranate)	Do.
Chaetopsis sp. (Ortalidae)	Rheedia laterifolia (seed)	District of Columbia.
Chionaspis citri (orange chionaspis)	Citrus grandis (grapefruit)	New York.
Conotrachelus sp. (Curculionidae)	Mal balata (seed)	District of Columbia
Curculionid	Andira sp. (angelin) (seed)	Do.
Do	Cynometra trinitensis (seed)	Do.
Epipaschiinae (Pyralidae)	In package with palm seed	Do.
Fiorinia sp. (Coccidae)	Mangifera indica (mango)	New York.
Formicinae (ant)	Dracaena sp. (cane)	District of Columbia.
Haptoncus luteolus (Nitidulidae)	Brosimum alicastrum (seed)	Do.
Lasius sp. (ant)	In package with seed	Do.
Lepidosaphes beckii (purple scale)	Citrus sinensis (orange)	Massachusetts.
Leptostylus sp. (Cerambycidae)	Mal balata (seed)	District of Columbia.
Lepturges spermophagus (Cerambycidae).	In package with palm seed	Do.
Microcerotermes sp. (termite)	Mangifera indica (mango)	New York.
Olethreutid	Citrus sinensis (orange)	Do.
Do	Hibiscus esculentus (okra)	Do.
Parlatoria pergandii (chaff scale)	Citrus sinensis (orange)	Massachusetts.
Pseudaonidia articulatus (rufous scale)	Citrus grandis (grapefruit)	New York.
Do	Mangifera indica (mango)	Do.
Psyche sp. (Psychidae)	Citrus sinensis (orange)	Massachusetts.
Pyralinae (Pyralidae)	Rheedia laterifolia (seed)	District of Columbia.
Rhizoglyphus sp. (mite)	do	Do.
Richardia sp. (Ortalidae)	Citrus grandis (grapefruit)	New York.
Saissetia nigra (Coccidae)	Mangifera indica (mango)	Do.
Scolytid	Rheedia laterifolia (seed)	District of Columbia.
Do	Sabal blackburniana (seed)	Do.
Solenopsis geminata rufa (ant)	In packing around tree seed	Do.
Stenoma sp. (Stenomidae)	Brosimum alicastrum (seed)	Do.
Targionia hartii (Coccidae)	Dioscorea sp. (yam)	New York.
TUNIS		
Insects:		
Parlatoria blanchardi (Coccidae)	Phoenix dactylifera (date) (2)	New York.
Diseases:		
Fusarium sp.	Solanum tuberosum (potato)	Florida.*
Spondylocladium atrovirens	do	Do.*
TURKEY		
Insects:		
Asipidiotus ostreaeformis (Coccidae)	Ficus sp. (capri fig)	District of Columbia.
Ephestia figulilella (Pyralidae)	Unknown	New York.
Ephestia sp. (Pyralidae)	Corylus avellana (filbert) (4)	Do.
Do	On bag of filberts	Do.
Laspeyresia splendana (Olethreutidae)	On bag of acorns	Do.
Do	Quercus sp. (oak) (acorn)	Do

List, by countries, of pests collected and reported from January 1, 1926, to December 31, 1926, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]

Country of origin and name of pest	Host	Intercepted in—
TURKEY—Continued		
Insects—Continued.		
Olethreutid	Quercus sp. (oak) (acorn)	New York.
Pyralid	Corylus avellana (filbert) (2)	Do.
Saissetia oleae (black scale)	Ficus sp. (capri fig)	District of Columbia.
Tinea granella (Tineidae)	Corylus avellana (filbert)	New York.
TURKS ISLAND		
Insects:		
Alcadia sp. (Mollusca)	Cactus (plant)	Pennsylvania.
Chondropoma biforme (Mollusca)	do	Do.
Chondropoma sp. (Mollusca)	do	Do.
Eutrochatella candida (Mollusca)	do	Do.
Hemitrochus sp. (Mollusca)	do	Do.
Pupoides marginata nitidulus (Mollusca).	do	Do.
Succinea sp. (Mollusca)	do	Do.
VENEZUELA		
Insects:		
Ephestia sp. (Pyralidae)	Theobroma cacao (cacao bean)	California.*
Do	do	New York.
Mylabris sp. (Mylabridae)	Caesalpinia coriaria (divi-divi) (pod)	Do.
Porcellionides pruinosus (isopod)	Dioscorea sp. (yam)	Pennsylvania.
Pralabia arachidis (earwig)	do	Do.
Tineid	do	Do.
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato)	Florida.*
VIRGIN ISLANDS		
Insects:		
Cylindera flava (Cerambycidae)	Raw cotton and cottonseed	Pennsylvania.
Euxesta sp. (Ortalidae)	Allium cepa (onion)	New York.
Lyctus parallelopipedus (Lyctidae)	Raw cotton and cottonseed	Pennsylvania.
Pachyzancla sp. (Pyralidae)	Solanum melongena (eggplant)	New York.
Pseudococcus citri (citrus mealybug)	Dioscorea sp. (yam)	District of Columbia.
Pseudococcus sp. (Coccidae)	Canna edulis (canna)	Do.
Rhizoglyphus sp. (mite)	Allium cepa (onion)	New York.
WALES		
Diseases:		
Actinomyces scabies	Solanum tuberosum (potato)	Florida.*
Fusarium sp.	Solanum tuberosum (potato) (2)	Do.*
WASHINGTON ISLAND (OCEANIA)		
Insects:		
Hemichionaspis minor (Coccidae)	Cocos nucifera (coconut)	California.*
WEST INDIES		
Insects:		
Aspidiotus hederae (ivy scale)	Palm	Florida.*
Chrysomphalus aonidum (Florida red scale).	Citrus grandis (grapefruit)	Do.*
Do	Citrus sinensis (orange)	California.*
Do	Palm	Florida.*
Chrysomphalus dictyospermi (Coccidae).	Citrus grandis (grapefruit)	California.*
Do	do	Florida.*
Lepidosaphes beckii (purple scale)	do	Do.*
Do	Citrus sinensis (orange)	California.*
Parlatoria pergandii (chaff scale)	Citrus grandis (grapefruit)	Florida.*
Parlatoria proteus (Coccidae)	Dracaena sp.	Do.*
Do	Palm	Do.*
Pseudaonidia articulatus (rufous scale).	Citrus grandis (grapefruit)	California.*
Do	do	Florida.*
Pseudococcus adonidum (long-tailed mealybug).	Codiaeum sp. (croton)	Do.*
Saissetia hemisphaerica (hemispherical scale).	do	Do.*
Sitophilus linearis (tamarind pod-borer).	Tamarindus indica (tamarind)	Pennsylvania.
Solenopsis geminata rufa (ant)	Dioscorea sp. (yam)	Do.
Targionia hartii (Coccidae)	do	Do.
Tudora megachela (Mullusca)	In soil around cactus plant	Do.
Diseases:		
Phomopsis citri	Citrus grandis (grapefruit)	California.*

U. S. GOVERNMENT PRINTING OFFICE: 1927